



3 1761 11555862 9



Digitized by the Internet Archive
in 2022 with funding from
University of Toronto

(22)

HOSPITAL MORBIDITY STATISTICS

Based on the Experience of
Provincial Hospital Insurance Plans in Canada
January 1 - December 31, 1966



Biostatistics Division
Research and Statistics Directorate

Published by authority of
the Honourable John Munro
Minister of National Health and Welfare

FOREWORD


This report, based on Canadian hospital morbidity experience for the year 1966, is the sixth of its type to be produced by the Department of National Health and Welfare. The fifth report, held up due to technical difficulties, will be published shortly.

The national tables have been compiled and consolidated from data prepared by the Provincial and Territorial Insurance Plans. In some instances, the provincial data have already been published, in full or in part, by the provinces in their individual annual reports; in others, the data have been submitted directly to this Department in the form of tables or were processed centrally by the Biostatistics Division and the Dominion Bureau of Statistics, using original records or duplicate cards or tape provided by the provinces to the Dominion Bureau of Statistics.

Hospital admission-separation forms provide the source material from which the tables for each province are prepared. The content and format, in general, follow the uniform outline for hospital morbidity statistics approved in 1961 by the Advisory Committee on Hospital Insurance and Diagnostic Services. Some provinces were unable to provide the information for certain tables, as indicated by the various footnotes.

Separation rates and patient-day rates are based on the 1966 Canadian Census population counts as published by the Dominion Bureau of Statistics.

This report was prepared in the Research and Statistics Directorate by Mr. A. C. McKenzie, Supervisor, Medical Care Statistics, under the direction of Mr. C. B. Walker, Principal Research Officer (Biostatistics). Sections of the report were produced through a computer by Miss W. Beirnes, programmer. Mr. R. Belanger was responsible for the preparation of the tables and many of the calculations.



John E. Osborne,
Director,
Research and Statistics

INTRODUCTION

The information in this report is contained in tables covering the following aspects of hospitalization in Canada:

1. Summary of separations and the patient-days of these separations by the agency responsible for payment of hospitalization, by province.
2. Separations and patient-days by sex and age groups, separation rates and patient-day rates per 1,000 population, average length of stay and the percentage distributions of separations and patient-days, by province.
3. Separations and patient-days of these separations by age group and length of stay in hospital, by province.
4. Separations, patient-days of these separations, separation rates and patient-day rates per 100,000 population, average length of stay, "expected" separations and days standardized to 1961 census population, and case rate and day rate comparisons with the year 1962 rate = 100, by sex and age group, by the Canadian List of 98 diagnoses, Canada.
5. Separations, patient-days, average length of stay, separation rates and patient-day rates per 1,000 population, by age group for the ten most common diagnoses, by province.
6. Separations, and separation rates per 100,000 population, and the rate per 1,000 separations for the twenty-five most common operations, by province.
7. Separations and patient-days for the 75 categories in the "Temporary List of Operations and Treatments", by province.
8. Separations and patient-days for the categories in a special list of infant diagnoses, for newborn infants and for infants under one year of age, by province.

When using the information in this bulletin, certain reservations should be kept in mind. The data are not meant to represent a true measure of the actual amount of illness in each province or in Canada. They reflect only the morbidity experience of persons admitted to hospitals. Data concerning sick persons who are treated at home, in a physician's office, or in out-patient clinics are not included.

It must also be recognized that the counts of cases and patient-days apply to "separations". A separation is defined as a "discharge or death" occurring during the year. No account has been taken of multiple separations of an individual for the same illness, or multiple separations of an individual for different illnesses during the year.

The number of "separations" is, therefore, somewhat greater than the number of individuals involved. Although these distinctions are perhaps of slight interest from the point of view of those treating the sick person, they have definite interest for those concerned with hospital administration and planning of community services. In one province, for example, approximately 77 per cent of the individual patients hospitalized in 1965 were

hospitalized once only, 15 per cent were hospitalized twice and slightly over 4 per cent were hospitalized three times. In the Oxford, England, Record Linkage Study⁽¹⁾ patients with certain conditions such as carcinoma of the bronchus, carcinoma of the breast, diabetes, cataract, nervousness and debility, schizophrenia, and neurotic depressive reaction, were often hospitalized more than once during a year, so that rates based on the number of discharges for a specific condition were somewhat higher than the corrected in-patient morbidity rates based on individuals discharged. For other conditions, such as hypertrophy of tonsils and adenoids, acute appendicitis, and broncho-pneumonia, the rates based on discharges are close to the corrected rates based on individuals.

Hospital caseloads also tend to reflect those disease conditions which receive some benefit from hospital facilities and services, with particular emphasis on surgery and intensive medical treatment. Examples of such conditions are acute appendicitis and coronary attacks. Alternatively, illnesses which can often be treated at home, or in the physician's office, such as upper respiratory illnesses and rheumatism, are less likely to appear in hospital morbidity statistics. Hospitalization data, therefore, may be a fair indicator of morbidity for some conditions but a poor indicator for others.

The data represent hospital utilization, or the amount of care provided. The provinces differ somewhat in their arrangements to provide this care, such as in the number of hospital beds available in relation to provincial population, the number of chronic facilities available, and the extent to which they are included in the hospital insurance program. Alternative forms of care, such as the care provided by nursing homes, will vary from province to province. Comparisons of the effect of these factors on hospital utilization are beyond the scope of this publication.

It should be noted that Table 6 now includes supplementary information comparing the 1966 morbidity experience with the base year 1962, to indicate changes over a five-year period for each diagnostic category, by age group and sex.

For convenience, the Canadian List of 98 Diagnoses has been included as an Appendix. This list, which was developed in 1961, will be phased out and replaced by a new list of 188 categories developed in 1968, together with a new group of recommended tables. Copies of the 188 List, and the new tables, are available from the Biostatistics Division, Department of National Health and Welfare, Ottawa.

(1) Acheson, E.D. Medical Record Linkage. Oxford University Press, 1967. London, New York, Toronto, p. 114.

LIST OF TABLES

1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Newfoundland, 1966.	1
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Prince Edward Island, 1966.	2
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Nova Scotia, 1966.	3
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, New Brunswick, 1966.	4
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Quebec, 1966.	5
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Ontario, 1966.	6
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Manitoba, 1966.	7
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Saskatchewan, 1966.	8
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Alberta, 1966.	9
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, British Columbia, 1966.	10
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Yukon, 1966.	11
1	SUMMARY OF HOSPITALIZATION. SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, Northwest Territories, 1966.	12

<u>Table Number</u>		<u>Page</u>
2a(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Number of Separations, Male.	13
2a(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Number of Separations, Female.	14
2a(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Number of Separations, Both Sexes.	15
2b(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Patient-Days since Admission, Male.	16
2b(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Patient-Days since Admission, Female.	17
2b(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Patient-Days since Admission, Both Sexes.	18
2c(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Average Length of Stay, Male.	19
2c(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Average Length of Stay, Female.	20
2c(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Average Length of Stay, Both Sexes.	21
2d(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Separation Rate per 1,000 Population, Male.	22
2d(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Separation Rate per 1,000 Population, Female.	23

<u>Table Number</u>		<u>Page</u>
2d(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Separation Rate per 1,000 Population, Both Sexes.	24
2e(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Patient-Day Rate per 1,000 Population, Male.	25
2e(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Patient-Day Rate per 1,000 Population, Female.	26
2e(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Patient-Day Rate per 1,000 Population, Both Sexes.	27
2f(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Percentage Distribution of Separations, Male.	28
2f(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Percentage Distribution of Separations, Female.	29
2f(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Percentage Distribution of Separations, Both Sexes.	30
2g(i)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Percentage Distribution of Patient-Days, Male.	31
2g(ii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Percentage Distribution of Patient-Days, Female.	32

<u>Table Number</u>		<u>Page</u>
2g(iii)	HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, BY PROVINCE, 1966. Percentage Distribution of Patient-Days, Both Sexes.	33
5a(i)	SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1966.	35
5a(ii)	PERCENTAGE DISTRIBUTION OF SEPARATIONS, FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1966.	36
5a(iii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1966. Number of Separations, Male.	37
5a(iv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1966. Number of Separations, Female.	38
5a(v)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1966. Number of Separations, Male.	39
5a(vi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1966. Number of Separations, Female.	40
5a(vii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1966. Number of Separations, Male.	41
5a(viii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1966. Number of Separations, Female.	42
5a(ix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1966. Number of Separations, Male.	43
5a(x)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1966. Number of Separations, Female.	44
5a(xi)	SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1966.	45

<u>Table Number</u>		<u>Page</u>
5a(xii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1966. Number of Separations, Male.	46
5a(xiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1966. Number of Separations, Female.	47
5a(xiv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1966. Number of Separations, Male.	48
5a(xv)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1966. Number of Separations, Female.	49
5a(xvi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1966. Number of Separations, Male.	50
5a(xvii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1966. Number of Separations, Female.	51
5a(xviii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1966. Number of Separations, Male.	52
5a(xix)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1966. Number of Separations, Female.	53
5a(xx)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1966. Number of Separations, Male.	54
5a(xxi)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1966. Number of Separations, Female.	55
5a(xxii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1966. Number of Separations, Male.	56
5a(xxiii)	SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1966. Number of Separations, Female.	57

<u>Table Number</u>		<u>Page</u>
5b(i)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1966.	58
5b(ii)	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS FOR BOTH SEXES AND ALL AGES, PROVINCIAL PLAN IN-PATIENTS, BY PROVINCE, 1966.	59
5b(iii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1966. Patient-Days of Separations, Male.	60
5b(iv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Newfoundland, 1966. Patient-Days of Separations, Female.	61
5b(v)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1966. Patient-Days of Separations, Male.	62
5b(vi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Prince Edward Island, 1966. Patient-Days of Separations, Female.	63
5b(vii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1966. Patient-Days of Separations, Male.	64
5b(viii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, New Brunswick, 1966. Patient-Days of Separations, Female.	65
5b(ix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1966. Patient-Days of Separations, Male.	66
5b(x)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Quebec, 1966. Patient-Days of Separations, Female.	67
5b(xi)	PATIENT-DAYS OF SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN, ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, Ontario, 1966.	68
5b(xii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1966. Patient-Days of Separations, Male.	69

<u>Table Number</u>		<u>Page</u>
5b(xiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Manitoba, 1966. Patient-Days of Separations, Female.	70
5b(xiv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1966. Patient-Days of Separations, Male.	71
5b(xv)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Saskatchewan, 1966. Patient-Days of Separations, Female.	72
5b(xvi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1966. Patient-Days of Separations, Male.	73
5b(xvii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, Alberta, 1966. Patient-Days of Separations, Female.	74
5b(xviii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1966. Patient-Days of Separations, Male.	75
5b(xix)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN IN-PATIENTS, British Columbia, 1966. Patient-Days of Separations, Female.	76
5b(xx)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1966. Patient-Days of Separations, Male.	77
5b(xxi)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Yukon, 1966. Patient-Days of Separations, Female.	78
5b(xxii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1966. Patient-Days of Separations, Male.	79
5b(xxiii)	PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, TERRITORIAL PLAN IN-PATIENTS, Northwest Territories, 1966. Patient-Days of Separations, Female.	80
6	SEPARATIONS PATIENT-DAYS OF SEPARATIONS, AVERAGE STAY, SEPARATION RATE AND PATIENT- DAY RATE PER 100,000 POPULATION, "EXPECTED" CASES AND DAYS STANDARDIZED TO 1961 CENSUS POPULATION, CASE RATE AND DAY RATE COM- PARISON WITH 1962 CANADA RATE = 100, FOR EACH DIAGNOSIS AND EACH AGE GROUP, CANADA, 1966.	81

<u>Table Number</u>		<u>Page</u>
7(a)	NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1966.	180
7(b)	RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES, 1966.	181
7(c)	PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES, FOR TEN PROVINCES AND TWO TERRITORIES, 1966.	182
7(d)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Newfoundland, 1966.	183
7(e)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Prince Edward Island, 1966.	185
7(f)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, Nova Scotia, 1966.	187
7(g)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, New Brunswick, 1966.	188
7(h)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Quebec, 1966.	190
7(i)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Ontario, 1966.	192
7(j)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Manitoba, 1966.	194
7(k)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Saskatchewan, 1966.	196

<u>Table Number</u>		<u>Page</u>
7(1)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Alberta, 1966.	198
7(m)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND EXCLUDING OUT-OF-PROVINCE HOSPITALIZATION), British Columbia, 1966.	200
7(n)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN AND INCLUDING OUT-OF-PROVINCE HOSPITALIZATION), Yukon, 1966.	202
7(o)	HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, Northwest Territories, 1966.	204
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1966.	206
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1966.	207
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Nova Scotia, 1966.	208
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), New Brunswick, 1966.	209
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1966.	210
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Ontario, 1966.	211
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Manitoba, 1966.	212
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1966.	213
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Alberta, 1966.	214

<u>Table Number</u>		<u>Page</u>
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), British Columbia, 1966.	215
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Yukon, 1966.	216
8	SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN- PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1966.	217
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN- PATIENTS (EXCLUDING NEWBORN), Newfoundland, 1966.	218
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Prince Edward Island, 1966.	223
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Quebec, 1966.	227
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Ontario, 1966.	232
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS (EXCLUDING NEWBORN), Manitoba, 1966.	236
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Saskatchewan, 1966.	241
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), Alberta, 1966.	245
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN, AND OUT-OF-PROVINCE SEPARATIONS), British Columbia, 1966.	250

<u>Table Number</u>		<u>Page</u>
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS (EXCLUDING NEWBORN), Yukon, 1966.	255
9	SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), Northwest Territories, 1966.	259
10	SEPARATIONS AND PATIENT-DAYS FOR THE CATEGORIES IN THE LIST OF INFANT DIAGNOSES, BY SEX, FOR NEWBORN PATIENTS AND FOR INFANTS UNDER ONE YEAR OF AGE WHO ARE PROVINCIAL PLAN IN-PATIENTS (INCLUDING OUT-OF-PROVINCE HOSPITALIZATION) FOR EIGHT PROVINCES AND TWO TERRITORIES, 1966.	263
APPENDIX 1	THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955).	272
APPENDIX 2	CANADA POPULATION 1966 (EXCLUDING NOVA SCOTIA) UTILIZED IN TABLE 6, BY SEX AND AGE GROUP.	274
APPENDIX 3	CENSUS POPULATION, BY PROVINCE, AGE GROUP, AND SEX, CANADA, 1966. SOURCE: DOMINION BUREAU OF STATISTICS.	275

SUMMARY OF HOSPITALIZATION SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION OF THESE SEPARATIONS, NEWFOUNDLAND, 1966

- 1 -

Note: Data in this table represent actual patient-days as reported on Hospital HS-1 Returns and exclude days from domiciliary care units.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, PRINCE EDWARD ISLAND 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	Responsibility of Provincial Plan						
1.	Hospitalized in the province						
i	Active treatment hospitals	17,376	2,217	19,593	173,824	14,497	188,321
ii	Chronic and convalescent hospitals	-	-	-	-	-	-
a)	Chronic units attached to general hospitals	103	-	103	4,724	-	4,724
b)	Public chronic hospitals	-	-	-	-	-	-
c)	Private hospitals giving chronic care	-	-	-	-	-	-
d)	Other chronic facilities	-	-	-	-	-	-
e)	Public convalescent units and hospitals	-	-	-	-	-	-
2.	Hospitalized in other provinces	584	107	691	8,340	741	9,081
3.	Hospitalized in other countries	23	1	24	203	4	207
	Sum of A	18,086	2,325	20,411	187,091	15,242	202,333
B.	Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals	152	-	152	1,760	-	1,760
ii	In other hospitals	130	-	130	1,320	-	1,320
2.	Workmen's Compensation Boards	-	-	-	-	-	-
3.	Uninsured residents	455	59	514	3,075	380	3,455
4.	Non-residents	86	-	86	177	-	177
5.	Insured residents not the responsibility of Provincial Plan	-	-	-	-	-	-
6.	Other agencies	823	59	882	6,332	380	6,712
	Sum of B	18,909	2,384	21,293	193,423	15,622	209,045
C.	Sum of A and B						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NOVA SCOTIA, 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	111,548	15,032	126,580	1,198,892	102,250	1,301,142
i	Active treatment hospitals	681	-	681	20,920	-	20,920
ii	Chronic convalescent hospitals	1,566	88	1,654	18,804	712	19,516
2.	Hospitalized in other provinces	367	11	378	3,736	95	3,831
3.	Hospitalized in other countries						
	Sum of A	114,162	15,131	129,293	1,242,352	103,057	1,345,409
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
	Department of Veterans Affairs						
i	In departmental hospitals	1,146	-	1,146	84,184	-	84,184
ii	In other hospitals	258	-	258	3,886	-	3,886
2.	Workmen's Compensation Boards	1,742	-	1,742	22,870	-	22,870
3.	Uninsured residents and non-residents	2,873	247	3,120	33,351	2,081	35,432
4.	Insured residents not the responsibility of N.S.H.I.C.	48	15	63	142	27	169
5.	Other agencies	168	17	185	1,111	111	1,222
6.	U.S.A.F.	13	4	17	61	21	82
	Sum of B	6,248	283	6,531	145,605	2,240	147,845
C.	Sum of A and B	120,410	15,414	135,824	1,387,957	105,297	1,493,254

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NEW BRUNSWICK, 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	97,944	12,369	110,313	1,010,308	78,301	1,088,609
2.	Hospitalized in other provinces	1,000	84	1,084	12,950	721	13,671
3.	Hospitalized in other countries	74	11	85	722	64	786
	Sum of A	99,018	12,464	111,482	1,023,980	79,086	1,103,066
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs	81	-	81	1,023	-	1,023
2.	Workmen's Compensation Boards	1,631	-	1,631	17,032	-	17,032
3.	Uninsured residents	79	-	79	475	-	475
4.	Non-residents	62	7	69	468	56	524
5.	Insured residents not the responsibility of Provincial Plan	3,818	438	4,256	34,374	2,935	37,309
6.	Other agencies	1,007	71	1,078	6,543	489	7,032
	Sum of B	6,678	516	7,194	59,915	3,480	63,395
C.	Sum of A and B	105,696	12,980	118,676	1,083,895	82,566	1,166,461

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, QUEBEC, 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals						
ii	Chronic and convalescent hospitals (subdivided where applicable)						
	a) Chronic units attached to general hospitals	753,748	109,580	863,328	7,773,641	688,180	8,461,821
	b) Public chronic hospitals	424	-	424	-	-	-
	c) Private hospitals giving chronic care	6,543	-	6,543	72,103	-	72,103
	d) Other chronic facilities	4,758	-	4,758	1,250,768	-	1,250,768
	e) Public convalescent units and hospitals (Institut de Réhabilitation - Montreal)	1,592	-	1,592	516,246	-	516,246
	Hospitalized in other provinces	657	-	657	372,314	-	372,314
	Hospitalized in other countries	14,619	1,600	16,219	33,027	-	33,027
		1,574	155	1,729	166,463	11,161	177,624
2.	Sum of A	783,915	111,335	895,250	15,425	947	16,372
3.					10,199,987	700,288	10,900,275
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals	80	-	80	1,231	-	1,231
ii	In other hospitals, Federal Government	370	3	373	3,327	22	3,349
2.	Workmen's Compensation Boards	12,654	-	12,654	136,989	-	136,989
3.	Uninsured residents	225	46	271	1,897	238	2,135
4.	Non-residents	7,991	497	8,488	99,180	3,456	102,636
5.	Insured residents not the responsibility of Provincial Plan	144	18	162	1,012	106	1,118
6.	Other agencies	-	-	-	-	-	-
	Sum of B	21,464	564	22,028	243,636	3,822	247,458
C.	Sum of A and B	805,379	111,899	917,278	10,443,623	704,110	11,147,733

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ONTARIO, 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals						
ii	Chronic and convalescent hospitals (subdivided where applicable)						
	a) Chronic units attached to general hospitals						
	b) Public chronic hospitals						
	c) Private hospitals giving chronic care						
	d) Other chronic facilities						
	e) Public convalescent units and hospitals						
2.	Hospitalized in other provinces						
3.	Hospitalized in other countries						
	Sum of A						
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals (not included)						
ii	In other hospitals						
2.	Workmen's Compensation Boards						
3.	Uninsured residents						
4.	Non-residents						
5.	Insured residents not the responsibility of Provincial Plan						
6.	Other agencies						
	Sum of B						
C.	Sum of A and B (less D.V.A. in D.V.A. hospitals)						
		1,065,721	134,263	1,199,984	14,281,708	943,271	15,224,979

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, MANITOBA, 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province						
i	Active treatment hospitals	159,690	17,599	177,289	1,514,680	112,966	1,627,646
ii	Extended treatment hospitals	2,224	-	2,224	264,323	-	264,323
2.	Hospitalized in other provinces	2,467	297	2,764	20,451	1,125	21,576
3.	Hospitalized in other countries	724	69	793	6,597	150	6,747
	Sum of A	165,105	17,965	183,070	1,806,051	114,241	1,920,292
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs						
i	In D.V.A. hospitals	1,140	-	1,140	13,124	-	13,124
ii	In other hospitals	90	1	91	900	7	907
2.	Workmen's Compensation Boards	1,865	-	1,865	23,694	-	23,694
3.	Uninsured residents	32	8	40	206	37	243
4.	Non-residents	7,644	640	8,284	87,446	5,459	92,905
5.	Insured residents not the responsibility of Provincial Plan	442	1	443	1,240	2	1,242
6.	Other agencies	-	-	-	-	-	-
	Sum of B	11,213	650	11,863	126,610	5,505	132,115
C.	Sum of A and B	176,318	18,615	194,933	1,932,661	119,746	2,052,407

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, SASKATCHEWAN, 1966

Items		Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	Responsibility of Provincial Plan						
1.	Hospitalized in the province	198,672	18,489	217,161	1,884,236	120,652	2,004,888
i	Active treatment hospitals	-	-	-	-	-	-
ii	Chronic and convalescent hospitals (subdivided where applicable)	-	-	-	-	-	-
a)	Chronic units attached to general hospitals	-	-	-	-	-	-
b)	Public chronic hospitals	-	-	-	-	-	-
c)	Private hospitals giving chronic care	-	-	-	-	-	-
d)	Other chronic facilities (1)	630	-	630	178,685	-	178,685
e)	Public convalescent units and hospitals	-	-	-	-	-	-
2.	Hospitalized in other provinces	4,723	583	5,306	50,201	4,066	54,267
3.	Hospitalized in other countries	522	33	555	4,765	189	4,954
	Sum of A	204,547	19,105	223,652	2,117,887	124,907	2,242,794
B.	Not responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1.	Department of Veterans Affairs	-	-	-	-	-	-
i	In D.V.A. hospitals	679	-	679	8,292	-	8,292
ii	In other hospitals	2,004	-	2,004	18,146	-	18,146
2.	Workmen's Compensation Boards	1,607	146	1,753	9,392	816	10,208
3.	Uninsured residents	3,776	258	4,034	28,635	1,724	30,359
4.	Non-residents	-	-	-	-	-	-
5.	Insured residents not the responsibility of Provincial Plan	12	2	14	56	3	59
6.	Other agencies	110	1	111	1,076	14	1,090
	Sum of B	8,188	407	8,595	65,597	2,557	68,154
C.	Sum of A and B	212,735	19,512	232,247	2,183,484	127,464	2,310,948

(1) Geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, ALBERTA, 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Provincial Plan</u>						
1.	Hospitalized in the province	275,646	30,210	305,856	2,445,545	217,059	2,662,604
i	Active treatment hospitals	3,427	-	3,427	656,562	-	656,562
ii	Chronic and convalescent hospitals	4,487	515	5,002	36,582	3,733	40,315
2.	Hospitalized in other provinces	293	13	306	2,896	119	3,015
3.	Hospitalized in other countries						
	Sum of A	283,853	30,738	314,591	3,141,585	220,911	3,362,496
B.	<u>Not the responsibility of Provincial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Federal						
i	In federal hospitals	1,820	25	1,845	95,160	130	95,290
ii	In other hospitals	1,206	-	1,206	22,458	-	22,458
2.	Workmen's Compensation Boards	5,547	-	5,547	60,539	-	60,539
3.	Non-residents	6,333	580	6,913	62,699	4,073	66,772
4.	Insured residents not responsibility of Provincial Plan	12	1	13	16	1	17
	Sum of B	14,918	606	15,524	240,872	4,204	245,076
C.	Sum of A and B	298,771	31,344	330,115	3,382,457	225,115	3,607,572

Note: Data on nursing homes were included in Table 1 in 1964, but excluded in 1965 and 1966.

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, BRITISH COLUMBIA, 1966

	Items	Separations			Patient-Days		
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	Responsibility of Provincial Plan						
1.	Hospitalized in the province	(310,935)	(31,604)	(342,539).	(3,058,295)	(220,788)	(3,279,083)
i	Active treatment hospitals (1)	305,675	31,604	337,279	2,935,614	220,788	3,156,402
ii	Chronic hospitals	4,260	-	4,260	122,681	-	122,681
2.	Hospitalized in other provinces	2,913	218	3,131	31,567	1,557	33,124
3.	Hospitalized in other countries	501	19	520	5,561	112	5,673
	Sum of A	313,349	31,841	345,190	3,095,423	222,457	3,317,880
B.	Not the responsibility of Provincial Plan (excluding patients of mental and tuberculosis institutions)						
1.	Federal Government (D.V.A. and Indian) documented cases only	516	3	519	5,361	37	5,398
2.	Workmen's Compensation Boards	7,489	-	7,489	72,265	-	72,265
3.	Uninsured residents	-	-	-	-	-	-
4.	Non-residents	-	-	-	-	-	-
5.	Insured residents not the responsibility of Provincial Plan	7,489	913	8,402	57,852	14,703	72,555
6.	Other agencies	-	-	-	-	-	-
	Sum of B	15,494	916	16,410	135,478	14,740	150,218
C.	Sum of A and B	328,843	32,757	361,600	3,230,901	237,197	3,468,098

(1) Statistics relating to a number of cases for which no documents are received by the British Columbia Hospital Insurance Service are not included in this table.

TABLE 1
SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, YUKON, 1966

Items	Separations Discharges and deaths			Patient-Days		
	Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A. <u>Responsibility of Yukon Plan</u>						
1. Hospitalized in Yukon	2,286	321	2,607	16,493	1,799	18,292
2. Hospitalized in other provinces	316	24	340	4,187	201	4,388
3. Hospitalized in other countries	2	-	2	7	-	7
Sum of A	2,604	345	2,949	20,687	2,000	22,687
B. <u>Not the responsibility of Yukon Plan</u> (excluding patients of mental and tuberculosis institutions)						
1. Workmen's Compensation Boards	126	-	126	973	-	973
2. Department of Veterans Affairs	1	-	1	3	-	3
3. Department of National Defence	23	-	23	160	-	160
4. Royal Canadian Mounted Police	8	-	8	65	-	65
5. Self	41	1	42	165	4	169
6. Other Provincial Plans	263	20	283	2,230	101	2,331
7. Indian and Northern Health Services	168	13	181	1,970	68	2,038
8. Other agencies	44	2	46	365	6	371
Sum of B	674	36	710	5,931	179	6,110
Sum of A and B	3,278	381	3,659	26,618	2,179	28,797
C.						

TABLE 1

SUMMARY OF HOSPITALIZATION
SEPARATIONS DURING THE YEAR AND PATIENT-DAYS SINCE ADMISSION
OF THESE SEPARATIONS, NORTHWEST TERRITORIES, 1966

	Items	Separations			Patient-Days		
		Discharges and deaths					
		Adults and Children	Newborn	Total	Adults and Children	Newborn	Total
A.	<u>Responsibility of Territorial Plan</u>						
1.	Hospitalized in Territories	5,490	785	6,275	40,061	4,941	45,002
2.	Hospitalized in other provinces	1,191	132	1,323	22,178	1,061	23,239
3.	Hospitalized in other countries	10	-	10	240	-	240
	Sum of A	6,691	917	7,608	62,479	6,002	68,481
B.	<u>Not the responsibility of Territorial Plan</u> (excluding patients of mental and tuberculosis institutions)						
1.	Workmen's Compensation Boards	83	3	86	798	11	809
2.	Department of Veterans Affairs	-	-	-	-	-	-
3.	Department of National Defence	13	-	13	74	-	74
4.	Royal Canadian Mounted Police	2	-	2	6	-	6
5.	Self	24	1	25	67	5	72
6.	Other Provincial Plans	184	25	209	1,872	237	2,109
7.	Indian and Northern Health Services	177	1	178	2,173	7	2,180
8.	Other Agencies	53	2	55	747	12	759
	Sum of B	536	32	568	5,737	272	6,009
C.	Sum of A and B	7,227	949	8,176	68,216	6,274	74,490

TABLE 2a (i) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(2)
MALES													
NEWBORN	838 ⁽³⁾	1,205	7,764	6,383	57,704	68,876	9,238	9,871	15,760	16,124	168	472	117,763
UNDER 1	2,920	604	2,980	2,731	17,049	17,412	4,604	2,912	6,872	6,142	79	554	44,467
1 - 4	3,712	858	5,068	4,486	32,836	52,664	7,912	13,371	14,754	15,174	196	568	93,867
5 - 9	2,518	643	4,230	3,807	31,614	43,324	6,126	8,533	12,139	12,928	111	265	78,684
10 - 14	1,776	430	2,739	2,652	18,102	22,526	3,883	5,467	7,471	7,199	64	147	47,191
15 - 19	1,530	425	2,355	2,382	17,728	{40,097}	3,397	4,578	6,835	6,217	40	153	43,285
20 - 24	1,308	315	1,694	1,582	17,950	()	2,713	2,928	5,581	5,119	53	137	37,686
25 - 29	1,017	199	1,277	1,099	14,381	()	1,959	2,187	4,592	4,284	60	126	29,904
30 - 34	1,056	223	1,357	1,195	15,155	{77,768}	2,157	2,243	5,015	4,651	61	141	31,897
35 - 39	1,012	224	1,572	1,383	17,675	()	2,526	2,661	5,224	5,439	66	122	36,332
40 - 44	1,153	270	2,026	1,708	19,454	()	3,016	3,297	5,714	6,494	93	91	41,290
45 - 49	1,250	385	2,457	1,969	19,122	()	3,381	3,539	5,941	6,572	47	97	42,303
50 - 54	1,252	439	2,733	2,130	19,895	{75,849}	3,966	4,148	6,255	7,347	50	86	45,568
55 - 59	1,138	385	3,024	2,172	19,758	()	4,260	4,426	6,637	7,559	64	95	46,494
60 - 64	890	392	2,575	2,054	17,491	25,791	4,224	4,627	6,975	7,536	49	62	44,300
65 - 69	925	451	2,674	2,054	15,238	{44,895}	4,374	4,604	6,397	7,164	52	54	41,313
70 - 74	819	483	()	2,083	12,218	()	4,447	5,207	6,234	7,029	20	44	38,584
75 - 79	594	327	{7,470}	1,664	8,498	()	4,249	5,031	5,856	6,902	8	29	33,158
80 - 84	372	241	()	1,160	4,946	{33,795}	3,051	4,196	4,129	5,266	25	20	23,406
85+	149	215	()	771	2,694	()	1,964	2,730	2,592	3,138	10	19	14,282
UNKNOWN	3	--	--	--	--	1,289	--	--	--	--	5	10	18
ALL AGES	26,232	8,714	53,995	45,465	379,508	504,286	81,447	96,556	140,973	148,284	1,321	3,292	931,792

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2a (ii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	808 ⁽³⁾	1,120	7,268	6,081	54,195	65,387	8,737	9,234	15,004	15,486	170	442	111,277
UNDER 1	2,022	370	1,967	1,968	11,709	11,992	3,472	2,129	4,791	4,338	64	360	31,223
1 - 4	2,646	636	3,716	3,559	24,424	39,004	6,284	10,491	11,477	11,591	120	425	71,653
5 - 9	1,946	520	3,330	3,426	25,452	36,233	5,020	7,316	10,188	11,034	92	241	65,235
10 - 14	1,562	393	2,315	2,561	15,093	19,401	3,483	5,149	6,676	5,788	46	125	40,876
15 - 19	4,402	874	5,839	5,363	30,610	{123,868}	6,790	7,961	13,510	13,269	130	302	83,211
20 - 24	7,091	1,270	8,643	7,353	70,659	{ }	10,918	12,799	20,693	21,152	214	476	152,625
25 - 29	5,099	1,045	6,720	5,842	61,053	{ }	9,321	10,357	16,539	17,947	198	508	127,909
30 - 34	3,738	822	5,144	5,000	47,718	{210,450}	7,336	8,424	13,228	13,696	159	438	100,559
35 - 39	3,036	696	4,256	4,160	40,269	{ }	6,271	7,225	11,429	12,010	106	327	85,529
40 - 44	2,085	562	3,575	3,452	30,965	{ }	5,654	6,585	9,716	11,060	95	164	70,338
45 - 49	1,484	448	3,247	2,787	23,898	{ }	4,666	5,947	8,536	10,252	62	126	58,206
50 - 54	1,253	456	2,987	2,542	21,310	{83,075}	4,311	5,530	7,545	9,088	40	92	52,167
55 - 59	971	386	2,523	2,160	18,872	{ }	3,941	4,629	6,179	7,102	33	66	44,339
60 - 64	884	356	2,250	2,003	16,476	{21,918}	3,534	4,250	5,643	6,032	21	43	39,242
65 - 69	863	406	2,443	1,912	15,188	{42,903}	3,715	4,156	5,334	6,036	16	53	37,679
70 - 74	742	417	{ }	2,082	12,534	{ }	3,705	4,572	5,186	6,066	13	24	35,341
75 - 79	534	402	{7,043}	1,710	9,258	{39,883}	3,497	4,178	4,802	5,559	6	34	29,980
80 - 84	270	314	{ }	1,253	5,198	{ }	2,721	3,294	3,410	4,112	18	16	20,606
85 +	141	204	{ }	803	2,889	{1,584}	1,826	2,240	2,343	2,643	5	18	13,112
UNKNOWN	3	--	--	--	--	--	--	--	--	--	13	21	37
ALL AGES	41,580	11,697	73,266	66,017	537,770	695,698	105,202	126,466	182,229	194,261	1,621	4,301	1,271,144

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2a(iii) - HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN(1) IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

NUMBER OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN	1,646	2,325	15,032	12,464	111,899	134,263	17,975	19,105	30,764	31,610	338	914	229,040
UNDER 1	4,942	974	4,947	4,699	28,758	29,404	8,076	5,041	11,663	10,480	143	914	75,690
1 - 4	6,358	1,494	8,784	8,045	57,260	91,668	14,196	23,862	26,231	26,765	316	993	165,520
5 - 9	4,464	1,163	7,560	7,233	57,066	79,557	11,146	15,849	22,327	23,962	203	506	143,919
10 - 14	3,338	823	5,054	5,213	33,195	41,927	7,366	10,616	14,147	12,987	110	272	88,067
15 - 19	5,932	1,299	8,194	7,745	48,338	{163,965}	10,187	12,539	20,345	19,486	170	455	126,496
20 - 24	8,399	1,585	10,337	8,935	88,609	{ }	13,631	15,727	26,274	26,271	267	613	190,311
25 - 29	6,116	1,244	7,997	6,941	75,434	{ }	11,280	12,544	21,131	22,231	258	634	157,813
30 - 34	4,794	1,045	6,501	6,195	62,873	{288,218}	9,493	10,667	18,243	18,347	220	579	132,456
35 - 39	4,048	920	5,828	5,543	57,944	{ }	8,797	9,886	16,653	17,449	172	449	121,861
40 - 44	3,238	832	5,601	5,160	50,419	{ }	8,670	9,882	15,430	17,554	188	255	111,628
45 - 49	2,734	833	5,704	4,756	43,020	{ }	8,047	9,486	14,477	16,824	109	223	100,509
50 - 54	2,505	895	5,720	4,672	41,205	{158,924}	8,277	9,678	13,800	16,435	90	178	97,735
55 - 59	2,109	771	5,547	4,332	38,630	{ }	8,201	9,055	12,816	14,661	97	161	90,833
60 - 64	1,774	748	4,825	4,057	33,967	{47,709}	7,758	8,877	12,618	13,568	70	105	83,542
65 - 69	1,788	857	5,117	3,966	30,426	{87,798}	8,089	8,760	11,731	13,200	68	107	78,992
70 - 74	1,561	900	{ }	4,165	24,752	{ }	8,152	9,779	11,420	13,095	33	68	73,925
75 - 79	1,128	729	{14,513}	3,374	17,756	{ }	7,746	9,209	10,658	12,461	14	63	63,138
80 - 84	642	555	{ }	2,413	10,144	{73,678}	5,772	7,490	7,539	9,378	43	36	44,012
85+	290	419	{ }	1,574	5,583	{ }	3,790	4,970	4,935	5,781	15	37	27,394
UNKNOWN	6	--	--	--	--	2,873	--	--	--	--	18	31	55
ALL AGES	67,812	20,411	127,261	111,482	917,278	1,199,984	186,649	223,022	323,202	342,545	2,942	7,593	2,202,936

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2b (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	12,993 ⁽³⁾	7,436	53,372	40,655	362,997	483,082	59,647	64,903	113,341	113,216	950	2,982	779,120
UNDER 1	31,498	5,913	36,818	29,191	238,883	190,523	41,245	25,784	61,905	63,576	694	5,955	504,644
1 - 4	37,637	8,147	30,864	36,157	265,460	318,649	44,635	96,508	92,628	100,629	1,219	5,126	688,146
5 - 9	26,485	4,623	25,749	25,808	196,428	224,242	28,322	42,721	74,641	72,243	651	2,382	474,304
10 - 14	17,358	3,105	20,106	20,023	135,620	156,868	21,623	29,101	51,649	48,588	411	1,394	328,872
15 - 19	15,731	4,104	19,116	18,919	151,233	{341,245}	23,077	27,819	50,332	45,275	208	1,551	338,249
20 - 24	14,066	2,571	14,981	13,445	156,164	{ }	20,231	19,576	42,405	41,299	314	1,291	311,362
25 - 29	10,303	1,895	12,115	9,964	136,380	{ }	20,938	16,352	40,475	30,535	376	1,308	268,526
30 - 34	11,824	2,702	14,013	11,036	155,479	{875,792}	26,933	17,080	47,599	36,464	467	1,372	310,956
35 - 39	12,956	2,301	17,938	13,939	200,453	{ }	25,264	23,608	51,235	48,890	487	1,340	380,473
40 - 44	14,864	2,892	25,797	19,095	239,933	{ }	33,217	28,930	58,974	63,031	849	1,001	462,786
45 - 49	18,485	4,576	33,085	24,016	262,922	{ }	39,420	35,038	66,976	70,935	389	1,065	523,822
50 - 54	19,340	5,153	39,072	30,598	304,738	{1,186,484}	50,990	46,209	81,482	85,041	821	1,107	625,479
55 - 59	19,353	5,165	45,339	31,801	339,867	{ }	57,600	56,206	95,094	99,902	721	1,223	706,932
60 - 64	15,726	5,614	41,375	29,131	351,344	500,964	67,391	61,108	108,946	107,601	551	952	748,364
65 - 69	18,817	6,869	46,951	34,605	342,080	{1,102,899}	74,426	67,772	112,643	114,612	702	950	773,476
70 - 74	16,230	7,400	{ }	38,269	333,416	{ }	76,419	85,256	128,739	122,656	319	524	809,228
75 - 79	11,466	5,004	{133,750}	31,846	301,969	{ }	86,037	82,965	151,900	126,773	64	596	798,620
80 - 84	8,814	4,808	{ }	20,438	216,752	{1,156,688}	69,348	76,711	134,583	99,624	467	368	631,913
85 +	3,071	3,732	{ }	16,589	137,825	{ }	47,262	59,152	121,974	59,151	276	252	449,284
UNKNOWN	21	--	--	--	--	15,832	--	--	--	--	33	61	115
ALL AGES	337,038	94,010	610,441	495,525	4,829,943	6,553,268	914,025	962,799	1,687,521	1,550,041	10,969	32,800	10,914,671

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2b (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	13,463 (3)	7,806	48,878	38,431	341,113	460,189	54,640	60,004	107,701	107,743	1,015	2,977	734,893
UNDER 1	25,181	3,889	20,128	20,709	169,734	133,636	30,700	19,162	43,201	45,690	624	3,661	362,551
1 - 4	27,420	5,362	29,217	27,814	211,235	250,825	38,621	75,639	72,701	78,447	807	3,967	542,013
5 - 9	20,992	3,788	19,933	22,002	153,323	172,983	21,659	35,232	53,281	53,775	468	2,055	366,575
10 - 14	15,607	2,796	15,325	17,648	109,870	125,820	17,998	27,146	43,867	36,300	232	1,252	272,716
15 - 19	32,199	5,193	38,811	32,743	218,189	{805,898}	38,952	44,808	84,795	80,657	778	2,328	540,642
20 - 24	43,434	7,490	53,826	41,841	452,287	{ }	62,084	72,291	126,389	129,081	1,201	2,901	938,999
25 - 29	32,419	6,063	43,495	36,126	426,764	{ }	55,332	61,630	106,231	115,130	1,176	3,223	844,094
30 - 34	25,587	5,007	37,717	35,442	392,817	{1,790,087}	48,223	54,790	98,331	95,278	1,076	3,155	759,706
35 - 39	24,158	5,095	35,635	33,634	389,948	{ }	50,220	53,393	96,345	92,514	765	2,683	748,755
40 - 44	21,909	5,134	37,397	33,265	369,674	{ }	56,529	54,679	84,919	95,499	656	1,239	723,503
45 - 49	19,089	4,371	38,943	31,121	337,549	{ }	45,543	56,676	82,618	97,794	508	1,215	676,484
50 - 54	18,072	5,450	38,875	31,349	333,256	{1,284,075}	51,975	59,645	89,081	98,863	468	856	689,015
55 - 59	16,041	5,202	36,738	30,038	344,173	{ }	51,411	53,683	80,876	89,016	580	856	671,876
60 - 64	14,405	5,341	36,976	31,306	348,741	470,871	50,701	53,527	86,791	85,135	187	880	677,014
65 - 69	16,647	6,918	41,619	31,928	362,334	{1,213,329}	64,144	57,250	91,469	93,599	278	713	725,280
70 - 74	14,928	6,619	{ }	36,950	425,085	{ }	75,024	69,732	108,034	103,611	160	330	840,473
75 - 79	11,393	7,132	{138,108}	33,614	386,474	{ }	87,913	69,458	134,402	102,939	137	577	834,039
80 - 84	7,775	5,559	{ }	25,530	293,379	{1,945,996}	75,812	64,487	133,335	76,101	413	158	682,549
85 +	3,792	4,108	{ }	16,050	251,845	{ }	67,996	58,078	128,912	52,041	42	385	583,249
UNKNOWN	25	--	--	--	--	18,002	--	--	--	--	112	151	288
ALL AGES	404,536	108,323	711,621	607,541	6,317,790	8,671,711	1,045,477	1,101,310	1,853,279	1,729,213	11,683	35,562	13,214,714

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2b (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PATIENT-DAYS SINCE ADMISSION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN	26,456 (3)	15,242	102,250	79,086	704,110	943,271	114,287	124,907	221,042	220,959	1,965	5,959	1,514,013
UNDER 1	56,679	9,802	56,946	49,900	408,617	324,159	71,945	44,946	105,106	109,266	1,318	9,616	867,195
1 - 4	65,057	13,509	60,081	63,971	476,695	569,474	83,256	172,147	165,329	179,076	2,026	9,093	1,230,159
5 - 9	47,477	8,411	45,682	47,810	349,751	397,225	49,981	77,953	127,922	126,018	1,119	4,437	840,879
10 - 14	32,965	5,901	35,431	37,671	245,490	282,688	39,621	56,247	95,516	84,888	643	2,646	601,588
15 - 19	47,930	9,297	57,927	51,662	369,422	{ 1,147,143 }	62,029	72,627	135,127	125,932	986	3,879	878,891
20 - 24	57,500	10,061	68,807	55,286	608,451	{ }	82,315	91,867	168,794	170,380	1,515	4,192	1,250,361
25 - 29	42,722	7,958	55,610	46,090	563,144	{ }	76,270	77,982	146,706	145,665	1,552	4,531	1,112,620
30 - 34	37,411	7,709	51,730	46,478	548,296	{ 2,665,879 }	75,156	71,870	145,930	131,742	1,543	4,527	1,070,662
35 - 39	37,114	7,396	53,573	47,573	590,401	{ }	75,484	77,001	147,580	141,404	1,252	4,023	1,129,228
40 - 44	36,773	8,026	63,194	52,360	609,607	{ }	89,746	83,609	143,893	158,530	1,505	2,240	1,186,289
45 - 49	37,574	8,947	72,028	55,137	600,471	{ }	84,963	91,714	149,594	168,729	897	2,280	1,200,306
50 - 54	37,412	10,603	77,947	61,927	637,994	{ 2,470,559 }	102,965	105,854	170,563	183,904	1,289	1,963	1,314,474
55 - 59	35,394	10,367	82,077	61,839	684,040	{ }	109,011	109,889	175,970	188,918	1,301	2,079	1,378,808
60 - 64	30,131	10,955	78,351	60,437	700,085	{ 971,835 }	118,092	114,635	195,737	192,736	738	1,832	1,425,378
65 - 69	35,464	13,787	88,570	66,533	704,414	{ 2,316,228 }	138,570	125,022	204,112	208,211	980	1,663	1,498,756
70 - 74	31,158	14,019	{ }	75,219	758,501	{ }	151,443	154,988	236,773	226,267	479	854	1,649,701
75 - 79	22,859	12,136	{ 271,858 }	65,460	688,443	{ }	173,950	152,423	286,302	229,712	201	1,173	1,632,659
80 - 84	16,589	10,367	{ }	45,968	510,131	{ 3,102,684 }	145,160	141,198	267,918	175,725	880	526	1,314,462
85 +	6,863	7,840	{ }	32,639	389,670	{ }	115,258	117,230	250,886	111,192	318	637	1,032,533
UNKNOWN	46	--	--	--	--	33,834	--	--	--	--	145	212	403
ALL AGES	741,574	202,333	1,322,062	1,103,046	11,147,733	15,224,979	1,959,502	2,064,109	3,540,800	3,279,254	22,652	68,362	24,129,365

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2c (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	15.5 (3)	6.2	6.9	6.3	6.3	7.0	6.5	6.6	7.2	7.0	5.7	6.3	6.6
UNDER 1	10.8	9.8	12.4	10.7	14.0	10.9	9.0	8.9	9.0	10.4	8.8	10.7	11.3
1 - 4	10.1	9.5	6.1	8.1	8.1	6.1	5.6	7.2	6.3	6.6	6.2	9.0	7.3
5 - 9	10.5	7.2	6.1	6.8	6.2	5.2	4.6	5.0	6.1	5.6	5.9	9.0	6.0
10 - 14	9.8	7.2	7.3	7.6	7.5	7.0	5.6	5.3	6.9	6.7	6.4	9.5	7.0
15 - 19	10.3	9.7	8.1	7.9	8.5	{ 8.5 }	6.8	6.1	7.4	7.3	5.2	10.1	7.8
20 - 24	10.8	8.2	8.8	8.5	8.7	{ }	7.5	6.7	7.6	8.1	5.9	9.4	8.3
25 - 39	10.1	9.5	9.5	9.1	9.5	{ }	10.7	7.5	8.8	7.1	6.3	10.4	9.0
30 - 34	11.2	12.1	10.3	9.2	10.3	{ 11.3 }	12.5	7.6	9.5	7.8	7.7	9.7	9.7
35 - 39	12.8	10.3	11.4	10.1	11.3	{ }	10.0	8.9	9.8	9.0	7.4	11.0	10.5
40 - 44	12.9	10.7	12.7	11.2	12.3	{ }	11.0	8.8	10.3	9.7	9.1	11.0	11.2
45 - 49	14.8	11.9	13.5	12.2	13.7	{ }	11.7	9.9	11.3	10.8	8.3	11.0	12.4
50 - 54	15.4	11.7	14.3	14.4	15.3	{ 15.6 }	12.9	11.1	13.0	11.6	16.4	12.9	13.7
55 - 59	17.0	13.4	15.0	14.6	17.2	{ }	13.5	12.7	14.3	13.2	11.3	12.9	15.2
60 - 64	17.7	14.3	16.1	14.2	20.1	19.4	16.0	13.2	15.6	14.3	11.2	15.4	16.9
65 - 69	20.3	15.2	17.6	16.8	22.4	{ 24.6 }	17.0	14.7	17.6	16.0	13.5	17.6	18.7
70 - 74	19.8	15.3	{ }	18.4	27.3	{ }	17.2	16.4	20.7	17.4	16.0	11.9	21.0
75 - 79	19.3	15.3	{ 17.9 }	19.1	35.5	{ }	20.2	16.5	25.9	18.4	8.0	20.6	24.1
80 - 84	23.7	20.0	{ }	17.6	43.8	{ 34.2 }	22.7	18.3	32.6	18.9	18.7	18.4	27.0
85 +	20.6	17.4	{ }	21.5	51.2	{ }	24.1	21.7	47.1	18.8	27.6	13.3	31.5
UNKNOWN	7.0	-	-	-	-	12.3	-	-	-	-	6.6	6.1	6.4
ALL AGES	12.8	10.8	11.3	10.9	12.7	13.0	11.2	10.0	12.0	10.5	8.3	10.0	11.7

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2c (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	16.7 (3)	7.0	6.7	6.3	6.3	7.0	6.3	6.5	7.2	7.0	6.0	6.7	6.6
UNDER 1	12.5	10.5	10.2	10.5	14.5	11.1	8.8	9.0	9.0	10.5	9.8	10.2	11.6
1 - 4	10.4	8.4	7.9	7.8	8.6	6.4	6.1	7.2	6.3	6.8	6.7	9.3	7.6
5 - 9	10.8	7.3	6.0	6.4	6.0	4.8	4.3	4.8	5.2	4.9	5.1	8.5	5.6
10 - 14	10.0	7.1	6.6	6.9	7.3	6.5	5.2	5.3	6.6	6.3	5.0	10.0	6.7
15 - 19	7.3	5.9	6.6	6.1	7.1	{ 6.5 }	5.7	5.6	6.3	6.1	6.0	7.7	6.5
20 - 24	6.1	5.9	6.2	5.7	6.4	()	5.7	5.6	6.1	6.1	5.6	6.1	6.2
25 - 29	6.4	5.8	6.5	6.2	7.0	()	5.9	6.0	6.4	6.4	5.9	6.3	6.6
30 - 34	6.8	6.1	7.3	7.1	8.2	{ 8.5 }	6.6	6.5	7.4	7.0	6.8	7.2	7.6
35 - 39	8.0	7.3	8.4	8.1	9.7	{ }	8.0	7.4	8.4	7.7	7.2	8.2	8.8
40 - 44	10.5	9.1	10.5	9.6	11.9	{ }	10.0	8.3	8.7	8.6	6.9	7.6	10.3
45 - 49	12.9	9.8	12.0	11.2	14.1	{ }	9.8	9.5	9.7	9.5	8.2	9.6	11.6
50 - 54	14.4	12.0	13.0	12.3	15.6	{ 15.5 }	12.1	10.8	11.8	10.9	11.7	9.3	13.2
55 - 59	16.5	13.5	14.6	13.9	18.2	()	13.0	11.6	13.1	12.5	17.6	13.0	15.2
60 - 64	16.3	15.0	16.4	15.6	21.2	21.5	14.3	12.6	15.4	14.1	8.9	20.5	17.2
65 - 69	19.3	17.0	17.0	16.7	23.9	{ 28.3 }	17.3	13.8	17.1	15.5	17.4	13.5	19.2
70 - 74	20.1	15.9	()	17.7	33.9	()	20.2	15.3	20.8	17.1	12.3	13.8	23.8
75 - 79	21.3	17.7	{ 19.6 }	19.7	41.7	{ }	25.1	16.6	28.0	18.5	22.8	17.0	27.8
80 - 84	28.8	17.7	()	20.4	56.4	{ 48.8 }	27.9	19.6	39.1	18.5	22.9	9.9	33.1
85+	26.9	20.1	()	20.0	87.2	{ }	37.2	25.9	55.0	19.7	8.4	21.4	44.5
UNKNOWN	8.3	-	-	-	-	11.4	-	-	-	-	8.6	7.2	7.8
ALL AGES	9.7	9.3	9.7	9.2	11.7	12.5	9.9	8.7	10.2	8.9	2.7	8.3	10.4

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2c (iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

AVERAGE LENGTH OF STAY													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN	16.1	6.6	6.8	6.3	6.3	7.0	6.4	6.5	7.2	7.0	5.8	6.5	6.6
UNDER 1	11.5	10.1	11.5	10.6	14.2	11.0	8.9	8.9	9.0	10.4	9.2	10.5	11.5
1 - 4	10.2	9.0	6.8	8.0	8.3	6.2	5.9	7.2	6.3	6.7	6.4	9.2	7.4
5 - 9	10.6	7.2	6.0	6.6	6.1	5.0	4.5	4.9	5.7	5.3	5.5	8.8	5.8
10 - 14	9.9	7.2	7.0	7.2	7.4	6.7	5.4	5.3	6.8	6.5	5.8	9.7	6.8
15 - 19	8.1	7.2	7.1	6.7	7.6	{ 7.0 }	6.1	5.8	6.6	6.5	5.8	8.5	6.9
20 - 24	6.8	6.3	6.7	6.2	6.9	()	6.0	5.8	6.4	6.5	5.7	6.8	6.6
25 - 29	7.0	6.4	7.0	6.6	7.5	()	6.8	6.2	6.9	6.6	6.0	7.1	7.0
30 - 34	7.8	7.4	8.0	7.5	8.7	{ 9.2 }	7.9	6.7	8.0	7.2	7.0	7.8	8.1
35 - 39	9.2	8.0	9.2	8.6	10.2	()	8.6	7.8	8.9	8.1	7.3	9.0	9.3
40 - 44	11.4	9.6	11.3	10.1	12.1	()	10.4	8.5	9.3	9.0	8.0	8.8	10.6
45 - 49	13.7	10.7	12.6	11.6	14.0	{ 15.6 }	10.6	9.7	10.3	10.0	8.2	10.2	11.9
50 - 54	14.9	11.8	13.6	13.3	15.5	{ 15.6 }	12.4	10.9	12.4	11.2	14.3	11.0	13.4
55 - 59	16.8	13.4	14.8	14.3	17.7	{ 20.4 }	13.3	12.1	13.7	12.9	13.4	12.9	15.2
60 - 64	17.0	14.6	16.2	14.9	20.6	20.4	15.2	12.9	15.5	14.2	10.5	17.4	17.1
65 - 69	19.8	16.1	17.3	16.8	23.2	{ 26.4 }	17.1	14.3	17.4	15.8	14.4	15.5	19.0
70 - 74	20.0	15.6	()	18.1	30.6	{ 26.4 }	18.6	15.8	20.7	17.3	14.5	12.6	22.3
75 - 79	20.3	16.6	{ 18.7 }	19.4	38.8	()	22.5	16.6	26.9	18.4	14.4	18.6	25.9
80 - 84	25.8	18.7	{ 18.7 }	19.0	50.3	{ 42.1 }	25.1	18.9	35.5	18.7	20.5	14.6	29.9
85+	23.7	18.7	()	20.7	69.8	()	30.4	23.6	50.8	19.2	21.2	17.2	37.7
UNKNOWN	7.7	-	-	-	-	11.8	-	-	-	-	8.1	6.8	7.3
ALL AGES	10.9	9.9	10.4	9.9	12.2	12.7	10.5	9.3	11.0	9.6	7.7	9.0	11.0

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only

TABLE 2d(i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

SEPARATION RATE PER 1,000 POPULATION

AGE GROUP	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN													
UNDER 1	--	--	--	--	--	--	--	--	--	--	--	--	--
1 - 4	417.1	549.1	387.0	401.6	291.4	248.7	489.8	297.1	437.7	359.2	395.0	923.3	352.4
5 - 9	131.2	158.9	140.0	146.1	122.9	168.5	183.6	295.8	201.0	189.9	217.8	270.5	162.9
10 - 14	73.8	97.4	94.8	97.6	91.0	110.1	113.7	152.1	132.5	125.5	123.3	132.5	107.1
15 - 19	55.2	70.5	65.5	71.5	56.3	64.0	76.6	103.2	92.2	77.1	91.4	98.0	69.7
20 - 24	56.0	75.9	62.5	72.0	62.4	{ 73.5 }	76.5	102.2	105.5	77.0	80.0	117.7	73.8
25 - 29	74.3	90.0	64.2	73.6	76.6	{ }	80.3	93.0	111.8	77.6	88.3	97.9	81.9
30 - 34	71.1	68.6	58.8	66.2	76.1	{ }	70.7	82.5	100.5	74.1	85.7	96.9	78.2
35 - 39	80.0	76.9	64.6	75.2	81.3	{ 85.0 }	78.4	83.7	102.8	78.0	101.7	117.5	83.3
40 - 44	76.7	80.0	76.3	85.4	94.7	{ }	88.3	94.4	105.7	86.5	110.0	122.0	93.3
45 - 49	92.2	96.4	96.9	101.7	110.7	{ }	103.3	118.2	127.8	108.4	186.0	113.8	111.4
50 - 54	102.5	142.6	118.7	124.6	129.7	{ }	123.8	131.6	150.4	122.4	117.5	161.7	129.6
55 - 59	114.9	162.6	136.6	144.9	149.8	{ 148.0 }	153.1	163.3	181.8	142.1	166.7	172.0	152.2
60 - 64	129.3	154.0	177.9	172.4	180.6	{ }	193.6	199.4	231.3	178.7	213.3	190.0	186.5
65 - 69	141.3	206.3	201.2	211.8	207.2	215.6	236.0	254.2	285.9	219.7	245.0	206.7	224.2
70 - 74	181.4	250.6	254.7	260.0	243.0	{ 274.6 }	312.4	326.5	347.7	265.3	520.0	270.0	273.1
75 - 79	204.8	322.0	{ }	310.9	265.0	{ }	376.9	413.3	429.9	315.2	200.0	440.0	322.3
80 - 84	220.0	297.3	{ 357.4 }	361.7	295.1	{ }	472.1	493.2	522.9	373.1	80.0	290.0	384.2
85+	232.5	344.3	{ }	414.3	321.2	{ 390.2 }	586.7	655.6	625.6	435.2	250.0	200.0	458.9
UNKNOWN	186.2	537.5	{ }	481.9	341.0	{ }	677.2	827.3	740.6	490.3	{ 3 }	{ 3 }	532.9
	--	--	--	--	--	--	--	--	--	--	--	--	--
ALL AGES	104.1	158.4	141.9	146.6	131.5	144.9	168.2	197.4	188.9	156.3	169.4	211.0	150.4

(2) Excludes Nova Scotia and Ontario.

(3) Rate not calculated. Population less than 50.

TABLE 2d (ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
FEMALES													
NEWBORN													
UNDER 1	306.4	336.4	262.3	302.8	213.7	182.8	390.1	226.5	330.4	262.9	320.0	720.0	262.4
1 - 4	99.1	127.2	109.0	123.1	96.9	131.1	153.3	243.4	164.0	153.9	150.0	212.5	131.5
5 - 9	59.1	81.2	77.8	91.8	75.9	96.2	97.3	135.5	115.9	110.2	92.0	120.5	92.1
10 - 14	49.9	66.6	58.2	71.5	49.3	57.7	71.7	102.4	87.2	65.0	65.7	83.3	63.3
15 - 19	163.0	158.9	160.4	165.5	108.5	{229.9}	156.1	182.6	210.4	170.8	260.0	251.7	144.0
20 - 24	387.5	384.8	329.9	351.8	294.5	{ }	329.8	418.3	397.2	331.5	428.0	432.7	329.2
25 - 29	372.2	373.2	315.5	351.9	318.2	{ }	338.9	399.9	355.7	319.9	396.0	508.0	334.4
30 - 34	308.9	316.2	252.2	310.6	256.8	{231.6}	274.8	330.4	289.5	252.2	318.0	475.6	271.6
35 - 39	250.9	267.7	202.7	250.6	212.5	{ }	217.0	269.6	247.9	204.9	212.0	467.1	223.7
40 - 44	186.2	200.7	165.5	201.9	173.0	{ }	186.0	239.5	219.3	181.3	237.5	273.3	187.9
45 - 49	136.1	160.0	153.9	175.3	158.4	{ }	167.8	222.7	222.3	181.8	206.7	252.0	176.1
50 - 54	127.9	168.9	154.8	179.0	158.1	{161.0}	167.7	227.6	229.3	177.2	200.0	230.0	176.1
55 - 59	127.8	183.8	164.9	181.5	170.2	{ }	183.3	230.3	232.3	176.2	165.0	330.0	183.7
60 - 64	147.3	197.8	177.2	204.4	181.7	176.0	199.7	264.0	263.7	186.2	210.0	215.0	200.0
65 - 69	166.0	225.6	218.1	219.8	213.6	{220.4}	254.5	314.8	317.5	216.3	160.0	530.0	236.2
70 - 74	176.7	245.3	()	281.4	233.8	{ }	289.5	401.1	387.0	241.7	130.0	240.0	272.3
75 - 79	184.1	335.0	{284.0}	335.3	261.5	{ }	376.0	469.4	475.4	285.1	(3)	340.0	324.1
80 - 84	158.8	392.5	{ }	391.6	267.9	{324.8}	469.1	598.9	559.0	331.6	(3)	(3)	375.3
85+	128.2	340.0	()	349.1	257.9	{ }	537.1	658.8	689.1	357.2	(3)	(3)	399.8
UNKNOWN	--	--	--	--	--	--	--	--	--	--	--	--	--
ALL AGES	172.3	218.6	195.1	215.2	185.8	199.8	219.7	271.2	254.2	210.0	245.6	328.3	208.3

(2) Excludes Nova Scotia and Ontario.

(3) Rate not calculated. Population less than 50.

TABLE 2d(iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

SEPARATION RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	363.4	442.7	325.5	353.3	253.8	216.8	441.3	262.6	386.2	311.9	357.5	830.9	308.7
1 - 4	115.6	143.7	125.0	135.0	110.3	150.3	168.8	270.2	182.9	172.5	185.9	242.2	147.7
5 - 9	66.6	89.5	86.5	94.8	83.6	103.3	105.6	144.0	124.4	118.0	106.8	126.5	99.7
10 - 14	52.6	68.6	61.9	71.5	52.8	60.9	74.2	102.8	89.8	71.2	78.6	90.7	66.5
15 - 19	109.2	117.0	110.6	118.2	85.4	{151.2}	115.9	141.8	157.7	123.0	170.0	182.0	108.6
20 - 24	234.0	233.1	196.5	210.7	186.9	{ }	203.8	253.3	257.6	202.4	242.7	245.2	206.1
25 - 29	218.4	218.2	186.0	209.9	198.1	{ }	204.3	239.4	229.2	195.2	215.0	275.7	206.3
30 - 34	189.5	190.0	157.0	193.6	168.9	{158.1}	175.1	204.0	193.0	161.1	200.0	275.7	175.9
35 - 39	160.0	170.4	140.1	169.0	154.0	{ }	153.0	179.7	174.4	143.6	156.4	264.1	157.9
40 - 44	136.6	148.6	131.8	152.2	142.1	{ }	145.5	178.4	173.4	145.2	208.9	182.1	149.8
45 - 49	118.4	151.5	136.5	150.0	144.2	{ }	146.0	177.0	185.8	152.8	155.7	202.7	153.0
50 - 54	121.0	165.7	145.5	161.7	154.0	{153.2}	160.4	194.7	205.1	159.6	180.0	197.8	164.1
55 - 59	128.6	167.6	171.7	176.8	175.4	{ }	188.5	214.1	231.8	177.5	194.0	230.0	185.1
60 - 64	144.2	202.2	189.2	208.1	194.0	195.4	217.9	258.8	275.5	203.4	233.3	210.0	212.1
65 - 69	173.6	238.1	235.8	238.9	227.4	{245.1}	282.8	320.9	333.3	240.4	340.0	356.7	254.2
70 - 74	190.4	281.2	{ }	295.4	248.3	{ }	331.4	407.5	409.3	276.3	165.0	340.0	296.3
75 - 79	201.4	317.0	{317.6}	347.8	276.6	{ }	423.3	482.1	500.4	327.9	140.0	315.0	353.1
80 - 84	194.5	370.0	{ }	402.2	291.5	{351.9}	524.7	629.4	593.6	382.8	430.0	360.0	415.6
85 +	152.6	419.0	{ }	403.6	292.3	{ }	601.6	741.8	715.2	418.9	(3)	(3)	459.6
UNKNOWN	--	--	--	--	--	--	--	--	--	--	--	--	--
ALL AGES	137.4	188.1	168.3	180.7	158.7	172.4	193.8	233.4	220.9	182.8	204.3	264.6	179.1

(2) Excludes Nova Scotia and Ontario.

(3) Rate not calculated. Population less than 50.

TABLE 2e(i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	--	--	--	--	--	--	--	--	--	--	--	--	--
UNDER 1	4,500	5,375	4,782	4,293	4,083	2,722	4,388	2,631	3,943	3,718	3,470	9,925	3,999
1 - 4	1,330	1,509	853	1,178	993	1,020	1,036	2,135	1,262	1,259	1,354	2,441	1,194
5 - 9	777	700	577	662	565	570	525	762	815	701	723	1,191	646
10 - 14	539	509	481	540	421	446	426	549	638	520	587	929	485
15 - 19	576	733	507	572	532	{ 626 }	520	621	777	561	416	1,193	577
20 - 24	799	735	567	625	667	{ }	599	621	850	626	523	922	677
25 - 29	720	653	558	600	722	{ }	756	617	886	528	537	1,006	702
30 - 34	896	932	667	694	834	{ 958 }	979	637	975	612	778	1,143	812
35 - 39	982	822	871	860	1,074	{ }	883	837	1,037	777	812	1,340	977
40 - 44	1,189	1,033	1,234	1,137	1,366	{ }	1,138	1,037	1,319	1,052	1,698	1,251	1,248
45 - 49	1,515	1,695	1,598	1,520	1,784	{ }	1,444	1,303	1,696	1,321	972	1,775	1,604
50 - 54	1,774	1,909	1,954	2,081	2,295	{ 2,275 }	1,969	1,819	2,369	1,645	2,737	2,214	2,090
55 - 59	2,199	2,066	2,667	2,524	3,107	{ }	2,618	2,532	3,313	2,362	2,403	2,446	2,836
60 - 64	2,496	2,955	3,232	3,003	4,163	{ 4,189 }	3,765	3,358	4,465	3,137	2,755	3,173	3,787
65 - 69	3,690	3,816	4,472	4,380	5,456	{ 6,746 }	5,316	4,807	6,122	4,245	7,020	4,750	5,112
70 - 74	4,058	4,933	{ }	5,712	7,232	{ }	6,476	6,766	8,879	5,500	3,190	5,240	6,760
75 - 79	4,247	4,549	{ 6,400 }	6,923	10,485	{ 13,357 }	9,560	8,134	13,562	6,853	640	5,960	9,254
80 - 84	5,509	6,869	{ }	7,299	14,075	{ }	13,336	11,986	20,391	8,233	4,670	3,680	12,390
85 +	3,839	9,330	{ }	10,368	17,446	{ }	16,297	17,925	34,850	9,242	{ 3 }	{ 3 }	16,764
UNKNOWN	--	--	--	--	--	--	--	--	--	--	--	--	--
ALL AGES	1,337	1,709	1,604	1,598	1,674	1,884	1,887	1,969	2,261	1,634	1,406	2,102	1,762

(2) Excludes Nova Scotia and Ontario.

(3) Rate not calculated. Population less than 50.

TABLE 2e(ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
FEMALES													
NEWBORN	--	--	--	--	--	--	--	--	--	--	--	--	--
UNDER 1	3,815	3,535	2,684	3,186	3,097	2,037	3,449	2,039	2,979	2,769	3,120	7,322	3,047
1 - 4	1,027	1,072	857	962	838	843	942	1,755	1,039	1,042	1,009	1,984	995
5 - 9	638	592	466	590	457	459	420	652	606	537	468	1,028	517
10 - 14	499	474	385	493	359	374	370	540	573	408	331	835	422
15 - 19	1,193	944	2,054	1,011	773	{ 1,495 }	895	1,028	1,321	1,038	1,556	1,940	936
20 - 24	2,373	2,270	2,042	2,002	1,885	{ }	1,876	2,362	2,426	2,023	2,402	2,637	2,025
25 - 29	2,366	2,165	1,849	2,176	2,224	{ }	2,012	2,380	2,285	2,052	2,352	3,223	2,207
30 - 34	2,115	1,926	1,697	2,201	2,114	{ 1,970 }	1,806	2,149	2,152	1,755	2,152	3,506	2,052
35 - 39	1,997	1,960	1,731	2,026	2,058	{ }	1,738	1,992	2,090	1,579	1,530	3,833	1,958
40 - 44	1,956	1,834	1,846	1,945	2,065	{ }	1,860	1,988	1,917	1,566	1,640	2,065	1,933
45 - 49	1,751	1,561	2,014	1,957	2,237	{ }	1,638	2,123	2,152	1,734	1,693	2,430	2,046
50 - 54	1,844	2,019	2,401	2,208	2,472	{ 2,488 }	2,022	2,455	2,708	1,927	2,340	2,140	2,325
55 - 59	2,111	2,477	2,911	2,524	3,103	{ }	2,391	2,671	3,040	2,209	2,900	4,280	2,783
60 - 64	2,401	2,967	3,716	3,194	3,845	3,782	2,864	3,325	4,056	2,628	1,870	4,400	3,451
65 - 69	3,201	3,843	{ }	3,670	5,096	{ 6,232 }	4,393	4,337	5,445	3,355	2,780	7,130	4,547
70 - 74	3,554	3,894	{ }	4,993	7,931	{ }	5,861	6,117	8,062	4,128	1,600	3,300	6,475
75 - 79	3,929	5,943	{ 5,569 }	6,591	10,917	{ }	9,453	7,804	13,307	5,279	{ 3 }	5,770	9,017
80 - 84	4,574	6,949	{ }	7,978	15,123	{ 15,847 }	13,071	11,725	21,858	6,137	{ 3 }	{ 3 }	12,432
85+	3,447	6,847	{ }	6,978	22,486	{ }	19,999	17,082	37,915	7,033	{ 3 }	{ 3 }	17,782
UNKNOWN	--	--	--	--	--	--	--	--	--	--	--	--	--
ALL AGES	1,676	2,025	1,895	1,981	2,182	2,491	2,184	2,362	2,585	1,869	1,770	2,715	2,165

(2) Excludes Nova Scotia and Ontario.

(3) Rate not calculated. Population is less than 50.

TABLE 2e(iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966
(1) See notes on page 34 for details

PATIENT-DAY RATE PER 1,000 POPULATION													
AGE GROUP	N.F.L.D.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN													
UNDER 1	--	--	--	--	--	--	--	--	--	--	--	--	--
1 - 4	4,168	4,455	3,746	3,752	3,607	2,391	3,931	2,341	3,480	3,252	3,295	8,742	3,537
5 - 9	1,183	1,299	855	1,073	918	933	990	1,950	1,153	1,154	1,192	2,218	1,097
10 - 14	709	647	523	627	512	516	474	708	713	620	589	1,109	583
15 - 19	519	492	434	517	391	411	399	544	606	465	459	882	454
20 - 24	883	838	782	789	652	{1,058}	706	822	1,047	795	986	1,552	755
25 - 29	1,602	1,480	1,308	1,304	1,283	()	1,230	1,479	1,655	1,313	1,377	1,677	1,354
30 - 34	1,526	1,396	1,293	1,388	1,479	()	1,382	1,488	1,591	1,279	1,293	1,970	1,455
35 - 39	1,479	1,402	1,250	1,452	1,473	{1,462}	1,387	1,374	1,544	1,157	1,403	2,156	1,422
40 - 44	1,467	1,370	1,288	1,450	1,569	()	1,313	1,400	1,545	1,164	1,138	2,366	1,463
45 - 49	1,552	1,433	1,487	1,545	1,719	()	1,506	1,509	1,617	1,311	1,672	1,600	1,592
50 - 54	1,627	1,627	1,723	1,739	2,013	()	1,542	1,711	1,920	1,532	1,281	2,073	1,827
55 - 59	1,807	1,964	1,983	2,143	2,384	{2,381}	1,995	2,139	2,534	1,785	2,578	2,181	2,207
60 - 64	2,158	2,254	2,541	2,524	3,105	()	2,506	2,598	3,182	2,287	2,602	2,970	2,810
65 - 69	2,450	2,961	3,073	3,099	3,998	3,981	3,317	3,342	4,274	2,890	2,460	3,664	3,620
70 - 74	3,443	3,830	4,082	4,008	5,265	{6,466}	4,845	4,580	5,799	3,793	4,900	5,543	4,822
75 - 79	3,800	4,381	()	5,335	7,608	()	6,156	6,458	8,486	4,774	2,395	4,270	6,612
80 - 84	4,082	5,277	{5,949}	6,748	10,723	()	9,505	7,980	13,441	6,045	2,010	5,865	9,131
85 +	5,027	6,911	()	7,661	14,659	{14,817}	13,196	11,865	21,096	7,172	8,800	5,260	12,412
UNKNOWN	3,612	7,840	()	8,369	20,402	()	18,295	17,497	36,360	8,057	{3}	{3}	17,324
	--	--	--	--	--	--	--	--	--	--	--	--	--
ALL AGES	1,503	1,865	1,749	1,788	1,928	2,187	2,035	2,160	2,420	1,750	1,573	2,382	1,962

(2) Excludes Nova Scotia and Ontario.

(3) Rate not calculated. Population is less than 50.

TABLE 2f (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	3.2 (3)	13.8	14.4	14.0	15.2	13.7	11.3	10.2	11.2	10.9	12.7	14.3	12.6
UNDER 1	11.1	6.9	5.5	6.0	4.5	3.5	5.7	3.0	4.9	4.1	6.0	16.8	4.8
1 - 4	14.2	9.8	9.4	9.9	8.7	10.4	9.7	13.8	10.5	10.2	14.8	17.3	10.1
5 - 9	9.6	7.4	7.8	8.4	8.3	8.6	7.5	8.8	8.6	8.7	8.4	8.0	8.4
10 - 14	6.8	4.9	5.1	5.8	4.8	4.5	4.8	5.7	5.3	4.9	4.8	4.5	5.1
15 - 19	5.8	4.9	4.4	5.2	4.7	(8.0)	4.2	4.7	4.8	4.2	3.0	4.6	4.6
20 - 24	5.0	3.6	3.1	3.5	4.7	()	3.3	3.0	4.0	3.5	4.0	4.2	4.0
25 - 29	3.9	2.3	2.4	2.4	3.8	()	2.4	2.3	3.3	2.9	4.5	3.8	3.2
30 - 34	4.0	2.6	2.5	2.6	4.0	(15.4)	2.6	2.3	3.6	3.1	4.6	4.3	3.4
35 - 39	3.9	2.6	2.9	3.0	4.7	()	3.1	2.8	3.7	3.7	5.0	3.7	3.9
40 - 44	4.4	3.1	3.8	3.8	5.1	()	3.7	3.4	4.1	4.4	7.0	2.8	4.4
45 - 49	4.8	4.4	4.6	4.3	5.0	()	4.2	3.7	4.2	4.4	3.6	2.9	4.5
50 - 54	4.8	5.0	5.1	4.7	5.2	(15.0)	4.9	4.3	4.4	5.0	3.8	2.6	4.9
55 - 59	4.3	4.4	5.6	4.8	5.2	()	5.2	4.6	4.7	5.1	4.8	2.9	5.0
60 - 64	3.4	4.5	4.8	4.5	4.6	5.1	5.2	4.8	4.9	5.1	3.7	1.9	4.8
65 - 69	3.5	5.2	5.0	4.5	4.0	(8.9)	5.4	4.8	4.5	4.8	3.9	1.6	4.4
70 - 74	3.1	5.5	()	4.6	3.2	()	5.5	5.4	4.4	4.7	1.5	1.3	4.1
75 - 79	2.3	3.8	(13.8)	3.7	2.2	()	5.2	5.2	4.2	4.7	0.6	0.9	3.6
80 - 84	1.4	2.8	()	2.6	1.3	(6.7)	3.7	4.3	2.9	3.6	1.9	0.6	2.5
85 +	0.6	2.5	()	1.7	0.7	()	2.4	2.8	1.8	2.1	0.8	0.6	1.5
UNKNOWN	..	--	--	--	--	0.3	--	--	--	--	0.4	0.3	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05
(2) Excludes Nova Scotia and Ontario.
(3) Sick newborns only.

TABLE 2f(ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS

AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA ⁽²⁾
FEMALES													
NEWBORN	1.9 ⁽³⁾	9.6	9.9	9.2	10.1	9.4	8.3	7.3	8.2	8.0	10.5	10.3	8.8
UNDER 1	4.9	3.2	2.7	3.0	2.2	1.7	3.3	1.7	2.6	2.2	3.9	8.4	2.5
1 - 4	6.4	5.4	5.1	5.4	4.5	5.6	6.0	8.3	6.3	6.0	7.4	9.9	5.6
5 - 9	4.7	4.4	4.5	5.2	4.7	5.2	4.8	5.8	5.6	5.7	5.7	5.6	5.1
10 - 14	3.8	3.4	3.2	3.9	2.8	2.8	3.3	4.1	3.7	3.0	2.8	2.9	3.2
15 - 19	10.6	7.5	8.0	8.1	5.7	{17.8}	6.5	6.3	7.4	6.8	8.0	7.0	6.5
20 - 24	17.1	10.9	11.8	11.1	13.1	()	10.4	10.1	11.4	10.9	13.2	11.1	12.0
25 - 29	12.3	8.9	9.2	8.8	11.4	()	8.9	8.2	9.1	9.2	12.2	11.8	10.1
30 - 34	9.0	7.0	7.0	7.6	8.9	{30.3}	7.0	6.7	7.3	7.0	9.8	10.2	7.9
35 - 39	7.3	6.0	5.8	6.3	7.5	()	6.0	5.7	6.3	6.2	6.5	7.6	6.7
40 - 44	5.0	4.8	4.9	5.2	5.8	()	5.4	5.2	5.3	5.7	5.9	3.8	5.5
45 - 59	3.6	3.8	4.4	4.2	4.4	()	4.4	4.7	4.7	5.3	3.8	2.9	4.6
50 - 54	3.0	3.9	4.1	3.8	4.0	{11.9}	4.1	4.4	4.1	4.7	2.5	2.1	4.1
55 - 59	2.3	3.3	3.4	3.3	3.5	()	3.7	3.7	3.4	3.7	2.0	1.5	3.5
60 - 64	2.1	3.0	3.1	3.0	3.1	3.1	3.4	3.4	3.1	3.1	1.3	1.0	3.1
65 - 69	2.1	3.5	3.3	2.9	2.8	{6.2}	3.5	3.3	2.9	3.1	1.0	1.2	3.0
70 - 74	1.8	3.6	()	3.2	2.3	()	3.5	3.6	2.8	3.1	0.8	0.6	2.8
75 - 79	1.3	3.4	{9.6}	2.6	1.7	()	3.3	3.3	2.6	2.9	0.4	0.8	2.4
80 - 84	0.6	2.7	()	1.9	1.0	{5.7}	2.6	2.6	1.9	2.1	1.1	0.4	1.6
85 +	0.3	1.7	()	1.2	0.5	()	1.7	1.8	1.3	1.4	0.3	0.4	1.0
UNKNOWN	..	--	--	--	--	0.2	--	--	--	--	0.8	0.5	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2f(iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PERCENTAGE DISTRIBUTION OF SEPARATIONS													
AGE GROUP	NFLD.	P. E. I.	N. S.	N. B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B. C.	YUKON	N. W. T.	CANADA (2)
BOTH SEXES													
NEWBORN	2.4 (3)	11.4	11.8	11.2	12.2	11.2	9.6	8.6	9.5	9.2	11.5	12.0	10.4
UNDER 1	7.3	4.8	3.9	4.2	3.1	2.5	4.3	2.3	3.6	3.1	4.9	12.0	3.4
1 - 4	9.4	7.3	6.9	7.2	6.2	7.6	7.6	10.7	8.1	7.8	10.7	13.1	7.5
5 - 9	6.6	5.7	5.9	6.5	6.2	6.6	6.0	7.1	6.9	7.0	6.9	6.7	6.5
10 - 14	4.9	4.0	4.0	4.7	3.6	3.5	3.9	4.8	4.4	3.8	3.7	3.6	4.0
15 - 19	8.7	6.4	6.4	6.9	5.3	{ 13.7 }	5.5	5.6	6.3	5.7	5.8	6.0	5.7
20 - 24	12.4	7.8	8.1	8.0	9.7	{ }	7.3	7.1	8.1	7.7	9.1	8.1	8.6
25 - 29	9.0	6.1	6.3	6.2	8.2	{ }	6.0	5.6	6.5	6.5	8.8	8.3	7.2
30 - 34	7.1	5.1	5.1	5.6	6.9	{ 24.0 }	5.1	4.8	5.6	5.4	7.5	7.6	6.0
35 - 39	6.0	4.5	4.6	5.0	6.3	{ }	4.7	4.4	5.2	5.1	5.8	5.9	5.5
40 - 44	4.8	4.1	4.4	4.6	5.5	{ }	4.6	4.4	4.8	5.1	6.4	3.4	5.1
45 - 49	4.0	4.1	4.5	4.3	4.7	{ }	4.3	4.3	4.5	4.9	3.7	2.9	4.6
50 - 54	3.7	4.4	4.5	4.2	4.5	{ 13.2 }	4.4	4.3	4.3	4.8	3.1	2.3	4.4
55 - 59	3.1	3.8	4.4	3.9	4.2	{ }	4.4	4.1	4.0	4.3	3.3	2.1	4.1
60 - 64	2.6	3.7	3.8	3.6	3.7	4.0	4.2	4.0	3.9	4.0	2.4	1.4	3.8
65 - 69	2.6	4.2	4.0	3.6	3.3	{ 7.3 }	4.3	3.9	3.6	3.9	2.3	1.4	3.6
70 - 74	2.3	4.4	{ }	3.7	2.7	{ }	4.4	4.4	3.5	3.8	1.1	0.9	3.4
75 - 79	1.7	3.6	{ 11.4 }	3.0	1.9	{ }	4.2	4.1	3.3	3.6	0.5	0.8	2.9
80 - 84	0.9	2.7	{ }	2.2	1.1	{ 6.1 }	3.1	3.4	2.3	2.7	1.5	0.5	2.0
85+	0.4	2.1	{ }	1.4	0.6	{ }	2.0	2.2	1.5	1.7	0.5	0.5	1.2
UNKNOWN	..	--	--	--	--	0.2	--	--	--	--	0.6	0.4	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

TABLE 2g (i) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
MALES													
NEWBORN	3.9 ⁽³⁾	7.9	8.7	8.2	7.5	7.4	6.5	6.7	6.7	7.3	8.7	9.1	7.1
UNDER 1	9.3	6.3	6.0	5.9	4.9	2.9	4.5	2.7	3.7	4.1	6.3	18.2	4.6
1 - 4	11.2	8.7	5.1	7.3	5.5	4.9	4.9	10.0	5.5	6.5	11.1	15.6	6.3
5 - 9	7.9	4.9	4.2	5.2	4.1	3.4	3.1	4.4	4.4	4.7	5.9	7.3	4.3
10 - 14	5.2	3.3	3.3	4.0	2.8	2.4	2.4	3.0	3.1	3.1	3.7	4.2	3.0
15 - 19	4.7	4.4	3.1	3.8	3.1	{ 5.2 }	2.5	2.9	3.0	2.9	1.9	4.7	3.1
20 - 24	4.2	2.7	2.5	2.7	3.2	{ }	2.2	2.0	2.5	2.7	2.9	3.9	2.9
25 - 29	3.1	2.0	2.0	2.0	2.8	{ }	2.3	1.7	2.4	2.0	3.4	4.0	2.5
30 - 34	3.5	2.9	2.3	2.2	3.2	{ 13.4 }	2.9	1.8	2.8	2.4	4.3	4.2	2.8
35 - 39	3.8	2.4	2.9	2.8	4.2	{ }	2.8	2.5	3.0	3.2	4.4	4.1	3.5
40 - 44	4.4	3.1	4.2	3.9	5.0	{ }	3.6	3.0	3.5	4.1	7.7	3.1	4.2
45 - 49	5.5	4.9	5.4	4.8	5.4	{ }	4.3	3.6	4.0	4.6	3.5	3.2	4.8
50 - 54	5.7	5.5	6.4	6.2	6.3	{ 18.1 }	5.6	4.8	4.8	5.5	7.5	3.4	5.7
55 - 59	5.7	5.5	7.4	6.4	7.0	{ }	6.3	5.8	5.6	6.4	6.6	3.7	6.5
60 - 64	4.7	6.0	6.8	5.9	7.3	7.6	7.4	6.3	6.5	6.9	5.0	2.9	6.9
65 - 69	5.6	7.3	7.7	7.0	7.1	{ 16.8 }	8.1	7.0	6.7	7.4	6.4	2.9	7.1
70 - 74	4.8	7.9	{ }	7.7	6.9	{ }	8.4	8.9	7.6	7.9	2.9	1.6	7.4
75 - 79	3.4	5.3	{ 21.9 }	6.4	6.3	{ }	9.4	8.6	9.0	8.2	0.6	1.8	7.3
80 - 84	2.6	5.1	{ }	4.1	4.5	{ 17.7 }	7.6	8.0	8.0	6.4	4.3	1.1	5.8
85+	0.9	4.0	{ }	3.3	2.9	{ }	5.2	6.1	7.2	3.8	2.5	0.8	4.1
UNKNOWN	..	--	--	--	--	0.2	--	--	--	--	0.3	0.2	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05
(2) Excludes Nova Scotia and Ontario.
(3) Sick newborns only.

TABLE 2g(ii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
FEMALES													
NEWBORN	3.3 (3)	7.2	6.9	6.3	5.4	5.3	5.2	5.4	5.8	6.2	8.7	8.4	5.6
UNDER 1	6.2	3.6	2.8	3.4	2.7	1.5	2.9	1.7	2.3	2.6	5.3	10.3	2.7
1 - 4	6.8	4.9	4.1	4.6	3.3	2.9	3.7	6.9	3.9	4.5	6.9	11.2	4.1
5 - 9	5.2	3.5	2.8	3.6	2.4	2.0	2.1	3.2	2.9	3.1	4.0	5.8	2.8
10 - 14	3.9	2.6	2.2	2.9	1.7	1.5	1.7	2.5	2.4	2.1	2.0	3.5	2.1
15 - 19	8.0	4.8	5.5	5.4	3.5	{ 9.3 }	3.7	4.1	4.6	4.7	6.7	6.5	4.1
20 - 24	10.7	6.9	7.6	6.9	7.2	()	5.9	6.6	6.8	7.5	10.3	8.2	7.1
25 - 29	8.0	5.6	6.1	5.9	6.8	()	5.3	5.6	5.7	6.7	10.1	9.1	6.4
30 - 34	6.3	4.6	5.3	5.8	6.2	{ 20.6 }	4.6	5.0	5.3	5.5	9.2	8.9	5.7
35 - 39	6.0	4.7	5.0	5.5	6.2	{ () }	4.8	4.8	5.2	5.4	6.5	7.5	5.7
40 - 44	5.4	4.7	5.3	5.5	5.8	()	5.4	5.0	4.6	5.5	5.6	3.5	5.5
45 - 49	4.7	4.0	5.5	5.1	5.3	()	4.4	5.1	4.5	5.7	4.3	3.4	5.1
50 - 54	4.5	5.0	5.5	5.2	5.3	{ 14.8 }	5.0	5.4	4.8	5.7	4.0	2.4	5.2
55 - 59	4.0	4.8	5.2	4.9	5.4	()	4.9	4.9	4.4	5.1	5.0	2.4	5.1
60 - 64	3.6	4.9	5.2	5.2	5.5	5.4	4.8	4.9	4.7	4.9	1.6	2.5	5.1
65 - 69	4.1	6.4	5.8	5.3	5.7	{ 14.0 }	6.1	5.2	4.9	5.4	2.4	2.0	5.5
70 - 74	3.7	6.1	()	6.1	6.7	()	7.2	6.3	5.8	6.0	1.4	0.9	6.4
75 - 79	2.8	6.6	{ 19.4 }	5.5	6.1	()	8.4	6.3	7.3	6.0	1.2	1.6	6.3
80 - 84	1.9	5.1	()	4.2	4.6	{ 22.4 }	7.3	5.9	7.2	4.4	3.5	0.4	5.2
85+	0.9	3.8	()	2.6	4.0	()	6.5	5.3	7.0	3.0	0.4	1.1	4.4
UNKNOWN	..	--	--	--	--	0.2	--	--	--	--	1.0	0.4	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only

TABLE 2g(iii) HOSPITALIZATION BY AGE AND SEX FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See notes on page 34 for details

PERCENTAGE DISTRIBUTION OF PATIENT-DAYS													
AGE GROUP	NFLD.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (2)
BOTH SEXES													
NEWBORN	3.6 (3)	7.5	7.7	7.2	6.3	6.2	5.8	6.1	6.2	6.7	8.7	8.7	6.3
UNDER 1	7.6	4.8	4.3	4.5	3.7	2.1	3.7	2.2	3.0	3.3	5.8	14.1	3.6
1 - 4	8.8	6.7	4.5	5.8	4.3	3.7	4.2	8.3	4.7	5.5	8.9	13.3	5.1
5 - 9	6.4	4.2	3.5	4.3	3.1	2.6	2.6	3.8	3.6	3.8	4.9	6.5	3.5
10 - 14	4.4	2.9	2.7	3.4	2.2	1.9	2.0	2.7	2.7	2.6	2.8	3.9	2.5
15 - 19	6.5	4.6	4.4	4.7	3.3	{ 7.5 }	3.2	3.5	3.8	3.8	4.4	5.7	3.6
20 - 24	7.8	5.0	5.2	5.0	5.5	()	4.2	4.4	4.8	5.2	6.7	6.1	5.2
25 - 29	5.8	3.9	4.2	4.2	5.1	()	3.9	3.8	4.1	4.4	6.9	6.6	4.6
30 - 34	5.0	3.8	3.9	4.2	4.9	{ 17.5 }	3.8	3.5	4.1	4.0	6.8	6.6	4.4
35 - 39	5.0	3.7	4.1	4.3	5.3	()	3.9	3.7	4.2	4.3	5.5	5.9	4.7
40 - 44	5.0	4.0	4.8	4.7	5.5	()	4.6	4.0	4.1	4.8	6.6	3.3	4.9
45 - 49	5.1	4.4	5.4	5.0	5.4	()	4.3	4.4	4.2	5.1	4.0	3.3	5.0
50 - 54	5.0	5.2	5.9	5.6	5.7	{ 16.2 }	5.3	5.1	4.8	5.6	5.7	2.9	5.4
55 - 59	4.8	5.1	6.2	5.6	6.1	()	5.6	5.3	5.0	5.8	5.7	3.0	5.7
60 - 64	4.1	5.4	5.9	5.5	6.3	6.4	6.0	5.6	5.5	5.9	3.3	2.7	5.9
65 - 69	4.8	6.8	6.7	6.0	6.3	{ 15.2 }	7.1	6.1	5.8	6.3	4.3	2.4	6.2
70 - 74	4.2	6.9	()	6.8	6.8	()	7.7	7.5	6.7	6.9	2.1	1.2	6.8
75 - 79	3.1	6.0	{ 20.6 }	5.9	6.2	()	8.9	7.4	8.1	7.0	0.9	1.7	6.8
80 - 84	2.2	5.1	()	4.2	4.6	{ 20.4 }	7.4	6.8	7.6	5.4	3.9	0.8	5.4
85+	0.9	3.9	()	3.0	3.5	()	5.9	5.7	7.1	3.4	1.4	0.9	4.3
UNKNOWN	..	--	--	--	--	0.2	--	--	--	--	0.6	0.3	..
ALL AGES	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

.. Less than 0.05

(2) Excludes Nova Scotia and Ontario.

(3) Sick newborns only.

NOTES

BASICALLY, TABLE 2 PRESENTS DATA ON PROVINCIAL PLAN IN-PATIENTS,
INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, WITH THE FOLLOWING ADDITIONS OR EXCLUSIONS:--

- a) Newfoundland:-- Also includes some NON-PLAN separations and patient-days. Data on newborns represent sick newborns only.
- b) Nova Scotia: - Excludes PLAN separations and patient-days of Nova Scotia residents hospitalized outside of the province.
- c) Quebec: - Also includes all NON-PLAN separations and patient-days.
- d) Ontario: - All data are based on the number of claims processed during the year including NON-PLAN separations and patient-days. Includes out-of-province residents hospitalized in Ontario hospitals. Also includes separations and days of all patients hospitalized in Federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment.
- e) Manitoba: - Also includes NON-PLAN separations and patient-days but excludes all separations and patient-days of non-residents.
- f) Saskatchewan: - Excludes PLAN separations and patient-days from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.
- g) Alberta: - Also includes NON-PLAN separations and patient-days of Alberta residents. Excludes all separations and patient-days of non-residents.
- h) British Columbia: - Excludes PLAN separations and patient-days of persons hospitalized out-of-province.

TABLE 5a (i) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS, (2) BY PROVINCE, 1966

LENGTH OF STAY IN DAYS (4)	NUMBER OF SEPARATIONS, BOTH SEXES											
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	4,189	1,085	5,432	72,256	97,672	13,032	16,349	24,921	21,547	236	675	257,394
2	5,467	1,422	8,385	60,270	115,389	22,951	27,518	39,777	46,836	372	630	329,017
3	6,627	1,566	8,216	49,987	77,887	14,549	18,737	28,081	26,674	293	552	233,169
4 - 6	18,964	4,908	27,310	200,168	256,746	44,621	52,848	74,328	73,660	740	1,841	756,134
7 - 10	11,747	4,057	20,753	154,644	199,385	30,300	37,891	56,878	60,321	448	1,415	577,839
11 - 14	6,543	1,871	10,608	92,615	101,182	14,644	18,480	24,970	28,428	204	574	300,119
15 - 29	8,574	2,190	13,158	125,984	137,486	18,539	22,289	28,572	36,034	201	642	393,669
30 - 59	3,035	773	4,010	36,329	56,567	7,066	7,412	9,936	13,494	73	227	138,922
60 - 89	559	119	656	6,318	11,584	1,492	1,374	2,169	2,488	14	62	26,835
90+	461	92	490	6,808	11,822	1,480	1,019	2,806	1,453	5	30	26,466
TOTAL	66,166	18,083	99,018	805,379	1,065,720	168,674	203,917	292,438	310,935	2,586	6,648	3,039,564

(1) Excludes newborns, but includes age unspecified .

(2) Newfoundland, Quebec, Ontario, Manitoba and Alberta include separations not the responsibility of the Provincial Plan; but Ontario excludes NON-Plan separations from Department of Veterans' Affairs hospitals. Saskatchewan and British Columbia exclude all PLAN separations hospitalized out-of-province. Saskatchewan also excludes all separations from geriatric hospitals. Alberta excludes non-residents.

(3) Excludes Nova Scotia.

(4) In this table, length of stay data have been consolidated into ten categories to facilitate comparison between provinces. For data by province, age group, and sex, see Tables 5a (iii) and following tables.

TABLE 5a (ii) SEPARATIONS BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES, (1) PROVINCIAL PLAN IN-PATIENTS, (2) BY PROVINCE, 1966

PERCENTAGE DISTRIBUTION OF SEPARATIONS, BOTH SEXES												
LENGTH OF STAY IN DAYS (4)	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA (3)
1	6.3	6.0	5.5	9.0	9.2	7.7	8.0	8.5	6.9	9.1	10.2	8.5
2	8.3	7.9	8.5	7.5	10.8	13.6	13.5	13.6	15.1	14.4	9.5	10.8
3	10.0	8.7	8.3	6.2	7.3	8.6	9.2	9.6	8.6	11.3	8.3	7.7
4 - 6	28.7	27.1	27.6	24.9	24.1	26.5	25.9	25.4	23.7	28.6	27.7	24.9
7 - 10	17.8	22.4	21.0	19.2	18.7	18.0	18.6	19.4	19.4	17.3	21.3	19.0
11 - 14	9.9	10.3	10.7	11.5	9.5	8.7	9.1	8.5	9.1	7.9	8.6	9.9
15 - 29	13.0	12.1	13.3	15.6	12.9	11.0	10.9	9.8	11.6	7.8	9.7	12.9
30 - 59	4.6	4.3	4.0	4.5	5.3	4.2	3.6	3.4	4.3	2.8	3.4	4.6
60 - 89	0.8	0.7	0.7	0.8	1.1	0.9	0.7	0.7	0.8	0.5	0.9	0.9
90+	0.7	0.5	0.5	0.8	1.1	0.9	0.5	1.0	0.5	0.2	0.5	0.9
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

See Table 5a (i) for footnotes.

TABLE 5a (iii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEWFOUNDLAND, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE										
	NEWBORN (2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	AGE UNKNOWN
1	112	1,935	182	315	356	329	368	247	83	54	1
2	37	2,205	237	441	631	291	336	175	50	43	1
3	21	2,057	212	389	530	264	312	243	64	43	-
4	59	1,883	262	318	368	233	342	237	74	49	-
5	70	1,661	241	277	299	217	264	247	65	51	-
6	38	1,485	223	272	218	160	254	215	81	62	-
7	53	1,532	242	240	258	170	238	260	85	39	-
8	37	1,214	153	186	221	119	206	220	63	46	-
9	29	1,201	173	170	186	142	184	210	87	49	-
10	41	956	118	132	129	91	183	177	76	50	-
11 - 14	62	2,962	342	365	359	306	517	660	260	153	-
15 - 19	64	2,022	200	214	226	184	381	481	202	133	1
20 - 29	94	2,128	185	192	241	168	346	597	250	149	-
30 - 59	104	1,598	110	150	193	115	245	430	225	130	-
60 - 89	8	310	21	31	42	23	39	78	47	29	-
90+	9	245	19	22	35	26	23	53	32	35	-
TOTAL	838	25,394	2,920	3,714	4,292	2,838	4,238	4,530	1,744	1,115	3

(1) Includes out-of-province hospitalization. Also includes an unspecified number of separations for whom the Provincial Plan was not financially responsible.

(2) Newfoundland reported a total of 838 "sick newborn" only. Data on the other newborns are not available.

TABLE 5a (iv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEWFOUNDLAND, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE										AGE UNKNOWN
	NEWBORN (2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
1	78	2,254	93	215	271	667	703	206	49	50	-
2	37	3,262	152	320	571	868	1,020	254	43	34	-
3	39	4,570	176	305	506	1,462	1,762	266	61	32	-
4	44	5,245	168	209	311	1,972	2,231	255	66	31	2
5	75	5,333	174	226	227	2,164	2,205	232	68	37	-
6	52	3,357	151	177	221	1,206	1,295	206	74	27	-
7	40	2,326	161	161	197	723	766	206	65	47	-
8	25	1,762	133	145	153	448	554	216	72	41	-
9	34	1,475	103	98	138	358	480	198	65	35	-
10	25	1,281	105	96	106	296	406	180	59	33	-
11 - 14	73	3,581	225	234	270	585	1,143	733	262	129	-
15 - 19	58	2,387	125	155	176	319	639	634	224	114	1
20 - 29	102	2,037	125	142	163	239	439	557	235	137	-
30 - 59	89	1,437	89	118	129	150	264	355	197	135	-
60 - 89	27	249	23	24	30	21	33	58	35	25	-
90+	10	216	19	21	39	15	18	36	30	38	-
TOTAL	808	40,772	2,022	2,646	3,508	11,493	13,958	4,592	1,605	945	3

(1) Includes out-of-province hospitalization. Also includes an unspecified number of separations for whom the Provincial Plan was not financially responsible.

(2) Newfoundland reported a total of 808 "sick newborn" only. Data on other newborns are not available.

TABLE 5a (v) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, PRINCE EDWARD ISLAND, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	26	488	10	72	103	72	77	77	36	41
2	10	571	27	100	148	70	58	97	43	28
3	29	660	46	105	164	64	90	109	41	41
4	130	559	32	64	109	80	83	102	50	39
5	529	580	50	69	109	75	76	121	46	34
6	240	506	55	77	75	60	63	85	58	33
7	109	525	63	55	87	52	69	99	53	47
8	33	530	41	64	54	53	78	115	68	57
9	19	400	50	57	32	30	55	99	42	35
10	10	317	45	37	34	22	43	68	32	36
11 - 14	22	850	96	80	76	54	77	201	141	125
15 - 19	21	537	55	33	35	39	40	136	105	94
20 - 29	15	495	23	25	29	18	41	145	113	101
30 - 59	11	387	18	11	23	9	29	110	100	87
60 - 89	1	64	-	3	2	4	5	17	14	19
90+	-	40	-	7	4	3	7	5	5	9
TOTAL	1,205	7,509	611	859	1,084	705	891	1,586	947	826

(1) Includes out-of-province hospitalization.

TABLE 5a (vi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, PRINCE EDWARD ISLAND, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	21	597	10	43	76	143	222	50	21	32
2	4	851	19	67	145	181	277	111	22	29
3	29	906	15	66	174	188	254	132	38	39
4	112	875	29	52	112	218	282	113	39	30
5	516	1,302	26	51	76	394	561	95	43	56
6	233	1,089	24	56	68	304	444	97	41	55
7	87	793	42	60	60	197	238	98	54	44
8	23	615	29	53	48	121	177	104	41	42
9	21	465	25	47	38	62	112	91	37	53
10	8	412	26	28	29	48	96	94	44	47
11 - 14	21	1,021	65	53	51	76	206	277	137	156
15 - 19	13	643	37	38	31	37	92	186	105	117
20 - 29	21	515	23	23	19	13	55	143	114	125
30 - 59	9	386	13	6	16	14	27	107	81	122
60 - 89	-	55	-	2	2	1	3	8	19	20
90+	2	52	-	3	6	3	9	6	8	17
TOTAL	1,120	10,577	383	648	951	2,000	3,055	1,712	844	984

(1) Includes out-of-province hospitalization.

TABLE 5a (vii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEW BRUNSWICK, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	94	2,242	62	259	443	398	417	374	150	139
2	91	3,646	113	640	1,310	448	418	423	164	130
3	397	3,139	159	484	860	410	434	483	168	141
4	1,283	3,000	200	406	652	392	454	493	203	200
5	2,033	2,763	218	368	503	337	438	541	191	167
6	1,054	2,646	256	359	429	325	413	504	207	153
7	473	2,545	252	359	436	280	369	479	204	166
8	248	2,341	215	284	376	253	355	477	224	157
9	144	1,898	184	215	245	173	311	404	193	173
10	85	1,628	153	169	180	136	227	409	200	154
11 - 14	192	4,411	421	455	447	337	593	1,141	528	489
15 - 19	113	3,149	239	218	248	193	398	878	512	463
20 - 29	110	2,973	172	165	182	168	329	904	589	464
30 - 59	51	2,072	63	79	107	87	178	664	461	433
60 - 89	11	374	14	15	24	12	26	100	88	95
90+	4	255	10	11	17	15	25	51	55	71
TOTAL	6,383	39,082	2,731	4,486	6,459	3,964	5,385	8,325	4,137	3,595

(1) Includes out-of-province hospitalization.

TABLE 5a (viii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, NEW BRUNSWICK, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	74	3,190	49	226	350	940	1,065	341	106	113
2	114	4,739	69	484	1,171	1,020	1,285	485	141	84
3	453	5,077	108	367	855	1,287	1,553	585	156	166
4	1,309	5,984	141	301	586	1,860	2,197	575	188	136
5	1,906	7,328	192	324	500	2,402	3,031	518	180	181
6	972	5,589	151	295	391	1,742	2,105	555	201	149
7	386	4,056	166	261	463	1,022	1,267	509	183	185
8	219	3,260	162	229	363	653	966	522	178	187
9	123	2,639	148	175	230	424	786	484	202	190
10	74	2,386	141	155	182	313	718	515	188	174
11 - 14	162	6,197	286	349	430	560	1,740	1,632	636	564
15 - 19	111	3,807	166	181	222	260	878	1,099	563	438
20 - 29	105	3,229	119	136	145	151	576	1,002	538	562
30 - 59	61	1,938	58	62	79	67	251	543	414	464
60 - 89	9	282	6	9	9	9	22	73	67	87
90+	3	235	6	5	11	6	14	54	53	86
TOTAL	6,081	59,936	1,968	3,559	5,987	12,716	18,454	9,492	3,994	3,766

(1) Includes out-of-province hospitalization.

TABLE 5a (ix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, QUEBEC, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	2,099	35,774	842	6,210	10,757	4,957	6,616	4,432	1,267	693
2	1,053	27,371	764	5,034	9,603	4,030	4,242	2,655	676	366
3	3,080	20,205	828	2,356	4,162	3,593	4,771	3,208	845	443
4	10,820	19,714	840	2,048	3,468	3,221	4,951	3,772	926	488
5	19,015	19,585	946	1,818	3,285	2,973	5,090	3,968	986	519
6	8,824	18,123	978	1,799	2,678	2,606	4,625	3,824	1,051	562
7	4,385	18,461	1,059	1,738	2,550	2,248	4,638	4,372	1,241	615
8	2,244	16,467	1,041	1,459	2,082	1,891	3,998	4,175	1,179	642
9	1,152	14,926	925	1,404	1,673	1,438	3,587	4,038	1,202	659
10	762	12,829	844	1,155	1,313	1,239	2,975	3,553	1,107	643
11 - 14	1,505	38,339	2,639	3,093	3,535	2,978	8,174	11,620	4,128	2,172
15 - 19	1,026	28,162	1,953	1,978	1,935	1,781	5,328	9,335	3,783	2,069
20 - 29	1,031	27,534	1,889	1,662	1,562	1,397	4,394	9,633	4,403	2,594
30 - 59	618	17,929	1,222	867	832	946	2,520	5,974	3,315	2,253
60 - 89	73	3,107	177	135	161	209	418	909	612	486
90+	17	3,278	102	80	120	171	338	798	735	934
TOTAL	57,704	321,804	17,049	32,836	49,716	35,678	66,665	76,266	27,456	16,138

(1) Includes out-of-province hospitalization. Also includes all separations not the responsibility of the Provincial Plan.

TABIE 5a (x) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, QUEBEC, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	1,732	36,482	493	4,676	9,464	7,275	9,824	3,112	1,032	606
2	999	32,899	424	3,592	8,418	7,914	9,450	2,256	502	343
3	3,134	29,782	481	1,431	3,001	8,505	12,259	3,101	638	366
4	10,779	41,824	603	1,353	2,576	13,662	18,975	3,449	770	437
5	18,093	58,515	661	1,338	2,326	20,220	29,008	3,614	891	457
6	8,371	42,407	617	1,278	2,040	12,779	20,628	3,571	932	562
7	4,032	31,357	834	1,293	1,969	7,767	13,760	3,936	1,165	633
8	1,485	23,280	752	1,230	1,670	4,846	9,068	3,823	1,229	662
9	901	19,704	645	1,023	1,350	3,389	7,549	3,931	1,177	640
10	586	17,620	623	943	1,122	2,628	6,568	3,907	1,146	682
11 - 14	1,327	54,276	1,840	2,451	2,905	6,092	19,252	14,741	4,543	2,452
15 - 19	1,035	37,835	1,268	1,640	1,590	3,067	11,458	12,207	4,250	2,355
20 - 29	995	32,453	1,345	1,270	1,211	1,945	7,897	11,118	4,766	2,901
30 - 59	611	18,400	881	726	680	931	3,519	6,156	3,237	2,270
60 - 89	88	3,211	174	107	129	153	501	925	594	628
90+	27	3,530	68	73	94	96	289	709	850	1,351
TOTAL	54,195	483,575	11,709	24,424	40,545	101,269	180,005	80,556	27,722	17,345

(1) Includes out-of-province hospitalization. Also includes all separations not the responsibility of the Provincial Plan.

TABLE 5a (xi.) SEPARATIONS BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, AND ADULTS AND CHILDREN OF ALL AGES,
IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, ⁽¹⁾ BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE CONVALESCENT AND CHRONIC HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN, FROM ACTIVE AND CONVALESCENT HOSPITALS	SEPARATIONS, ADULTS AND CHILDREN, FROM CHRONIC HOSPITALS
1	2,240	97,672	97,562	110
2	680	115,389	115,288	101
3	2,175	77,887	77,774	113
4 - 6	86,227	256,746	256,433	313
7 - 10	31,590	199,385	198,981	404
11 - 14	4,607	101,182	100,787	395
15 - 29	4,900	137,486	136,303	1,183
30 - 59	1,572	56,567	55,133	1,434
60 - 89	220	11,584	10,542	1,042
90+	52	11,822	6,879	4,943
TOTAL	134,263	1,065,720	1,055,682	10,038

(1) Includes all separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals, all insured separations from Federal Indian Hospitals and from Department of Veterans Affairs Hospitals.

TABLE 5a (xii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, MANITOBA, 1966

- 46 -

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	182	6,444	288	822	1,381	975	948	1,053	510	467
2	64	10,144	393	2,037	3,337	1,123	1,210	1,207	435	402
3	148	6,417	443	966	1,206	716	991	1,144	492	459
4	1,245	5,657	449	777	877	642	915	1,092	451	454
5	3,972	5,027	433	679	710	450	795	1,013	479	468
6	1,585	4,277	407	568	538	375	635	919	426	409
7	756	4,112	411	453	450	319	543	939	496	501
8	277	3,361	283	330	278	235	530	862	439	404
9	214	2,876	251	224	197	179	385	796	444	400
10	155	2,400	183	202	140	129	329	674	378	365
11 - 14	261	6,739	476	429	384	360	855	1,897	1,155	1,183
15 - 19	162	4,772	256	206	211	239	559	1,344	952	1,005
20 - 29	128	4,703	182	111	152	177	480	1,473	1,003	1,125
30 - 59	71	3,794	135	91	119	128	355	1,088	837	1,041
60 - 89	12	782	22	11	17	33	57	191	175	276
90+	6	727	12	7	13	31	71	139	149	305
TOTAL	9,238	72,232	4,624	7,913	10,010	6,111	9,658	15,831	8,821	9,264

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province. Also includes separations not the responsibility of the Provincial Plan. Excludes non-residents.

TABLE 5a (xiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN (1) IN-PATIENTS, MANITOBA, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	124	6,588	206	639	987	1,490	1,974	750	230	312
2	37	12,807	264	1,470	3,078	2,376	3,238	1,730	355	276
3	204	8,132	357	695	1,035	1,513	2,412	1,388	385	347
4	1,451	8,401	359	616	755	1,888	2,834	1,192	383	374
5	3,837	12,500	332	637	624	3,816	5,195	1,067	431	398
6	1,478	8,759	334	479	458	2,453	3,411	902	350	372
7	527	6,144	293	358	359	1,335	2,079	859	421	440
8	212	4,350	218	281	251	785	1,272	766	409	368
9	156	3,712	180	189	170	441	1,157	836	352	387
10	124	3,345	161	173	117	345	965	860	389	335
11 - 14	249	7,905	345	360	332	623	1,861	2,225	1,105	1,054
15 - 19	137	4,681	158	181	152	288	904	1,399	756	843
20 - 29	107	4,383	136	118	97	184	711	1,301	860	976
30 - 59	79	3,272	82	65	67	127	461	874	694	902
60 - 89	14	710	15	11	12	22	61	167	141	281
90+	1	753	12	11	8	21	47	116	159	379
TOTAL	8,737	96,442	3,452	6,283	8,502	17,707	28,582	16,452	7,420	8,044

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province. Also includes separations not the responsibility of the Provincial Plan.
Excludes non-residents.

TABLE 5a (xiv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, SASKATCHEWAN, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1							
			1-4	5-14	15-24	25-44	45-64	65-74	75+	
1	198	7,662	194	1,068	1,704	1,274	1,197	1,192	499	534
2	65	11,795	231	2,436	4,339	1,268	1,279	1,258	457	527
3	249	8,254	277	1,487	1,858	990	1,229	1,337	526	550
4	1,291	7,246	282	1,319	1,320	801	971	1,273	608	672
5	3,666	6,071	273	1,181	1,001	546	765	1,121	568	616
6	2,199	5,379	240	1,006	780	454	655	1,048	574	622
7	852	5,082	211	906	671	420	632	986	611	645
8	348	4,324	185	695	507	339	528	978	480	612
9	256	3,661	163	560	379	234	452	852	470	551
10	148	3,018	136	431	241	171	381	691	444	523
11 - 14	205	7,943	326	1,059	555	401	870	1,955	1,231	1,546
15 - 19	136	5,556	159	536	271	239	619	1,385	1,054	1,293
20 - 29	120	5,465	129	400	189	184	466	1,417	1,178	1,502
30 - 59	110	3,954	90	223	141	144	275	1,008	837	1,236
60 - 89	22	754	11	40	25	26	43	151	168	290
90+	6	521	5	24	19	15	26	88	106	238
TOTAL	9,871	86,685	2,912	13,371	14,000	7,506	10,388	16,740	9,811	11,957

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5a (xv) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	138	8,687	111	767	1,311	1,946	2,620	1,188	364	380
2	69	15,723	159	1,929	4,118	2,682	3,884	2,153	442	356
3	317	10,483	184	1,112	1,666	2,137	2,773	1,693	470	448
4	1,378	10,432	241	1,026	1,207	2,212	3,150	1,535	563	498
5	3,701	13,048	191	962	893	3,547	5,091	1,298	527	539
6	1,791	10,672	194	802	748	2,880	3,852	1,161	530	505
7	655	7,859	164	743	593	1,765	2,410	1,072	550	562
8	270	5,611	150	578	450	1,017	1,469	999	479	469
9	212	4,537	113	458	334	630	1,194	953	422	433
10	129	3,799	95	346	197	407	1,020	911	388	435
11 - 14	189	10,537	205	813	447	779	2,663	2,983	1,228	1,419
15 - 19	117	6,230	140	416	195	375	1,224	1,831	963	1,086
20 - 29	137	5,038	107	310	165	221	729	1,455	922	1,129
30 - 59	102	3,458	61	181	102	132	416	900	671	995
60 - 89	20	620	11	30	24	16	69	144	116	210
90+	9	498	3	18	15	14	27	80	93	248
TOTAL	9,234	117,232	2,129	10,491	12,465	20,760	32,591	20,356	8,728	9,712

(1) Excludes separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5a (xvi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	221	11,825	345	1,423	2,336	2,004	2,494	1,971	699	553
2	78	17,895	532	3,433	6,171	1,998	2,488	2,082	664	527
3	240	12,496	623	1,828	2,683	1,638	2,361	2,062	722	579
4	1,715	10,428	706	1,514	1,745	1,295	1,922	1,843	737	666
5	3,812	8,875	673	1,278	1,324	941	1,563	1,729	715	652
6	3,852	7,784	625	1,021	1,064	808	1,311	1,605	701	649
7	2,551	7,061	551	892	849	649	1,201	1,485	772	662
8	917	5,896	475	646	664	492	967	1,420	656	576
9	568	5,082	375	475	439	402	865	1,296	635	595
10	385	4,183	297	370	331	301	735	1,060	551	538
11 - 14	585	11,336	719	842	776	695	1,784	3,022	1,736	1,762
15 - 19	321	7,366	431	427	399	388	1,065	2,151	1,209	1,296
20 - 29	279	7,026	304	322	303	366	937	2,061	1,310	1,423
30 - 59	193	5,341	172	220	302	275	614	1,505	1,045	1,208
60 - 89	36	1,137	31	31	102	82	113	272	215	291
90+	7	1,482	13	32	122	82	125	244	264	600
TOTAL	15,760	125,213	6,872	14,754	19,610	12,416	20,545	25,808	12,631	12,577

(1) Includes out-of-province hospitalization. Also includes separations not the responsibility of the Provincial Plan but excludes non-residents.

TABLE 5a (xvii) SEPARATION BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	168	13,096	221	1,088	1,776	3,135	4,321	1,777	421	357
2	50	21,882	345	2,572	5,641	3,899	5,662	2,869	491	403
3	248	15,585	416	1,383	2,371	3,245	4,546	2,550	598	476
4	1,886	14,514	481	1,211	1,574	3,572	4,480	2,051	674	471
5	3,855	16,781	473	957	1,186	5,020	6,069	1,903	687	486
6	3,648	15,946	413	870	883	4,984	6,058	1,617	627	494
7	2,192	12,801	409	698	724	3,631	4,605	1,472	659	603
8	789	9,157	369	536	516	2,084	3,173	1,421	562	496
9	436	6,944	285	389	369	1,166	2,362	1,382	515	476
10	364	5,754	243	287	293	818	1,852	1,324	480	457
11 - 14	510	13,634	496	711	593	1,338	3,930	3,669	1,463	1,434
15 - 19	344	7,655	285	298	334	582	1,750	2,247	1,068	1,091
20 - 29	282	6,525	208	277	257	358	1,202	1,922	1,058	1,243
30 - 59	180	4,595	125	141	186	248	708	1,221	813	1,153
60 - 89	40	1,032	15	29	72	64	108	265	174	305
90+	12	1,324	7	30	89	59	86	213	230	610
TOTAL	15,004	167,225	4,791	11,477	16,864	34,203	50,912	27,903	10,520	10,555

(1) Includes out-of-province hospitalization. Also includes separations not the responsibility of the Provincial Plan but excludes non-residents.

TABLE 5a (xviii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, BRITISH COLUMBIA, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	225	10,367	280	1,134	2,039	1,649	2,414	1,647	564	640
2	49	20,603	410	4,388	7,514	1,782	2,633	2,381	826	669
3	205	11,322	498	1,545	2,301	1,528	2,219	2,020	654	557
4	1,455	9,694	541	1,292	1,547	1,166	1,947	1,961	658	582
5	4,200	8,941	544	1,172	1,209	976	1,744	1,989	677	630
6	4,288	7,838	517	990	982	783	1,424	1,865	680	597
7	2,352	7,404	490	856	849	613	1,297	1,793	739	767
8	868	6,359	424	681	697	488	1,060	1,537	745	727
9	602	5,191	341	505	448	322	795	1,450	674	656
10	454	4,510	318	432	387	247	663	1,204	644	615
11 - 14	575	12,424	700	950	817	697	1,717	3,537	1,918	2,088
15 - 19	298	8,893	416	480	468	371	1,164	2,574	1,573	1,847
20 - 29	316	9,100	377	386	397	320	974	2,598	1,831	2,217
30 - 59	198	7,335	227	290	323	267	621	1,952	1,542	2,113
60 - 89	31	1,370	38	49	82	53	115	329	303	401
90+	8	809	21	24	67	74	81	177	165	200
TOTAL	16,124	132,160	6,142	15,174	20,127	11,336	20,868	29,014	14,193	15,306

(1) Excludes out-of-province hospitalization.

TABLE 5a (xix) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, BRITISH COLUMBIA, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	169	11,180	185	891	1,404	2,637	3,627	1,514	402	520
2	48	26,233	259	3,163	7,094	4,044	6,758	3,853	602	460
3	315	15,352	363	1,140	1,901	3,308	4,844	2,694	647	455
4	1,728	13,583	379	1,023	1,177	3,405	4,465	2,108	560	466
5	4,443	17,060	399	839	996	5,395	6,401	1,967	564	499
6	3,819	16,544	399	777	763	5,214	6,503	1,752	585	551
7	1,931	13,118	353	673	668	3,661	4,885	1,605	637	636
8	732	9,567	289	550	530	1,946	3,460	1,676	577	539
9	484	7,619	217	405	339	1,152	2,774	1,611	588	533
10	423	6,553	225	330	289	781	2,238	1,662	535	493
11 - 14	557	16,004	522	796	672	1,461	4,296	4,618	1,832	1,807
15 - 19	285	9,426	288	402	362	632	1,999	2,833	1,433	1,477
20 - 29	327	8,615	245	332	316	426	1,445	2,498	1,541	1,812
30 - 59	183	6,159	166	210	223	263	850	1,650	1,253	1,544
60 - 89	33	1,118	30	36	47	54	108	287	224	332
90+	9	644	19	24	41	42	60	146	122	190
TOTAL	15,486	178,775	4,338	11,591	16,822	34,421	54,713	32,474	12,102	12,314

(1) Excludes out-of-province hospitalization.

TABLE 5a (xx) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, YUKON, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	4	112	3	15	22	16	40	11	3	2
2	4	183	9	48	51	21	31	16	4	3
3	13	124	10	23	24	10	31	16	8	2
4	33	114	8	23	16	10	27	18	8	4
5	75	84	9	18	14	5	25	10	3	-
6	17	69	7	11	7	5	21	11	4	3
7	9	69	5	13	10	5	17	15	2	2
8	1	54	2	10	2	4	13	15	5	3
9	2	42	2	4	5	4	13	12	2	-
10	-	30	4	4	2	4	6	8	2	-
11 - 14	3	100	10	10	7	3	22	31	9	8
15 - 19	2	62	3	8	5	4	11	20	6	5
20 - 29	4	48	4	3	3	-	12	12	9	5
30 - 59	1	46	2	6	6	2	10	12	4	4
60 - 89	-	9	1	-	1	-	1	2	3	1
90+	-	2	-	-	-	-	-	1	-	1
TOTAL	168	1,148	79	196	175	93	280	210	72	43

(1) Includes out-of-Yukon hospitalization.

TABLE 5a (xxi) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, YUKON, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	2	124	6	17	21	34	36	7	3	-
2	1	189	9	19	38	27	78	15	2	1
3	13	169	12	17	18	41	59	18	1	3
4	30	159	7	18	10	45	60	17	2	-
5	73	177	2	9	7	66	82	9	-	2
6	24	137	4	5	12	45	57	10	2	2
7	10	79	4	6	5	23	32	5	1	3
8	4	69	1	4	3	19	34	5	1	2
9	1	61	3	5	4	8	24	14	1	2
10	3	44	2	5	3	10	15	6	2	1
11 - 14	3	104	4	6	11	14	39	21	4	5
15 - 19	2	43	3	2	3	5	14	10	3	3
20 - 29	3	48	5	2	2	4	20	11	2	2
30 - 59	1	27	-	4	1	3	8	4	5	2
60 - 89	-	5	1	1	-	-	-	3	-	-
90+	-	3	1	-	-	-	-	1	-	1
TOTAL	170	1,438	64	120	138	344	558	156	29	29

(1) Includes out-of-Yukon hospitalization.

TABLE 5a (xxii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NORTHWEST TERRITORIES, 1966

- 56 -

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	12	307	46	68	62	37	59	31	3	1
2	22	282	35	60	69	39	54	21		4
3	40	226	36	44	34	27	49	26	7	3
4	66	207	42	50	28	24	34	22	4	3
5	126	204	33	51	34	30	31	19	5	1
6	90	195	42	40	26	19	28	25	8	7
7	45	217	47	45	29	20	42	24	5	5
8	20	157	41	29	25	16	19	20	6	1
9	9	110	24	28	11	7	17	16	5	2
10	11	116	24	29	13	11	10	20	5	4
11 - 14	13	263	70	52	27	22	35	38	12	7
15 - 19	4	172	49	31	12	8	30	24	11	7
20 - 29	6	166	35	14	16	12	38	22	16	13
30 - 59	7	136	24	18	20	9	27	22	10	6
60 - 89	1	36	4	6	3	6	5	8	1	3
90+	-	16	2	3	3	3	2	2	-	1
TOTAL	472	2,810	554	568	412	290	480	340	98	68

(1) Includes out-of-territory hospitalization.

TABLE 5a (xxiii) SEPARATIONS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NORTHWEST TERRITORIES, 1966

LENGTH OF STAY IN DAYS	NUMBER OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	14	368	32	38	49	68	141	30	3	7
2	22	348	15	39	54	81	122	29	4	4
3	32	326	18	24	37	82	143	17	4	1
4	51	336	28	31	25	84	144	19	4	1
5	133	480	34	36	26	118	232	30	2	2
6	89	419	25	40	26	109	190	24	2	3
7	40	324	38	43	27	80	108	21	6	1
8	16	208	22	39	19	34	66	16	9	3
9	10	148	23	25	7	16	45	21	5	6
10	5	135	15	16	11	27	42	16	6	2
11 - 14	7	311	54	40	36	32	81	46	12	10
15 - 19	4	150	22	21	12	15	43	18	6	13
20 - 29	11	154	20	20	23	14	47	18	6	6
30 - 59	5	91	12	9	5	13	26	15	6	5
60 - 89	2	26	-	1	7	4	3	6	2	3
90+	1	14	2	3	2	1	4	1	-	1
TOTAL	442	3,838	360	425	366	778	1,437	327	77	68

(1) Includes out-of-territory hospitalization.

TABLE 5b (i) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES, AND ALL AGES(1), PROVINCIAL PLAN IN-PATIENTS(2),
BY PROVINCE, 1966

LENGTH IN STAY IN DAYS(4)	PATIENT-DAYS OF SEPARATIONS, BOTH SEXES											
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(3)
1	4,189	1,080	5,432	72,280	97,672	13,032	16,349	24,921	21,547	236	675	257,413
2	11,132	2,824	16,770	120,542	230,778	45,902	55,036	79,554	93,669	744	1,260	658,211
3	20,178	4,668	24,648	149,982	233,661	43,647	56,211	84,243	80,013	879	1,656	699,786
4 - 6	92,534	24,942	135,801	999,836	1,291,157	222,083	262,613	370,428	369,506	3,633	9,276	3,781,809
7 - 10	97,264	33,161	171,988	1,282,831	1,643,265	250,222	312,019	467,062	496,864	3,687	11,539	4,769,902
11 - 14	80,677	23,064	130,521	1,145,200	1,246,959	180,054	227,681	310,011	349,148	2,503	7,118	3,702,936
15 - 29	172,617	43,188	263,570	2,524,011	2,793,532	374,453	446,317	575,175	728,374	4,066	12,914	7,938,217
30 - 59	121,098	29,635	159,474	1,430,995	2,257,684	282,711	292,713	423,568	537,454	3,001	9,508	5,547,841
60 - 89	40,117	8,461	46,825	449,981	829,636	106,818	97,589	160,077	176,417	1,064	4,331	1,921,316
90+	75,312	16,068	68,951	2,267,965	3,654,491	326,293	172,674	824,719	205,303	729	3,914	7,616,419
TOTAL	715,118	187,091	1,023,980	10,443,623	14,278,835	1,845,215	1,939,202	3,319,758	3,058,295	20,542	62,191	36,893,850

(1) Excludes newborns, but includes age unspecified.

(2) Newfoundland, Quebec, Ontario, Manitoba and Alberta include patient-days of separations not the responsibility of the Provincial Plan; but Ontario excludes Non-Plan patient-days of separations from Department of Veterans Affairs hospitals. Saskatchewan and British Columbia exclude all Plan patient-days of separations hospitalized out-of-province. Saskatchewan also excludes all patient-days of separations from geriatric hospitals. Alberta excludes non-residents.

(3) Excludes Nova Scotia.

(4) In this table, length of stay data have been consolidated into ten categories to facilitate comparison between provinces. For data by province, age-group and sex, see Tables 5b (iii) and following tables.

TABLE 5b (ii) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, FOR BOTH SEXES AND ALL AGES(1), PROVINCIAL PLAN IN-PATIENTS(2),
BY PROVINCE, 1966

LENGTH OF STAY IN DAYS	PERCENTAGE DISTRIBUTION OF PATIENT-DAYS, BOTH SEXES											
	Nfld.	P.E.I.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.	CANADA(3)
1	0.6	0.6	0.5	0.7	0.7	0.7	0.8	0.8	0.7	1.1	1.1	0.7
2	1.6	1.5	1.6	1.2	1.6	2.5	2.8	2.4	3.1	3.6	2.0	1.8
3	2.8	2.5	2.4	1.4	1.6	2.4	2.9	2.5	2.6	4.3	2.7	1.9
4 - 6	12.9	13.3	13.3	9.6	9.0	12.0	13.5	11.2	12.1	17.7	14.9	10.2
7 - 10	13.6	17.7	16.8	12.3	11.5	13.6	16.1	14.1	16.2	17.9	18.6	12.9
11 - 14	11.3	12.3	12.7	11.0	8.7	9.8	11.7	9.3	11.4	12.2	11.4	10.0
15 - 29	24.1	23.1	25.7	24.2	19.6	20.3	23.0	17.3	23.8	19.8	20.8	21.5
30 - 59	16.9	15.8	15.6	13.7	15.8	15.3	15.1	12.8	17.6	14.6	15.3	15.0
60 - 89	5.6	4.5	4.6	4.3	5.8	5.8	5.0	4.8	5.8	5.2	7.0	5.2
90+	10.5	8.6	6.7	21.7	25.6	17.7	8.9	24.8	6.7	3.5	6.3	20.6
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(1) Excludes newborns, but includes age unspecified.

(2) Newfoundland, Quebec, Ontario, Manitoba and Alberta include patient-days of separations not the responsibility of the Provincial Plan; but Ontario excludes Non-Plan patient-days of separations from Department of Veterans Affairs hospitals. Saskatchewan and British Columbia exclude all Plan patient-days of separations hospitalized out-of-province. Saskatchewan also excludes all patient-days of separations from geriatric hospitals. Alberta excludes non-residents.

(3) Excludes Nova Scotia.

(4) In this table, length of stay data have been consolidated into ten categories to facilitate comparison between provinces. For data by province, age-group and sex, see Tables 5b (iii) and following tables.

TABLE 5b (iii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE										AGE UNKNOWN
	NEWBORN ⁽²⁾	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	
1	112	1,935	182	315	356	329	368	247	83	54	1
2	74	4,410	474	882	1,262	582	672	350	100	86	2
3	63	6,171	636	1,167	1,590	792	936	729	192	129	-
4	236	7,532	1,048	1,272	1,472	932	1,368	948	296	196	-
5	350	8,305	1,205	1,385	1,495	1,085	1,320	1,235	325	255	-
6	228	8,910	1,338	1,632	1,308	960	1,524	1,290	486	372	-
7	371	10,724	1,694	1,680	1,806	1,190	1,666	1,820	595	273	-
8	296	9,712	1,224	1,488	1,768	952	1,648	1,760	504	368	-
9	261	10,809	1,557	1,530	1,674	1,278	1,656	1,890	783	441	-
10	410	9,560	1,180	1,320	1,290	910	1,830	1,770	760	500	-
11 - 14	778	36,546	4,201	4,457	4,414	3,795	6,380	8,173	3,243	1,883	-
15 - 19	1,071	33,865	3,343	3,601	3,765	3,088	6,338	8,081	3,390	2,241	18
20 - 29	2,247	50,485	4,405	4,563	5,683	3,885	8,201	14,260	5,945	3,543	-
30 - 59	4,204	63,856	4,274	6,045	7,776	4,639	9,837	16,856	9,201	5,228	-
60 - 89	574	22,304	1,489	2,227	3,001	1,590	2,845	5,647	3,417	2,088	-
90+	1,718	38,921	3,248	4,073	5,183	3,790	3,358	7,841	5,734	5,694	-
TOTAL	12,993	324,045	31,498	37,637	43,843	29,797	49,947	72,897	35,054	23,351	21

(1) Includes out-of-province hospitalization. Also includes an unspecified number of patient-days for whom the Provincial Plan was not financially responsible.

(2) Newfoundland reported a total of 12,993 patient-days for "sick newborn" only. Data on length of stay of other newborns are not available.

TABLE 5b (iv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NEWFOUNDLAND, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE										
	NEWBORN(2)	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+	AGE UNKNOWN
1	78	2,254	93	215	271	667	703	206	49	50	-
2	74	6,722	304	640	1,340	1,736	2,040	508	86	68	-
3	117	14,007	528	915	1,815	4,386	5,286	798	183	96	-
4	176	20,980	672	836	1,244	7,888	8,924	1,020	264	124	8
5	375	26,665	870	1,130	1,135	10,820	11,025	1,160	340	185	-
6	312	20,142	906	1,062	1,326	7,236	7,770	1,236	444	162	-
7	280	16,278	1,127	1,127	1,379	5,057	5,362	1,442	455	329	-
8	200	14,096	1,064	1,160	1,224	3,584	4,432	1,728	576	328	-
9	306	13,275	927	882	1,242	3,222	4,320	1,782	585	315	-
10	250	12,810	1,050	960	1,060	2,960	4,060	1,800	590	330	-
11 - 14	899	44,131	2,768	2,876	3,296	7,127	13,990	9,180	3,272	1,622	-
15 - 19	980	39,912	2,088	2,563	2,939	5,303	10,622	10,673	3,785	1,922	17
20 - 29	2,408	48,355	2,990	3,357	3,817	5,615	10,429	13,178	5,640	3,329	-
30 - 59	3,673	57,242	3,570	4,808	5,214	5,908	10,233	14,016	8,029	5,464	-
60 - 89	1,848	17,813	1,612	1,725	2,102	1,464	2,405	4,218	2,533	1,754	-
90+	1,487	36,391	4,612	3,164	7,195	2,660	2,472	4,662	4,744	6,882	-
TOTAL	13,463	391,073	25,181	27,420	36,599	75,633	104,073	67,607	31,575	22,960	25

(1) Includes out-of-province hospitalization. Also includes an unspecified number of patient-days for whom the Provincial Plan was not financially responsible.

(2) Newfoundland reported a total of 13,463 patient-days for "sick newborn" only. Data on length of stay of other newborns are not available.

TABLE 5b (v) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, PRINCE EDWARD ISLAND, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	24	487	10	72	103	72	76	77	36	41
2	20	1,122	54	200	296	140	116	174	86	56
3	87	1,950	138	315	492	192	270	297	123	123
4	520	2,196	128	256	436	320	332	368	200	156
5	2,551	2,850	250	345	545	375	380	555	230	170
6	1,440	3,018	330	462	450	360	378	492	348	198
7	763	3,675	441	385	609	364	483	693	371	329
8	264	4,240	328	512	432	424	624	920	544	456
9	171	3,600	450	513	288	270	495	891	378	315
10	100	3,170	450	370	340	220	430	680	320	360
11 - 14	265	10,506	1,154	980	916	663	928	2,503	1,718	1,644
15 - 19	353	9,183	902	563	570	657	666	2,384	1,864	1,577
20 - 29	350	11,988	542	600	690	415	985	3,553	2,805	2,398
30 - 59	442	15,304	696	416	912	392	1,148	4,261	3,953	3,526
60 - 89	86	4,552	-	229	133	312	328	1,197	972	1,381
90+		8,733	-	2,033	757	1,339	1,645	887	756	1,316
TOTAL	7,436	86,574	5,873	8,251	7,969	6,515	9,284	19,932	14,704	14,046

(1) Includes out-of-province hospitalization.

TABLE 5b (vi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, PRINCE EDWARD ISLAND, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	15	593	10	43	76	143	220	48	21	32
2	8	1,702	38	134	290	362	554	222	44	58
3	87	2,718	45	198	522	564	762	396	114	117
4	448	3,500	116	208	448	872	1,128	452	156	120
5	2,594	6,810	130	255	380	2,120	2,955	475	215	280
6	1,398	6,568	144	336	408	1,838	2,684	582	246	330
7	609	5,351	294	420	420	1,279	1,566	686	378	308
8	184	4,820	232	424	384	968	1,316	832	328	336
9	189	4,185	225	423	342	558	1,008	819	333	477
10	80	4,120	260	280	290	480	960	940	440	470
11 - 14	260	12,558	797	629	625	930	2,519	3,400	1,709	1,949
15 - 19	217	10,413	620	636	527	614	1,434	3,019	1,663	1,900
20 - 29	503	11,604	546	538	458	310	1,176	3,169	2,583	2,824
30 - 59	339	14,331	357	220	494	454	940	4,167	3,124	4,575
60 - 89	-	3,909	-	128	150	72	222	560	1,360	1,417
90+	875	7,335	-	614	1,029	537	1,329	936	917	1,973
TOTAL	7,806	100,517	3,814	5,486	6,843	12,101	20,773	20,703	13,631	17,166

(1) Includes out-of-province hospitalization.

TABLE 5b (vii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, NEW BRUNSWICK, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	94	2,242	62	259	443	398	414	374	150	139
2	182	7,292	226	1,280	2,620	896	836	846	328	260
3	1,191	9,417	477	1,452	2,580	1,230	1,302	1,449	504	423
4	5,132	12,000	800	1,624	2,608	1,568	1,816	1,972	812	800
5	10,165	13,815	1,090	1,840	2,515	1,685	2,190	2,705	955	835
6	6,324	15,876	1,536	2,154	2,574	1,950	2,478	3,024	1,242	918
7	3,311	17,815	764	2,513	3,052	1,960	2,583	3,353	1,428	1,162
8	1,984	18,728	1,720	2,272	3,008	2,024	2,840	3,816	1,792	1,256
9	1,296	17,082	1,656	1,935	2,205	1,557	2,799	3,636	1,737	1,557
10	850	16,280	1,530	1,690	1,800	1,360	2,270	4,090	2,000	1,540
11 - 14	2,380	54,162	5,176	5,576	5,457	4,114	7,286	14,015	6,478	6,063
15 - 19	1,900	52,978	3,986	3,672	4,147	3,270	6,681	14,836	8,543	7,843
20 - 29	2,600	70,760	4,034	3,945	4,342	3,979	7,750	21,639	14,112	10,959
30 - 59	2,023	82,703	2,433	3,216	4,294	3,471	7,124	25,995	18,540	17,630
60 - 89	783	26,801	996	1,133	1,723	801	1,871	7,161	6,307	6,809
90+	440	36,919	1,708	1,596	2,463	2,101	3,791	6,635	7,946	10,679
TOTAL	40,655	454,870	29,191	36,157	45,831	32,364	54,034	115,546	72,874	68,873

(1) Includes out-of-province hospitalization.

TABLE 5b (viii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, NEW BRUNSWICK, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	74	3,190	49	226	350	940	1,065	341	106	113
2	228	9,478	138	968	2,342	2,040	2,570	970	282	168
3	1,359	15,231	324	1,101	2,565	3,861	4,659	1,755	468	498
4	5,236	23,936	564	1,204	2,344	7,440	8,788	2,300	752	544
5	9,530	36,640	960	1,620	2,500	12,010	15,155	2,590	900	905
6	5,832	33,534	906	1,770	2,346	10,452	12,630	3,330	1,206	894
7	2,702	28,392	1,162	1,827	3,241	7,154	8,869	3,563	1,281	1,295
8	1,752	26,080	1,296	1,832	2,904	5,224	7,728	4,176	1,424	1,496
9	1,107	23,751	1,332	1,575	2,070	3,816	7,074	4,356	1,818	1,710
10	740	23,860	1,410	1,550	1,820	3,130	7,180	5,150	1,880	1,740
11 - 14	1,991	76,359	3,487	4,241	5,314	6,796	21,323	20,198	7,960	7,040
15 - 19	1,862	63,891	2,766	3,015	3,729	4,328	14,687	18,419	9,536	7,411
20 - 29	2,487	75,941	2,766	3,123	3,341	3,513	13,527	23,318	12,775	13,578
30 - 59	2,476	76,771	2,352	2,357	2,988	2,530	9,733	21,290	16,757	18,764
60 - 89	638	20,024	424	595	609	602	1,593	5,217	4,786	6,198
90+	417	32,032	773	810	1,187	748	1,886	6,841	6,947	12,840
TOTAL	38,431	569,110	20,709	27,814	39,650	74,584	138,467	123,814	68,878	75,194

(1) Includes out-of-province hospitalization.

TABLE 5b (ix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, QUEBEC, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE							
	NEWBORN	TOTAL	UNDER 1					
			1-4	5-14	15-24	25-44	45-64	65-74
1	2,099	35,797	842	10,780	4,957	6,616	4,432	1,267
2	2,106	54,742	1,528	19,208	8,060	8,484	5,310	1,352
3	9,240	60,618	2,484	12,486	10,779	14,313	9,624	2,535
4	43,279	78,856	3,360	13,872	12,884	19,804	15,088	3,704
5	95,075	97,928	4,746	16,425	14,865	25,447	19,840	4,930
6	52,945	108,733	5,868	16,068	15,631	27,750	22,944	6,306
7	30,689	129,226	7,413	17,850	15,735	32,466	30,604	8,687
8	17,952	131,736	8,328	16,656	15,128	31,984	33,400	9,432
9	10,368	134,334	8,325	15,057	12,942	32,283	36,342	10,818
10	7,620	128,290	8,440	13,130	12,390	29,750	35,530	11,070
11 - 14	18,417	473,833	32,649	43,312	36,616	100,730	144,049	51,356
15 - 19	17,263	471,864	32,864	32,146	29,716	88,836	156,551	63,716
20 - 29	24,326	652,443	44,601	36,859	32,827	103,884	228,206	104,874
30 - 59	24,334	709,135	48,465	32,710	38,272	99,117	234,359	131,585
60 - 89	5,171	221,374	12,254	11,550	14,958	29,517	65,462	43,634
90+	2,113	978,037	16,716	23,939	31,637	81,264	217,130	220,230
TOTAL	362,997	4,466,946	238,883	332,048	307,397	732,245	1,258,871	675,496
								656,546

(1) Includes out-of-province hospitalization. Also includes all patient-days not the responsibility of the Provincial Plan.

TABLE 5b (x) PATIENT-DAYS BY LENGTH OF STAY, SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, QUEBEC, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	PATIENT-DAYS OF SEPARATIONS, FEMALE							
			UNDER 1	1-4	5-14	15-24	25-44	45-64	65-75	75+
1	1,732	36,483	493	4,677	9,464	7,275	9,824	3,112	1,032	606
2	1,998	65,800	848	7,184	16,838	15,828	18,900	4,512	1,004	686
3	9,402	89,364	1,443	4,293	9,003	25,519	36,791	9,303	1,914	1,098
4	43,115	167,307	2,412	5,412	10,304	54,648	75,907	13,796	3,080	1,748
5	90,465	292,565	3,300	6,690	11,630	101,095	145,040	18,070	4,455	2,285
6	50,226	254,447	3,702	7,668	12,239	76,680	123,768	21,426	5,592	3,372
7	28,224	219,493	5,838	9,051	13,777	54,369	96,320	27,552	8,155	4,431
8	11,880	186,235	6,016	9,840	13,360	38,768	72,539	30,584	9,832	5,296
9	8,109	177,336	5,805	9,207	12,150	30,501	67,941	35,379	10,593	5,760
10	5,860	176,181	6,230	9,430	11,220	26,280	65,671	39,070	11,460	6,820
11 - 14	16,285	671,367	22,777	30,117	35,598	74,640	237,284	183,492	56,786	30,673
15 - 19	17,446	632,773	21,243	27,410	26,438	50,961	190,818	204,615	71,578	39,710
20 - 29	23,490	766,931	32,002	29,937	28,520	45,659	185,086	262,889	113,441	69,397
30 - 59	23,521	721,860	34,693	28,594	26,685	36,166	136,384	240,548	127,510	91,280
60 - 89	6,202	228,607	12,458	7,608	9,148	10,951	35,557	65,723	42,246	44,916
90+	3,158	1,289,928	10,474	14,117	16,819	21,136	81,373	203,648	318,741	623,620
TOTAL	341,113	5,976,677	169,734	211,235	263,193	670,476	1,579,203	1,363,719	787,419	931,698

(1) Includes out-of-province hospitalization. Also includes all patient-days not the responsibility of the Provincial Plan.

TABLE 5b (xi) PATIENT-DAYS OF SEPARATIONS, BY LENGTH OF STAY, BOTH SEXES, FOR NEWBORNS, ADULTS AND CHILDREN OF ALL AGES, IN ACTIVE AND CONVALESCENT HOSPITALS, AND IN CHRONIC HOSPITALS, ONTARIO, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, (1) BOTH SEXES AND ALL AGES			
	NEWBORN	TOTAL PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE, CONVALESCENT, AND CHRONIC HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM ACTIVE AND CONVALESCENT HOSPITALS	PATIENT-DAYS, ADULTS AND CHILDREN FROM CHRONIC HOSPITALS
1	2,240	97,672	97,562	110
2	1,360	230,778	230,576	202
3	6,525	233,661	233,322	339
4 - 6	446,866	1,291,157	1,289,592	1,565
7 - 10	248,666	1,643,265	1,639,900	3,365
11 - 14	55,880	1,246,959	1,242,030	4,929
15 - 29	97,847	2,793,532	2,768,099	25,433
30 - 59	61,714	2,257,684	2,194,831	62,853
60 - 89	15,492	829,636	752,631	77,005
90+	6,681	3,654,491	983,116	2,671,375
TOTAL	943,271	14,278,835	11,431,659	2,847,176

(1) Includes all patient-days of separations from public and private hospitals of Ontario, all insured separations from out-of-province hospitals, all insured separations from Federal Indian hospitals and from Department of Veterans Affairs hospitals.

TABLE 5b (xii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, MANITOBA, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	182	6,444	288	822	1,381	975	948	1,053	510	467
2	128	20,288	786	4,074	6,674	2,246	2,420	2,414	870	804
3	444	19,251	1,329	2,898	3,618	2,148	2,973	3,432	1,476	1,377
4	4,980	22,628	1,796	3,108	3,508	2,568	3,660	4,368	1,804	1,816
5	19,860	25,135	2,165	3,395	3,550	2,250	3,975	5,065	2,395	2,340
6	9,510	25,662	2,442	3,408	3,228	2,250	3,810	5,514	2,556	2,454
7	5,292	28,784	2,877	3,171	3,150	2,233	3,801	6,573	3,472	3,507
8	2,216	26,888	2,264	2,640	2,224	1,880	4,240	6,896	3,512	3,232
9	1,926	25,884	2,259	2,016	1,773	1,611	3,465	7,164	3,996	3,600
10	1,550	24,000	1,830	2,020	1,400	1,290	3,290	6,740	3,780	3,650
11 - 14	3,279	83,150	5,825	5,297	4,711	4,445	10,490	23,447	14,299	14,636
15 - 19	2,690	79,919	4,302	3,413	3,502	3,949	9,329	22,499	15,955	16,970
20 - 29	2,981	112,185	4,333	2,631	3,565	4,222	11,391	34,919	23,982	27,142
30 - 59	2,808	151,845	5,195	3,740	4,929	4,898	14,236	42,682	33,780	42,385
60 - 89	813	55,727	1,558	772	1,189	2,348	4,013	13,564	12,553	19,730
90+	988	146,726	2,127	1,233	1,546	3,996	24,311	29,071	25,905	58,537
TOTAL	59,647	854,516	41,376	44,638	49,948	43,309	106,352	215,401	150,845	202,647

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba, as well as Manitoba residents hospitalized out-of-province. Also includes patient-days not the responsibility of the Provincial Plan. Excludes non-residents.

TABLE 5b (xiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, MANITOBA, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	124	6,588	206	639	987	1,490	1,974	750	230	312
2	74	25,614	538	2,940	6,156	4,752	6,476	3,500	710	552
3	612	24,396	1,071	2,085	3,105	4,539	7,236	4,164	1,155	1,041
4	5,804	33,604	1,436	2,464	3,020	7,552	11,336	4,768	1,532	1,496
5	19,185	62,500	1,660	3,185	3,120	19,080	25,975	5,335	2,155	1,990
6	8,868	52,554	2,004	2,874	2,748	14,718	20,466	5,412	2,100	2,232
7	3,689	43,008	2,051	2,506	2,513	9,345	14,553	6,013	2,947	3,080
8	1,696	34,800	1,744	2,248	2,008	6,280	10,176	6,128	3,272	2,944
9	1,404	33,408	1,620	1,701	1,530	3,969	10,413	7,524	3,168	3,483
10	1,240	33,450	1,610	1,730	1,170	3,450	9,650	8,600	3,890	3,330
11 - 14	3,129	96,904	4,235	4,407	4,021	7,543	22,721	27,315	13,598	13,064
15 - 19	2,268	78,364	2,636	3,008	2,498	4,769	15,137	23,425	12,705	14,186
20 - 29	2,443	103,985	3,200	2,766	2,237	4,389	16,699	30,811	20,562	23,321
30 - 59	3,029	130,866	3,294	2,530	2,626	5,056	18,183	34,743	27,849	36,585
60 - 89	979	51,091	1,059	790	855	1,582	4,355	11,811	10,221	20,418
90+	96	179,567	2,215	2,745	1,060	2,521	14,954	19,331	33,074	103,667
TOTAL	54,640	990,699	30,569	38,618	39,654	101,035	210,304	199,630	139,168	231,721

(1) Includes all Manitoba resident in-patients separated from active treatment and extended treatment hospitals in Manitoba as well as Manitoba residents hospitalized out-of-province. Also includes patient-days not the responsibility of the Provincial Plan. Excludes non-residents.

TABLE 5b (xiv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	198	7,662	194	1,068	1,704	1,274	1,197	1,192	499	534
2	130	23,590	462	4,872	8,678	2,536	2,558	2,516	914	1,054
3	747	24,762	831	4,461	5,574	2,970	3,687	4,011	1,578	1,650
4	5,164	28,984	1,128	5,276	5,280	3,204	3,884	5,092	2,432	2,688
5	18,330	30,355	1,365	5,905	5,005	2,730	3,825	5,605	2,840	3,080
6	13,194	32,274	1,440	6,036	4,680	2,724	3,930	6,288	3,444	3,732
7	5,964	35,574	1,477	6,342	4,697	2,940	4,424	6,902	4,277	4,515
8	2,784	34,592	1,480	5,560	4,056	2,712	4,224	7,824	3,840	4,896
9	2,304	32,949	1,467	5,040	3,411	2,106	4,068	7,668	4,230	4,959
10	1,480	30,180	1,360	4,310	2,410	1,710	3,810	6,910	4,440	5,230
11 - 14	2,486	97,882	3,981	12,953	6,785	4,910	10,717	24,129	15,254	19,153
15 - 19	2,278	93,153	2,672	8,920	4,532	3,991	10,320	23,192	17,768	21,758
20 - 29	2,862	129,908	3,089	9,416	4,521	4,297	11,027	33,434	28,228	35,896
30 - 59	4,446	156,238	3,502	8,851	5,601	5,709	10,607	39,534	33,150	49,284
60 - 89	1,588	53,456	740	2,877	1,868	1,824	2,997	10,527	11,955	20,668
90+	948	86,337	596	4,621	3,020	1,758	4,695	13,737	18,179	39,731
TOTAL	64,903	897,896	25,784	96,508	71,822	47,395	85,970	198,561	153,028	218,828

(1) Excludes patient-days of separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5b (xv) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, SASKATCHEWAN, 1966

LENGTH OF STAY IN DAYS	PATIENTS-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	138	8,687	111	767	1,311	1,946	2,620	1,188	364	380
2	138	31,446	318	3,858	8,236	5,364	7,768	4,306	884	712
3	951	31,449	552	3,336	4,998	6,411	8,319	5,079	1,410	1,344
4	5,512	41,728	964	4,104	4,828	8,848	12,600	6,140	2,252	1,992
5	18,505	65,240	955	4,810	4,465	17,735	25,455	6,490	2,635	2,695
6	10,746	64,032	1,164	4,812	4,488	17,280	23,112	6,966	3,180	3,030
7	4,585	55,013	1,148	5,201	4,151	12,355	16,870	7,504	3,850	3,934
8	2,160	44,888	1,200	4,624	3,600	8,136	11,752	7,992	3,832	3,752
9	1,908	40,833	1,017	4,122	3,006	5,670	10,746	8,577	3,798	3,897
10	1,290	37,990	950	3,460	1,970	4,070	10,200	9,110	3,880	4,350
11 - 14	2,293	129,799	2,522	9,939	5,476	9,410	32,663	36,866	15,279	17,644
15 - 19	1,978	104,159	2,315	6,955	3,254	6,298	20,385	30,562	16,155	18,235
20 - 29	3,246	119,097	2,512	7,270	3,851	5,164	16,997	34,405	21,844	27,054
30 - 59	3,971	136,475	2,303	6,964	3,976	5,497	16,105	35,013	26,714	39,903
60 - 89	1,446	44,133	782	2,104	1,723	1,102	4,906	10,273	8,230	15,013
90+	1,137	86,337	349	3,313	3,045	1,813	3,994	13,060	12,675	48,088
TOTAL	60,004	1,041,306	19,162	75,639	62,378	117,099	224,492	223,531	126,982	192,023

(1) Excludes patient-days of separations from geriatric hospitals at Regina, Saskatoon, Melfort and Swift Current.

TABLE 5b (xvi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	221	11,825	345	1,423	2,336	2,004	2,494	1,971	699	553
2	156	35,790	1,064	6,866	12,342	3,996	4,976	4,164	1,328	1,054
3	720	37,488	1,869	5,484	8,049	4,914	7,083	6,186	2,166	1,737
4	6,860	41,712	2,824	6,056	6,980	5,180	7,688	7,372	2,948	2,664
5	19,060	44,375	3,365	6,390	6,620	4,705	7,815	8,645	3,575	3,260
6	23,112	46,704	3,750	6,126	6,384	4,848	7,866	9,630	4,206	3,894
7	17,857	49,427	3,857	6,244	5,943	4,543	8,407	10,395	5,404	4,634
8	7,336	47,168	3,800	5,168	5,312	3,936	7,736	11,360	5,248	4,608
9	5,112	45,738	3,375	4,275	3,951	3,618	7,785	11,664	5,715	5,355
10	3,850	41,830	2,970	3,700	3,310	3,010	7,350	10,600	5,510	5,380
11 - 14	6,793	136,955	9,695	9,883	10,524	8,063	23,223	35,435	17,982	22,150
15 - 19	5,195	120,966	7,236	6,840	7,649	6,149	18,866	33,413	18,741	22,072
20 - 29	6,348	163,837	7,189	7,241	7,229	8,960	23,551	45,531	29,663	34,473
30 - 59	7,359	233,501	6,815	8,237	13,517	10,394	25,681	71,688	47,655	49,514
60 - 89	2,460	81,159	2,178	2,107	7,403	5,641	8,625	18,808	15,151	21,246
90+	902	435,705	1,573	6,588	18,741	12,776	29,137	65,636	75,391	225,863
TOTAL	113,341	1,574,180	61,905	92,628	126,290	92,737	198,283	352,498	241,382	408,457

(1) Includes out-of-province hospitalization. Also includes patient-days of separations not the responsibility of the Provincial Plan, but excludes non-residents.

TABLE 5b (xvii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, ALBERTA, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	168	13,096	221	1,008	1,776	3,135	4,321	1,777	421	357
2	100	43,764	690	5,144	11,282	7,798	11,324	5,738	982	806
3	744	46,755	1,248	4,149	7,113	9,735	13,638	7,650	1,794	1,428
4	7,544	58,056	1,924	4,844	6,296	14,288	17,920	8,204	2,696	1,884
5	19,275	83,905	2,365	4,785	5,930	25,100	30,345	9,515	3,435	2,430
6	21,888	95,676	2,478	5,220	5,298	29,904	36,348	9,702	3,762	2,964
7	15,344	89,607	2,863	4,886	5,068	25,417	32,235	10,304	4,613	4,221
8	6,312	73,256	2,952	4,288	4,128	16,672	25,384	11,368	4,496	3,968
9	3,924	62,496	2,565	3,501	3,321	10,494	21,258	12,438	4,635	4,284
10	3,640	57,540	2,430	2,870	2,930	8,180	18,520	13,240	4,800	4,570
11 - 14	5,970	173,056	6,247	8,745	7,235	16,586	52,458	44,942	18,090	18,753
15 - 19	5,564	132,537	4,859	4,943	5,557	9,814	31,892	38,240	17,824	19,408
20 - 29	6,460	157,835	4,963	5,817	6,080	8,626	31,021	44,974	24,969	31,385
30 - 59	6,860	190,067	5,208	5,109	7,700	10,222	31,289	48,559	32,495	49,485
60 - 89	2,637	78,918	1,180	1,839	5,297	4,689	8,352	19,780	13,361	24,420
90+	1,271	389,014	1,008	5,473	12,137	10,524	19,521	52,935	61,130	226,286
TOTAL	107,701	1,745,578	43,201	72,701	97,148	211,184	385,826	339,366	199,503	396,649

(1) Includes out-of-province hospitalization. Also includes patient-days of separations not the responsibility of the Provincial Plan, but excludes non-residents.

TABLE 5b (xviii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, BRITISH COLUMBIA, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	225	10,367	280	1,134	2,039	1,649	2,414	1,647	564	640
2	98	41,204	820	8,776	15,028	3,564	5,265	4,762	1,651	1,338
3	615	33,961	1,494	4,635	6,902	4,584	6,653	6,060	1,962	1,671
4	5,820	38,771	2,164	5,167	6,184	4,664	7,788	7,844	2,632	2,328
5	20,993	44,677	2,720	5,858	6,042	4,880	8,710	9,933	3,384	3,150
6	25,693	47,021	3,102	5,940	5,892	4,698	8,542	11,185	4,080	3,582
7	16,436	51,806	3,428	5,990	5,938	4,287	9,073	12,548	5,173	5,369
8	6,868	50,865	3,392	5,448	5,576	3,898	8,479	12,296	5,960	5,816
9	4,954	46,700	3,069	4,545	4,026	2,898	7,148	13,050	6,066	5,898
10	3,656	45,096	3,180	4,320	3,870	2,470	6,626	12,040	6,440	6,150
11 - 14	5,917	153,313	8,624	11,630	9,969	8,556	21,112	43,584	23,872	25,966
15 - 19	4,556	149,083	6,890	8,028	7,778	6,220	19,443	43,280	26,364	31,080
20 - 29	6,750	217,486	8,819	9,143	9,444	7,636	23,023	62,082	43,993	53,346
30 - 59	7,501	291,429	9,085	11,655	12,985	10,866	24,484	76,142	61,633	84,579
60 - 89	2,186	96,992	2,721	3,469	5,870	3,852	8,014	23,238	21,387	28,441
90+	948	118,054	3,788	4,891	13,288	11,852	12,146	23,788	22,107	26,194
TOTAL	113,216	1,436,825	63,576	100,629	120,831	86,574	178,920	363,479	237,268	285,548

(1) Excludes out-of-province hospitalization.

TABLE 5b (xix) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, BRITISH COLUMBIA, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	169	11,180	185	891	1,404	2,637	3,627	1,514	402	520
2	96	52,465	518	6,326	14,188	8,087	13,516	7,706	1,204	920
3	945	46,052	1,089	3,420	5,701	9,924	14,531	8,081	1,941	1,365
4	6,912	54,327	1,516	4,092	4,708	13,618	17,860	8,429	2,240	1,864
5	22,203	85,294	1,995	4,195	4,980	26,973	32,001	9,835	2,820	2,495
6	22,890	99,416	2,393	4,662	4,578	31,279	39,176	10,512	3,510	3,306
7	13,502	91,813	2,470	4,709	4,671	25,625	34,192	11,235	4,459	4,452
8	5,779	76,519	2,307	4,400	4,240	15,559	27,677	13,408	4,616	4,312
9	3,975	68,555	1,953	3,645	3,051	10,359	24,959	14,499	5,292	4,797
10	4,203	65,510	2,248	3,300	2,890	7,807	22,372	16,620	5,343	4,930
11 - 14	5,473	195,835	6,420	9,725	8,221	17,637	52,177	56,598	22,628	22,429
15 - 19	4,406	157,581	4,825	6,728	6,025	10,518	33,245	47,345	24,074	24,821
20 - 29	6,841	204,224	5,787	7,832	7,344	9,913	34,015	59,119	36,848	43,366
30 - 59	6,872	246,025	6,571	8,576	8,859	10,591	33,611	64,892	50,164	62,761
60 - 89	2,370	79,425	2,061	2,564	3,367	3,880	7,577	20,390	15,963	23,623
90+	1,107	87,249	3,352	3,382	5,848	5,331	7,885	20,625	15,706	25,120
TOTAL	107,743	1,621,470	45,690	78,447	90,075	209,738	398,421	370,808	197,210	231,081

(1) Excludes out-of-province hospitalization.

TABLE 5b (xx) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, YUKON, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-25	25-44	45-64	65-74	75+
1	4	112	3	15	22	16	40	11	3	2
2	8	366	18	96	102	42	62	32	8	6
3	39	372	30	69	72	30	93	48	24	6
4	132	456	32	92	64	40	108	72	32	16
5	375	420	45	90	70	25	125	50	15	-
6	102	414	42	66	42	30	126	66	24	18
7	63	483	35	91	70	35	119	105	14	14
8	8	432	16	80	16	32	104	120	40	24
9	18	378	18	36	45	36	117	108	18	-
10	-	300	40	40	20	40	60	80	20	-
11	39	1,211	124	117	84	37	263	377	112	97
15	35	1,042	49	134	89	66	187	330	105	82
20	93	1,149	97	68	73	-	279	281	217	134
30	34	1,922	71	225	223	93	420	536	175	179
60	-	674	74	-	70	-	76	151	214	89
90+	-	255	-	-	-	-	-	115	-	140
TOTAL	950	9,986	694	1,219	1,062	522	2,179	2,482	1,021	807

(1) Includes out-of-Yukon hospitalization.

TABLE 5b (xxi) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS, YUKON, 1966

LENGTH OF STAY IN DAYS	PATIENT-DAYS OF SEPARATIONS, FEMALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	2	124	6	17	21	34	36	7	3	-
2	2	378	18	38	76	54	156	30	4	2
3	39	507	36	51	54	123	177	54	3	9
4	120	636	28	72	40	180	240	68	8	-
5	365	885	10	45	35	330	410	45	-	10
6	144	822	24	30	72	270	342	60	12	12
7	70	553	28	42	35	161	224	35	7	21
8	32	552	8	32	24	152	272	40	8	16
9	9	549	27	45	36	72	216	126	9	18
10	30	440	20	50	30	100	150	60	20	10
11 - 14	36	1,292	52	73	140	175	471	259	54	68
15 - 19	34	718	52	35	52	88	223	165	50	53
20 - 29	84	1,157	124	49	54	102	461	270	42	55
30 - 59	48	1,079	-	147	31	138	295	158	218	92
60 - 89	-	390	87	81	-	-	-	222	-	-
90+	-	474	104	-	-	-	-	144	-	226
TOTAL	1,015	10,556	624	807	700	1,979	3,673	1,743	438	592

(1) Includes out-of-Yukon hospitalization.

TABLE 5b (xxii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, NORTHWEST TERRITORIES, 1966

LENGTH OF STAY IN DAYS	PATIENTS-DAYS OF SEPARATIONS, MALE									
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64	65-74	75+
1	12	307	46	68	62	37	59	31	3	1
2	44	564	70	120	138	78	108	42	-	8
3	120	678	108	132	102	81	147	78	21	9
4	264	828	168	200	112	96	136	88	16	12
5	630	1,020	165	255	170	150	155	95	25	5
6	540	1,170	252	240	156	114	168	150	48	42
7	315	1,519	329	315	203	140	294	168	35	35
8	160	1,256	328	232	200	128	152	160	48	8
9	81	990	216	252	99	63	153	144	45	18
10	110	1,160	240	290	130	110	100	200	50	40
11 - 14	159	3,291	875	645	349	274	436	481	146	85
15 - 19	65	2,877	826	505	212	134	498	404	183	115
20 - 29	138	3,925	804	325	383	304	902	524	392	291
30 - 59	282	5,748	1,045	750	853	383	1,145	939	400	233
60 - 89	62	2,527	264	439	208	434	360	571	62	189
90+	-	1,897	219	358	399	316	208	272	-	125
TOTAL	2,982	29,757	5,955	5,126	3,776	2,842	5,021	4,347	1,474	1,216

(1) Includes out-of-territory hospitalization.

TABLE 5b (xxiii) PATIENT-DAYS BY LENGTH OF STAY, BY SEX AND AGE, PROVINCIAL PLAN(1) IN-PATIENTS, NORTHWEST TERRITORIES, 1966

LENGTH OF STAY IN DAYS	PATIENTS-DAYS OF SEPARATIONS, FEMALE							
	NEWBORN	TOTAL	UNDER 1	1-4	5-14	15-24	25-44	45-64
								65-74
1	14	368	32	38	49	68	141	30
2	44	696	30	78	108	162	244	58
3	96	978	54	72	111	246	429	51
4	204	1,344	112	124	100	336	576	76
5	665	2,400	170	180	130	590	1,160	150
6	534	2,514	150	240	156	654	1,140	144
7	280	2,268	266	301	189	560	756	147
8	128	1,664	176	312	152	272	528	128
9	90	1,332	207	225	63	144	405	189
10	50	1,350	150	160	110	270	420	160
11 - 14	84	3,827	672	490	430	390	992	570
15 - 19	64	2,509	372	354	200	262	716	286
20 - 29	261	3,603	481	459	548	330	1,076	429
30 - 59	212	3,760	536	393	203	565	1,023	616
60 - 89	126	1,804	-	76	497	280	194	433
90+	125	2,017	253	465	261	100	500	340
TOTAL	2,977	32,434	3,661	3,967	3,307	5,229	10,300	3,807
								1,043
								1,120

(1) Includes out-of-territory hospitalization.

TABLE 6. SEPARATIONS, PATIENT DAYS, AVERAGE STAY, SEPARATION RATE PER 100,000 POPULATION,
PATIENT-DAY RATE PER 100,000 POPULATION,
EXPECTED SEPARATIONS AND DAYS STANDARDIZED TO THE 1961 CANADA CENSUS POPULATION,
AND A COMPARISON WITH 1962 HOSPITALIZATION EXPERIENCE,
BY DIAGNOSIS, AGE GROUP AND SEX, CANADA(1), 1966.

(1) Excluding Nova Scotia

(2) Excluding Diagnoses 96 and 97, for newborn

(3) See notes on page 178

Table 6 is a summary table prepared from detailed information submitted by the provincial and territorial hospital insurance plans, and prepared in a format different from that of previous years. Each diagnosis in the Canadian List of 98 Diagnoses(2) is considered separately. Data for each diagnosis include the number of separations in Canada during the year, the number of patient-days of these separations, the average length of stay, the separation rate and the patient-day rate per 100,000 population, the "expected" separations (cases) and days standardized to the 1961 Census population, and a comparison of the 1966 separation (case) rate and patient-day (day) rate for each age group with comparable rates for 1962, assuming the 1962 rates for each age group = 100. This "case" rate and "day" rate comparison between the 1966 and 1962 experience is particularly useful, as it indicates the general trend in Canada over a 5-year period for a particular disease or disease group by sex and age group.

1966
DIAGNOSIS 1 - TUBERCULOSIS, ALL FORMS

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
				5 - 14	15 - 24	25 - 44	45 - 59			
				SEPARATIONS DURING YEAR						
M	1805	19	63	87	151	518	439	379	149	
F	1468	8	87	93	162	484	308	216	110	
				PATIENT DAYS						
M	36839	464	1228	1508	2868	8736	9863	8418	3754	
F	29031	264	1609	1866	3045	10382	5274	4349	2242	
				AVERAGE STAY						
M	20.4	24.4	19.5	17.3	19.0	16.9	22.5	22.2	25.2	
F	19.8	33.0	18.5	20.1	18.8	21.5	17.1	20.1	20.4	
				SEPARATION RATE PER 100,000 POPULATION						
M	18.7	9.7	7.1	4.0	9.5	21.2	31.4	50.4	59.4	
F	15.3	4.3	10.3	4.5	10.3	20.0	22.2	26.8	36.3	
				PATIENT DAY RATE PER 100,000 POPULATION						
M	381	236	138	70	180	358	706	1120	1497	
F	303	143	191	90	193	429	381	540	740	
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	1720	23	65	81	125	520	415	367	142	
F	1381	10	90	87	133	485	281	200	96	
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	35124	561	1264	1408	2369	8769	9323	8157	3568	
F	27329	325	1672	1731	2509	10389	4815	4021	1950	
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	83	64	65	54	60	85	94	100	93	
F	80	29	107	65	58	80	89	53	88	
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	61	82	44	55	23	44	114	113	62	
F	63	63	62	56	57	102	88	68	18	

1966
DIAGNOSIS 2 - POLIOMYELITIS AND ENCEPHALITIS

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
SEPARATIONS DURING YEAR								
M	580	36	93	419	171	175	57	25
F	879	23	55	326	187	172	89	24
PATIENT DAYS								
M	50151	486	1780	11314	4872	26778	4175	710
F	31013	1552	705	6937	3816	11048	5611	526
AVERAGE STAY								
M	51.2	13.5	19.1	27.0	28.5	153.0	73.2	28.4
F	35.3	84.9	12.8	21.3	20.4	64.2	63.0	38.6
SEPARATION RATE PER 100,000 POPULATION								
M	10.1	18.3	10.5	19.4	10.7	7.2	4.1	3.3
F	9.2	12.5	6.5	15.8	11.8	7.1	6.4	3.0
PATIENT DAY RATE PER 100,000 POPULATION								
M	518	248	200	524	306	1097	299	94
F	324	1057	84	335	241	457	405	115
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	934	44	96	391	141	176	54	24
F	827	28	57	303	154	172	81	22
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	47754	590	1832	10543	4027	26870	3949	685
F	29223	2400	735	6444	3133	11067	5118	856
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	61	80	39	52	89	83	66	92
F	61	88	30	51	74	80	119	61
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	83	39	17	57	52	210	82	79
F	39	59	7	36	53	86	127	4

1966

DIAGNOSIS 3 - INFECTIOUS HEPATITIS

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
SEPARATIONS DURING YEAR								
M	2019	16	80	604	418	577	209	81
F	1922	10	73	573	481	523	155	77
PATIENT DAYS								
M	29153	460	1171	6599	6016	8821	3863	1260
F	28331	202	808	6884	6445	8650	3282	1518
AVERAGE STAY								
M	14.4	28.8	14.6	10.9	14.4	15.3	18.5	15.6
F	14.7	20.2	11.1	12.0	13.4	16.5	21.2	19.7
SEPARATION RATE PER 100,000 POPULATION								
M	20.9	8.2	9.0	28.0	26.3	23.6	15.0	10.8
F	20.1	5.4	8.7	27.7	30.4	21.6	11.2	9.6
PATIENT DAY RATE PER 100,000 POPULATION								
M	301	234	132	306	378	361	277	168
F	296	109	96	333	408	358	237	189
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	1924	19	82	563	346	579	198	78
F	1809	12	76	533	396	524	141	71
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	27749	557	1209	6157	4975	8842	3658	1224
F	26697	248	840	6405	5304	8669	2995	1407
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	46	43	43	38	40	50	69	68
F	42	60	51	37	36	46	54	62
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	49	57	52	35	44	54	73	51
F	45	42	48	37	37	49	62	59

1966

DIAGNOSIS 4 - OTHER DISEASES ATTRIBUTABLE TO VIRUSES

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
SEPARATIONS DURING YEAR								
M	8232	977	2549	2178	1069	636	301	219
F	7653	768	2334	1838	1114	531	342	286
PATIENT DAYS								
M	73598	10654	22469	15099	9260	5242	2737	4061
F	72187	7115	21359	13237	9945	5522	4024	4825
AVERAGE STAY								
M	8.9	10.5	8.8	6.9	8.7	8.2	9.1	18.5
F	9.4	9.3	9.2	7.2	8.9	10.4	11.8	16.9
SEPARATION RATE PER 100,000 POPULATION								
M	85.1	458.0	286.8	100.9	67.1	26.1	21.6	87.4
F	79.8	416.0	277.1	88.9	70.5	22.0	24.7	94.4
PATIENT DAY RATE PER 100,000 POPULATION								
M	761	5430	2528	700	582	215	196	1620
F	753	3854	2535	640	629	228	291	1592
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	7845	1185	2628	2031	884	638	285	208
F	7201	945	2425	1710	916	532	312	249
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	70156	12917	23162	14084	7660	5266	2588	3861
F	67916	8752	22187	12311	8177	5521	3678	4195
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	100	130	108	99	90	90	103	116
F	97	114	111	95	92	91	95	93
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	99	151	102	91	87	92	94	118
F	95	109	111	91	88	109	95	74

1966

DIAGNOSIS 5 - OTHER INFECTIVE BACTERIAL, SPIROCHAETAL, RICKETTSIAL OR PARASITIC DISEASES

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 55	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	8218	1043	1654	2306	873	1070	587	497	188
F	8523	1019	1747	2241	1033	1189	704	429	171
PATIENT DAYS									
M	102687	15614	20834	22385	7373	10960	10536	11501	3484
F	104994	16694	23188	21455	7721	14081	9428	8793	3634
AVERAGE STAY									
M	12.5	15.0	12.6	9.7	8.4	10.2	17.9	23.1	18.5
F	12.3	16.4	13.3	9.6	7.5	11.8	13.4	20.5	21.3
SEPARATION RATE PER 100,000 POPULATION									
M	85.0	531.6	186.1	106.9	54.8	43.8	42.0	66.1	75.0
F	89.0	552.0	207.4	108.4	65.4	49.2	50.9	53.3	56.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	1061	7958	2344	1037	463	449	754	1530	1390
F	1095	8043	2753	1038	489	582	681	1093	1199
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	7831	1265	1705	2150	722	1074	555	482	179
F	8029	1253	1815	2085	850	1191	643	397	149
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	97812	18930	21476	20864	6094	10998	9957	11143	3313
F	98762	20535	24095	19966	6357	14094	8606	8138	3160
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	95	113	115	91	84	84	98	100
F	97	107	109	108	83	92	94	102	109
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	81	92	97	116	93	89	45	109	39
F	88	104	106	102	79	111	99	51	76

1965

"CANADA"

DIAGNOSIS 6 - MALIGNANT NEOPLASMS OF BUCCAL CAVITY AND PHARYNX

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	2057	0	3	8	11	152	622	822	439	
F	738	0	1	5	28	130	222	221	131	
PATIENT DAYS										
M	48160	0	33	112	218	2247	13276	20618	11656	
F	15317	0	4	82	291	1974	4404	5522	3040	
AVERAGE STAY										
M	23.4	C.C.	11.0	14.0	19.8	14.8	21.3	25.1	26.6	
F	20.8	C.C.	4.0	16.4	10.4	15.2	19.8	25.0	23.2	
SEPARATION RATE PER 100,000 POPULATION										
M	21.3	C.C.	0.3	0.4	0.7	6.2	44.5	109.4	175.1	
F	7.7	C.C.	0.1	0.2	1.8	5.4	16.0	27.5	43.2	
PATIENT DAY RATE PER 100,000 POPULATION										
M	498	0	4	5	14	92	951	2743	4649	
F	160	0	0	4	18	82	318	686	1003	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	1960	0	3	7	9	153	588	796	417	
F	694	0	1	5	23	130	203	204	114	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	45910	0	37	101	184	2253	12559	19978	11081	
F	14431	0	0	77	234	1986	4019	5108	2643	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	108	0	150	175	38	84	120	115	100	
F	111	0	0	45	105	127	109	113	93	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	112	0	308	80	73	94	130	109	108	
F	113	0	0	55	140	202	117	115	73	

1966
DIAGNOSIS 7 - MALIGNANT NEOPLASM OF STOMACH

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
			SEPARATIONS DURING YEAR						
M	3175	0	0	0	3	158	699	1439	876
F	1670	0	0	1	2	149	321	636	561
			PATIENT DAYS						
M	87542	0	0	0	52	4240	17312	38235	27703
F	55488	0	0	4	14	3785	8417	19464	23804
			AVERAGE STAY						
M	27.6	C.C	0.0	0.0	17.3	26.8	24.8	26.6	31.6
F	33.2	C.C	0.0	4.0	7.0	25.4	26.2	30.6	42.4
			SEPARATION RATE PER 100,000 POPULATION						
M	32.8	C.C	0.0	0.0	0.2	6.5	50.0	191.4	349.4
F	17.4	C.C	0.0	0.0	0.1	6.2	23.2	79.0	185.1
			PATIENT DAY RATE PER 100,000 POPULATION						
M	905	0	0	0	3	174	1239	5086	11050
F	579	0	0	0	1	157	608	2419	7856
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	3026	0	0	0	2	159	661	1394	833
F	1571	C	0	1	2	149	293	588	488
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	83431	0	0	0	39	4262	16362	37043	26338
F	52222	C	0	0	13	3802	7684	18011	20702
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	98	C	0	0	50	119	92	101	98
F	110	C	0	0	67	125	116	95	113
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	98	C	0	0	27	124	95	94	104
F	123	C	0	0	8	129	114	100	143

1966

DIAGNOSIS 8 - MALIGNANT NEOPLASM OF LARGE INTESTINE EXCEPT RECTUM

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	3621	0	0	2	13	217	839	1505	1045
F	4102	0	2	6	13	297	1017	1605	1162
PATIENT DAYS									
M	110321	0	0	43	223	5499	22783	44136	37637
F	144848	0	18	85	276	8566	28565	55071	52267
AVERAGE STAY									
M	30.5	0.0	0.0	21.5	17.2	25.3	27.2	29.3	36.0
F	35.3	0.0	9.0	14.2	21.2	28.8	28.1	34.3	45.0
SEPARATION RATE PER 100,000 POPULATION									
M	37.4	0.0	0.0	0.1	0.8	8.9	60.1	200.2	416.8
F	42.8	0.0	0.2	0.3	0.8	12.3	73.5	199.5	383.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1140	0	0	2	14	225	1631	5871	15013
F	1511	0	2	4	17	354	2063	6844	17250
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	3451	0	0	2	11	218	793	1458	994
F	3860	0	2	6	11	297	928	1485	1011
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	105095	0	0	40	184	5511	21538	42760	35784
F	136282	0	18	77	221	8573	26072	50959	45457
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	121	0	0	50	73	126	128	114	131
F	116	0	0	120	138	101	108	112	123
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	113	0	0	148	55	101	131	108	116
F	120	0	0	135	146	105	104	107	139

1966

DIAGNOSIS 9 - MALIGNANT NEOPLASM OF RECTUM

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS				60 - 74	75 +
				5 - 14	15 - 24	25 - 44	45 - 59		
				SEPARATIONS DURING YEAR					
M	2423	C	0	0	5	134	593	1047	644
F	1702	C	0	0	4	122	477	682	417
				PATIENT DAYS					
M	79494	0	0	0	131	3233	17927	34539	23664
F	62515	C	0	0	62	3245	13962	26677	18569
				AVERAGE STAY					
M	32.8	C.C	0.0	0.0	26.2	24.1	30.2	33.0	36.7
F	36.7	C.C	0.0	0.0	15.5	26.6	29.3	39.1	44.5
				SEPARATION RATE PER 100,000 POPULATION					
M	25.0	C.C	0.0	0.0	0.3	5.5	42.5	139.3	256.9
F	17.8	C.C	0.0	0.0	0.3	5.0	34.5	84.8	137.6
				PATIENT DAY RATE PER 100,000 POPULATION					
M	822	C	0	0	8	132	1284	4595	9439
F	652	C	0	0	4	134	1009	3315	6128
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	2309	0	0	0	4	134	561	1014	612
F	1602	C	0	0	3	122	435	631	363
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	75779	0	0	0	105	3233	16956	33467	22498
F	58806	0	0	0	52	3245	12751	24683	16149
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	113	0	0	0	133	120	122	112	108
F	110	C	0	0	75	110	105	106	111
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	100	0	0	0	172	104	112	106	87
F	108	C	0	0	43	99	86	112	113

1966

DIAGNOSIS 10 - MALIGNANT NEOPLASM OF BRONCHUS, TRACHEA AND LUNG, PRIMARY AND UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	6929	0	1	1	10	321	2035	3569	992
F	1322	0	1	2	4	121	489	499	206
PATIENT DAYS									
M	181343	0	26	17	206	7062	52114	93867	28051
F	38733	0	9	41	154	3472	12211	16610	6236
AVERAGE STAY									
M	26.2	C.O	26.0	17.0	20.6	22.0	25.6	26.3	28.3
F	29.3	C.O	9.0	20.5	38.5	28.7	25.0	33.3	30.3
SEPARATION RATE PER 100,000 POPULATION									
M	71.6	C.O	0.1	0.0	0.6	13.2	145.7	474.8	395.7
F	13.8	C.O	0.1	0.1	0.3	5.0	35.3	62.0	68.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	1875	0	3	1	13	289	3731	12487	11189
F	404	0	1	2	10	144	882	2064	2058
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	6603	0	1	1	8	322	1524	3458	943
F	1244	0	1	2	3	121	446	462	179
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	172854	0	27	20	171	7079	49270	90947	26670
F	36438	0	9	38	130	3487	11146	15368	5423
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	134	0	25	100	73	148	128	136	142
F	123	0	0	50	50	120	126	115	123
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	127	0	66	154	70	130	118	132	140
F	127	0	0	53	124	124	120	131	116

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
			SEPARATIONS DURING YEAR						
M	131	C	0	0	0	4	42	51	34
F	10722	C	0	2	15	1998	4204	3100	1403
			PATIENT DAYS						
M	3408	C	0	0	0	51	1356	1132	869
F	273448	C	0	5	188	37849	94928	87497	52981
			AVERAGE STAY						
M	26.0	C.C	0.0	0.0	0.0	12.7	32.3	22.2	25.6
F	25.5	C.C	0.0	2.5	12.5	18.9	22.6	28.2	37.8
			SEPARATION RATE PER 100,000 POPULATION						
M	1.4	C.C	0.0	0.0	0.0	0.2	3.0	6.8	13.6
F	111.9	C.C	0.0	0.1	0.9	82.6	303.7	385.2	463.0
			PATIENT DAY RATE PER 100,000 POPULATION						
M	35	C	0	0	0	2	97	151	347
F	2853	C	0	0	12	1565	6857	10873	17485
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	125	0	0	0	0	4	40	49	32
F	10089	C	0	2	12	2001	3838	2868	1220
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	3227	0	0	0	0	49	1281	1100	827
F	257322	C	0	0	156	37898	86657	80958	46077
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	81	C	0	0	0	57	108	82	65
F	111	0	0	50	67	104	111	107	122
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	66	C	0	0	0	51	139	72	35
F	101	C	0	0	60	94	99	96	111

DIAGNOSIS 12 - MALIGNANT NEOPLASM OF CERVIX UTERI

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	C	0	0	0	0	0	0	0	0
F	9548	0	0	0	253	5062	3014	1306	313
PATIENT DAYS									
M	C	0	0	0	0	0	0	0	0
F	152651	0	0	0	2097	57414	47868	33353	11919
AVERAGE STAY									
M	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	15.3	0.0	0.0	0.0	8.3	11.3	15.9	25.5	38.1
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	103.8	0.0	0.0	0.0	16.0	209.4	217.7	162.3	103.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	0	0	0	0	0	0	0	0
F	1593	0	0	0	133	2375	3458	4145	3934
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	9361	0	0	0	208	5070	2751	1208	272
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	143678	0	0	0	1729	57513	43701	30863	10367
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	163	0	0	0	378	211	141	114	101
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	133	0	0	0	233	160	116	123	120

1966

DIAGNOSIS 13 - MALIGNANT NEOPLASM OF UTERUS OTHER THAN CERVIX UTERI

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	0	0	0	0	0	0	0	0	0
F	2869	0	0	0	18	260	1117	1128	346
				PATIENT DAYS					
M	0	0	0	0	0	0	0	0	0
F	56414	0	0	0	131	3852	18035	22876	11520
				AVERAGE STAY					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	19.7	C.C	0.0	0.0	7.3	14.8	16.1	20.3	33.3
				SEPARATION RATE PER 100,000 POPULATION					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	29.9	C.C	0.0	0.0	1.1	10.8	80.7	140.2	114.2
				PATIENT DAY RATE PER 100,000 POPULATION					
M	0	0	0	0	0	0	0	0	0
F	589	0	0	0	8	159	1303	2843	3802
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	0	0	0	0	0	0	0	0
F	2700	0	0	0	15	260	1020	1044	301
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	0	0	0	0	0	0	0	0
F	52124	0	0	0	104	3850	16467	21168	10019
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	0	0	0	0	0	0	0	0
F	112	0	0	0	150	94	111	110	119
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	0	0	0	0	0	0	0	0
F	108	0	0	0	74	80	112	105	107

1966

DIAGNOSIS 14 - MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	C	C	0	0	0	0	0	0	0
F	2112	C	0	9	54	322	871	670	186
				PATIENT DAYS					
M	0	C	0	0	0	0	0	0	0
F	53693	C	0	141	1227	6461	20467	18760	6637
				AVERAGE STAY					
M	C.C	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	25.4	C.C	0.0	15.7	22.7	20.1	23.5	28.0	35.7
				SEPARATION RATE PER 100,000 POPULATION					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	22.0	C.C	0.0	0.4	3.4	13.3	62.9	83.3	61.4
				PATIENT DAY RATE PER 100,000 POPULATION					
M	C	C	0	0	0	0	0	0	0
F	560	C	0	7	78	267	1478	2331	2190
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	C	0	0	0	0	0	0	0
F	1987	C	0	8	44	322	795	620	162
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	C	0	0	0	0	0	0	0
F	50508	C	0	135	1014	6466	18679	17356	5771
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	C	0	0	0	0	0	0	0
F	116	C	0	133	147	104	120	114	105
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	C	0	0	0	0	0	0	0
F	110	C	0	185	234	98	112	106	98

1966
DIAGNOSIS 15

- MALIGNANT NEOPLASM OF PROSTATE

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	6687	C	5	2	0	14	446	2802	3418
F	0	C	0	0	0	0	0	0	0
SEPARATIONS DURING YEAR									
M	213410	0	145	17	0	304	9314	82015	121615
F	C	C	0	0	0	0	C	0	0
PATIENT DAYS									
M	31.9	C.C	29.0	8.5	0.0	21.7	20.9	29.3	35.6
F	0.0	C.C	0.0	0.0	0.0	0.0	C.0	0.0	0.0
AVERAGE STAY									
M	69.1	C.C	0.6	0.1	0.0	0.6	31.9	372.8	1363.4
F	0.0	C.C	0.0	0.0	0.0	0.0	C.0	C.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	2206	C	16	1	0	12	667	10911	48510
F	C	C	0	0	0	0	0	0	0
PATIENT DAY RATE PER 100,000 POPULATION									
M	6372	0	5	2	0	14	422	2715	3250
F	C	C	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	203369	0	147	20	0	294	8808	79468	115626
F	0	C	0	0	0	0	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	120	0	0	0	0	108	124	115	124
F	C	C	0	0	0	0	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	122	C	0	0	0	183	88	118	130
F	C	C	0	0	0	0	0	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									

DIAGNOSIS 16 - MALIGNANT NEOPLASM OF KIDNEY, BLADDER AND OTHER URINARY ORGANS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	5135	10	60	37	11	222	1120	2230	1449
F	1950	1	72	51	6	112	374	769	565
				PATIENT DAYS					
M	117525	362	1020	525	116	4117	22167	51885	37343
F	50079	2	1199	695	77	2486	7539	19251	18830
				AVERAGE STAY					
M	22.9	36.2	17.0	14.2	10.5	18.5	19.8	23.3	25.8
F	25.7	2.0	16.7	13.6	12.8	22.2	20.2	25.0	33.3
				SEPARATION RATE PER 100,000 POPULATION					
M	53.1	5.1	6.8	1.7	0.7	9.1	80.2	296.7	578.0
F	20.3	0.5	8.5	2.5	0.4	4.6	27.0	95.6	186.5
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1215	185	115	24	7	169	1587	6902	14895
F	522	1	142	34	5	103	545	2392	6215
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	4897	12	62	35	9	223	1059	2161	1378
F	1835	1	75	47	5	112	341	712	491
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	112010	440	1054	483	92	4139	20957	50269	35503
F	47081	2	1243	654	65	2494	6888	17810	16378
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	117	240	200	103	100	123	116	115	122
F	117	100	259	152	250	96	114	109	114
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	108	364	141	74	78	159	113	104	109
F	121	18	149	104	241	93	102	110	140

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
				5 - 14	15 - 24	25 - 44	45 - 59			
				SEPARATIONS DURING YEAR						
M	2672	19	271	414	152	194	431	737	454	
F	1753	13	215	239	81	188	294	441	292	
PATIENT DAYS										
M	52364	251	4776	5470	2816	3657	7573	15979	11842	
F	36094	260	3363	3449	1595	3406	5402	9817	8802	
AVERAGE STAY										
M	19.6	13.2	17.6	13.2	18.5	18.9	17.6	21.7	26.1	
F	20.6	20.0	15.6	14.4	19.7	18.1	18.4	22.3	31.2	
SEPARATION RATE PER 100,000 POPULATION										
M	27.6	9.7	30.5	19.2	9.5	7.9	30.9	98.0	181.1	
F	18.3	7.0	25.5	11.6	5.1	7.8	21.2	54.8	93.1	
PATIENT DAY RATE PER 100,000 POPULATION										
M	541	128	537	254	177	150	542	2126	4724	
F	377	141	399	167	101	141	350	1220	2905	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	2546	23	279	386	126	195	408	714	432	
F	1650	16	223	222	67	188	268	408	245	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	49874	304	4920	5110	2330	3674	7157	15484	11260	
F	34003	320	3492	3212	1313	3414	4929	9084	7655	
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	118	135	134	146	138	89	102	117	125	
F	117	145	139	113	116	93	105	117	135	
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	119	60	157	122	126	98	87	115	166	
F	117	103	130	120	121	82	93	113	160	

1966

"CANADA"

DIAGNOSIS IS -- OTHER MALIGNANT NEOPLASMS AND NEOPLASMS OF LYMPHATIC AND HAEMATOPOIETIC TISSUE

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	14298	60	219	441	654	1843	3601	4950	2530
F	12165	31	167	287	445	1692	3178	4022	2343
PATIENT DAYS									
M	357894	885	4513	7392	12936	39923	92024	132041	67680
F	345948	688	3291	5834	8148	35429	83409	123648	85501
AVERAGE STAY									
M	25.0	14.7	20.6	17.9	19.8	21.7	25.6	26.7	26.8
F	28.4	22.2	19.7	20.3	18.3	20.9	26.2	30.7	36.5
SEPARATION RATE PER 100,000 POPULATION									
M	147.8	30.6	24.6	20.4	41.1	75.5	257.8	658.5	1009.2
F	126.9	16.8	19.8	13.9	28.2	70.0	229.6	495.8	773.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	3700	451	508	366	813	1636	6589	17566	26996
F	3609	373	391	282	516	1465	6025	15366	28218
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13625	73	226	411	541	1850	3405	4796	2405
F	11447	38	174	267	366	1695	2501	3722	2038
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	341099	1073	4654	7364	10700	40072	87012	127938	64347
F	325508	847	3422	5424	6708	35477	76142	114412	74360
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	118	143	114	105	117	111	123	119	123
F	116	141	114	97	112	113	110	111	127
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	117	112	116	89	103	107	126	123	112
F	115	116	30	78	104	109	106	120	128

1966
DIAGNOSIS 19 - BENIGN NEOPLASM OF UTERUS

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	0	0	0	0	0	0	0	0	0	
F	26377	0	1	8	485	13397	11261	1049	176	
PATIENT DAYS										
M	0	0	0	0	0	0	0	0	0	
F	273472	0	9	78	2957	136169	120439	11539	2281	
AVERAGE STAY										
M	0.0	C.C	0.0	0.0	0.0	0.0	C.C	0.0	0.0	
F	10.4	C.C	9.0	9.7	6.1	10.2	10.7	11.0	13.0	
SEPARATION RATE PER 100,000 POPULATION										
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
F	275.2	C.C	0.1	0.4	30.7	554.1	813.4	130.4	58.1	
PATIENT DAY RATE PER 100,000 POPULATION										
M	0	0	0	0	0	0	0	0	0	
F	2853	0	1	4	187	5632	8700	1434	753	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	0	0	0	0	0	0	0	0	
F	24820	0	1	7	399	13418	10280	571	153	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	0	0	0	0	0	0	0	0	
F	257322	0	9	77	2431	136386	109548	10677	1984	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	0	0	0	0	0	0	0	0	
F	109	0	33	50	79	108	117	102	120	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	0	0	0	0	0	0	0	0	
F	107	0	13	66	68	108	112	97	129	

1966

DIAGNOSIS 20 - BENIGN NEOPLASM OF OVARY

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44		
SEPARATIONS DURING YEAR								
M	0	0	0	0	0	0	0	0
F	7973	2	4	136	2119	4396	288	84
PATIENT DAYS								
M	0	0	0	0	0	0	0	0
F	83623	59	19	1092	18519	45369	4812	1779
AVERAGE STAY								
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0
F	10.5	25.5	4.7	8.0	8.7	10.3	16.7	21.2
SEPARATION RATE PER 100,000 POPULATION								
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0
F	83.2	1.1	0.5	6.6	134.1	181.8	35.8	27.7
PATIENT DAY RATE PER 100,000 POPULATION								
M	0	0	0	0	0	0	0	0
F	872	32	2	53	1172	1876	598	587
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	0	0	0	0	0	0	0
F	7502	2	4	127	1743	4403	266	73
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	0	0	0	0	0	0	0	0
F	78649	73	18	1019	15236	45430	4453	1547
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	0	0	0	0	0	0	0	0
F	85	67	133	76	76	87	95	101
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	0	0	0	0	0	0	0	0
F	83	174	43	73	72	83	97	109

DIAGNOSIS 21

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	16412	341	742	1422	2922	4454	3206	2500	825
F	24639	390	689	1507	4734	8873	5090	2555	801
PATIENT DAYS									
M	154764	3689	5517	10841	24337	35074	32142	30780	12383
F	200144	4028	5831	9913	29808	60902	44441	32880	12341
AVERAGE STAY									
M	9.4	10.8	7.4	7.6	8.3	7.9	10.0	12.3	15.0
F	8.1	10.3	8.5	6.6	6.3	6.9	8.7	12.9	15.4
SEPARATION RATE PER 100,000 POPULATION									
M	169.7	173.8	83.5	65.9	183.5	182.5	229.5	332.6	329.1
F	257.1	211.3	81.8	72.9	299.6	367.0	367.7	317.5	264.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	1600	1880	621	502	1529	1437	2301	4095	4939
F	2088	2182	692	479	1886	2519	3210	4086	4073
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	15640	413	765	1326	2416	4471	3031	2422	784
F	23185	480	716	1402	3894	8887	4646	2364	697
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	147502	4472	5690	10100	20124	35197	30386	29825	11772
F	188324	4555	6057	9214	24519	61001	40567	30424	10733
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	98	85	92	89	100	101	94	106	106
F	102	86	90	96	99	105	101	108	108
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	98	95	90	102	89	98	100	102	101
F	95	91	102	91	99	108	95	76	86

1966

DIAGNOSIS 22 - ASTHMA

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEPARATIONS DURING YEAR										
M	11729	415	2367	2351	500	1023	2001	2309	763	
F	9736	195	1281	1460	785	1797	2130	1649	439	
PATIENT DAYS										
M	123058	4621	17223	17023	3558	9633	23446	34899	12655	
F	107279	2119	9719	10305	5789	17414	26069	24729	11135	
AVERAGE STAY										
M	10.5	11.1	7.3	7.2	7.1	9.4	11.7	15.1	16.6	
F	11.0	10.9	7.6	7.1	7.4	9.7	12.2	15.0	25.4	
SEPARATION RATE PER 100,000 POPULATION										
M	121.2	211.5	266.3	109.0	31.4	41.9	143.3	307.2	304.3	
F	101.6	105.6	152.1	70.6	49.7	74.3	153.9	204.9	144.9	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1272	2355	1938	789	223	395	1679	4643	5048	
F	1119	1148	1154	498	366	720	1883	3073	3675	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	11177	503	2440	2192	413	1027	1892	2237	725	
F	9161	240	1331	1358	646	1800	1944	1526	382	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	117264	5602	17756	15875	2935	9675	22172	33816	12032	
F	100927	2607	10100	9579	4758	17436	23797	22881	9684	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	121	103	171	151	103	92	111	109	116	
F	117	94	173	145	107	95	111	122	110	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	115	117	164	165	107	96	108	117	84	
F	116	105	201	151	101	98	110	110	121	

1966
DIAGNOSIS 23 - OTHER ALLERGIC DISORDERS (EXCLUDING ASTHMA)

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	3322	368	772	714	345	562	333	173	65
F	3448	241	490	574	527	835	483	221	77
				PATIENT DAYS					
M	25890	4206	7269	4112	2036	3513	2409	1630	715
F	26235	2652	4353	3769	3163	5774	3854	1800	870
				AVERAGE STAY					
M	7.8	11.4	9.4	5.8	5.9	6.3	7.2	9.4	11.0
F	7.6	11.0	8.9	6.6	6.0	6.9	8.0	8.1	11.3
				SEPARATION RATE PER 100,000 POPULATION					
M	34.4	187.6	86.9	33.1	21.7	23.0	23.8	23.0	25.9
F	36.0	120.6	58.2	27.8	33.3	34.5	34.9	27.5	25.4
				PATIENT DAY RATE PER 100,000 POPULATION					
M	268	2144	818	191	128	144	172	217	285
F	274	1437	517	182	200	239	278	224	287
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	3175	446	796	666	285	564	315	168	62
F	3245	256	509	534	434	836	441	204	67
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	24707	5100	7495	3843	1685	3527	2271	1580	679
F	24713	3263	4525	3501	2600	5788	3513	1668	756
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	106	127	143	115	95	84	97	103	113
F	105	135	128	103	90	102	108	104	114
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	95	101	120	101	85	82	87	109	121
F	90	117	113	89	64	95	89	89	106

DIAGNOSIS 24 - DISEASES OF THYROID GLAND

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	1653	17	29	101	174	455	484	323	70
F	8611	19	37	212	901	3309	2670	1216	247
PATIENT DAYS									
M	21104	289	304	1148	2062	4404	5622	5740	1535
F	104733	416	340	2110	9568	33182	30666	22257	6194
AVERAGE STAY									
M	12.8	17.0	10.5	11.4	11.9	9.7	11.6	17.8	21.9
F	12.2	21.9	9.2	10.0	10.6	10.0	11.5	18.3	25.1
SEPARATION RATE PER 100,000 POPULATION									
M	17.1	8.7	3.3	4.7	10.9	18.6	34.7	43.0	27.9
F	89.8	10.3	4.4	10.3	57.0	136.9	192.9	151.1	81.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	218	147	34	53	130	180	403	764	612
F	1093	225	40	102	605	1372	2215	2766	2044
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1575	21	30	94	144	457	458	313	67
F	8103	23	38	197	741	3314	2437	1125	215
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	20097	350	312	1066	1711	4409	5322	5564	1459
F	98582	511	350	1962	7865	33225	27992	20595	5386
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	86	75	79	92	77	70	88	117	156
F	87	68	100	76	73	80	95	103	110
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	85	60	56	111	87	64	73	128	152
F	89	92	66	68	75	83	89	110	88

1966

DIAGNOSIS 25 - DIABETES MELLITUS

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
				5 - 14	15 - 24	25 - 44	45 - 59			
				SEPARATIONS DURING YEAR						
M	16053	8	135	890	960	2504	4160	5006	2390	
F	22259	7	135	838	1163	2783	5366	8253	3714	
				PATIENT DAYS						
M	324202	221	2230	11189	10584	31432	65756	113314	89476	
F	535087	207	2820	10521	12330	33432	86648	217522	171607	
				AVERAGE STAY						
M	20.2	27.6	16.5	12.6	11.0	12.6	15.8	22.6	37.4	
F	24.0	29.6	20.9	12.6	10.6	12.0	16.1	26.4	46.2	
				SEPARATION RATE PER 100,000 POPULATION						
M	165.9	4.1	15.2	41.2	60.3	102.6	297.8	666.0	953.3	
F	232.2	3.8	16.0	40.5	73.6	115.1	387.6	1025.6	1225.7	
				PATIENT DAY RATE PER 100,000 POPULATION						
M	3351	113	251	519	665	1288	4708	15074	35690	
F	5583	112	335	509	780	1383	6259	27031	56636	
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	15258	10	139	830	794	2513	3933	4850	2272	
F	20945	9	140	780	957	2787	4898	7636	3230	
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	308925	269	2300	10442	8753	31548	62172	109788	85069	
F	503551	254	2932	9791	10140	33491	79099	201268	149248	
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	122	83	105	121	125	133	117	122	122	
F	120	225	125	105	129	134	115	111	122	
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	126	133	111	116	127	122	118	128	134	
F	129	470	150	94	125	131	115	119	140	

1966

DIAGNOSIS 26 - DISEASES OF OTHER ENDOCRINE GLANDS

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	1129	54	126	166	162	235	232	134	30	
F	2207	61	93	215	505	746	332	200	55	
PATIENT DAYS										
M	18470	1242	1717	2299	3173	3305	3345	2678	711	
F	31378	1031	1130	2411	5026	9671	5071	4170	2868	
AVERAGE STAY										
M	16.2	23.0	13.6	13.8	19.6	14.1	14.4	20.0	23.7	
F	14.2	16.9	12.2	11.2	10.0	13.0	15.3	20.8	52.1	
SEPARATION RATE PER 100,000 POPULATION										
M	11.8	27.5	14.2	7.7	10.2	9.6	16.6	17.8	12.0	
F	23.0	33.0	11.0	10.4	32.0	30.9	24.0	24.9	18.2	
PATIENT DAY RATE PER 100,000 POPULATION										
M	191	633	193	107	199	135	239	356	284	
F	327	559	134	117	318	400	366	518	947	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	1085	65	130	155	134	236	219	130	29	
F	2077	75	97	200	415	747	303	185	48	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	17608	1506	1768	2153	2619	3307	3156	2593	677	
F	29493	1269	1173	2251	4134	9686	4625	3857	2496	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	118	125	153	97	111	104	130	173	88	
F	106	179	121	138	105	95	91	128	137	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	125	202	161	122	166	98	133	154	164	
F	100	242	112	136	94	88	86	83	374	

1966

"CANADA"

DIAGNOSIS 27 - AVITAMINOSES AND OTHER METABOLIC DISEASES

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
		SEPARATIONS DURING YEAR							
M	4020	354	619	383	183	752	886	558	285
F	4566	230	530	416	600	1187	926	502	175
		PATIENT DAYS							
M	59040	6776	9006	4782	2284	9572	11780	9303	5537
F	74606	4067	10352	4629	8882	17005	16366	8805	4500
		AVERAGE STAY							
M	14.7	15.1	14.5	12.5	12.5	12.7	13.3	16.7	19.4
F	16.3	17.7	19.5	11.1	14.8	14.3	17.7	17.5	25.7
		SEPARATION RATE PER 100,000 POPULATION							
M	41.6	180.4	69.7	17.8	11.5	30.8	63.4	74.2	113.7
F	47.6	124.6	62.9	20.1	38.0	49.1	66.9	62.4	57.8
		PATIENT DAY RATE PER 100,000 POPULATION							
M	610	3454	1013	222	143	392	843	1238	2209
F	778	2203	1229	224	562	703	1182	1094	1485
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	3831	429	638	357	151	755	838	541	271
F	4297	283	551	387	494	1189	845	464	152
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	56235	8216	9281	4467	1882	9602	11132	9017	5265
F	70171	5003	10757	4309	7306	17024	14938	8146	3913
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	121	96	127	130	112	136	143	123	122
F	121	83	123	113	146	137	126	119	106
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	106	89	118	129	100	133	120	108	94
F	129	78	140	91	194	147	158	105	132

1966 "CANADA"
 DIAGNOSIS 28 - DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	8324	666	1293	1526	633	605	848	1530	1223
F	9431	365	771	758	808	1968	1557	1739	1465
PATIENT DAYS									
M	120069	8459	14560	14253	6154	7256	15664	26143	27580
F	152013	4545	9036	8354	7958	22119	21711	31245	47041
AVERAGE STAY									
M	14.4	12.7	11.3	9.3	9.7	12.0	18.5	17.1	22.6
F	16.1	12.5	11.7	11.0	9.8	11.2	13.9	18.0	32.1
SEPARATION RATE PER 100,000 POPULATION									
M	86.0	335.4	145.5	70.7	39.8	24.8	60.7	203.5	487.8
F	98.4	157.7	91.5	36.7	51.1	81.4	112.5	216.1	483.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1241	4311	1638	661	387	297	1122	3478	11001
F	1586	2464	1073	404	504	915	1568	3883	15525
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	7932	807	1333	1423	523	607	802	1482	1163
F	8874	449	801	705	665	1971	1421	1609	1274
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	114406	10255	15008	13299	5094	7275	14817	25331	26222
F	143047	5555	9391	7771	6552	22158	19816	28912	40912
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	114	113	115	113	130	119	117	112	128
F	109	103	113	105	99	106	111	111	124
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	107	109	114	113	128	120	139	100	99
F	99	90	102	116	90	94	110	96	94

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
			SEPARATIONS DURING YEAR						
M	8564	3	15	125	965	3099	2511	1271	575
F	11466	C	17	101	1315	4566	3264	1629	574
			PATIENT DAYS						
M	191191	6C	360	2421	24597	55058	46611	37947	24137
F	283937	0	822	1535	30183	98895	73712	42779	36011
			AVERAGE STAY						
M	22.3	2C.C	24.0	19.4	25.5	17.8	18.6	29.9	42.0
F	24.8	C.C	48.4	15.2	23.0	21.7	22.6	26.3	62.7
			SEPARATION RATE PER 100,000 POPULATION						
M	88.5	1.5	1.7	5.8	60.6	127.0	179.8	169.1	229.4
F	119.6	C.C	2.0	4.9	83.2	188.8	235.8	202.4	189.4
			PATIENT DAY RATE PER 100,000 POPULATION						
M	1976	31	41	112	1545	2256	3337	5048	9628
F	2962	C	98	74	1910	4090	5324	5316	11885
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	8161	4	15	117	798	3111	2374	1231	547
F	10789	0	18	94	1082	4573	2580	1507	499
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	182165	74	376	2253	20335	55258	44067	36766	22949
F	267153	C	858	1423	24831	99044	67283	39582	31319
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	140	C	250	148	119	134	162	137	143
F	124	C	150	108	112	123	129	124	128
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	110	C	355	102	116	90	133	144	91
F	104	C	240	69	90	111	121	76	104

1966

DIAGNOSIS 20 - PSYCHONEUROTIC DISORDERS

"CANADA"

- 111 -

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	15560	18	81	750	1965	6308	4561	1555	322	
F	35631	6	90	1090	5907	16185	8089	3612	652	
PATIENT DAYS										
M	216554	185	754	6588	24960	82666	69081	25920	6396	
F	562954	36	1003	9965	74411	252986	141366	69053	14134	
AVERAGE STAY										
M	13.9	10.5	9.3	8.8	12.7	13.1	15.1	16.7	19.9	
F	15.8	6.0	11.1	9.1	12.6	15.6	17.5	19.1	21.7	
SEPARATION RATE PER 100,000 POPULATION										
M	160.8	9.2	9.1	34.8	123.4	258.5	326.6	206.9	128.4	
F	371.7	3.3	10.7	52.7	373.8	669.4	584.3	448.9	215.2	
PATIENT DAY RATE PER 100,000 POPULATION										
M	2239	96	85	305	1568	3388	4946	3448	2551	
F	5873	20	119	482	4709	10463	10211	8581	4665	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	14328	22	84	699	1625	6331	4312	1507	306	
F	33528	7	94	1014	4859	16210	7384	3342	567	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	206411	228	779	6137	20638	82985	65315	25113	6080	
F	529707	45	1042	9271	61218	253374	129043	63893	12293	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	122	138	124	135	115	116	131	125	144	
F	122	47	131	126	110	124	121	131	142	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	109	88	135	114	105	102	118	113	130	
F	116	17	175	111	101	115	120	122	144	

1966
"CANADA"

DIAGNOSIS 21 - DISORDERS OF CHARACTER, BEHAVIOUR AND INTELLIGENCE

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	12278	121	563	1046	932	4295	4000	1206	115
F	5018	106	393	599	985	1714	962	220	39
PATIENT DAYS									
M	155424	13135	15405	18092	11114	39084	40734	16032	1828
F	99485	4635	10339	14066	15979	27809	20213	5399	1045
AVERAGE STAY									
M	12.7	108.6	27.4	17.3	11.9	9.1	10.2	13.3	15.9
F	19.8	43.7	26.3	23.5	16.2	16.2	21.0	24.5	26.8
SEPARATION RATE PER 100,000 POPULATION									
M	126.9	61.7	63.4	48.5	58.5	176.0	286.4	160.4	45.9
F	52.4	57.4	46.7	29.0	62.3	70.9	69.5	27.3	12.9
PATIENT DAY RATE PER 100,000 POPULATION									
M	1607	6655	1733	839	698	1602	2916	2133	729
F	1028	2511	1227	680	1011	1150	1460	671	345
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	11701	147	580	975	771	4311	3782	1169	109
F	4722	130	408	557	810	1717	878	204	34
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	148148	15926	15878	16881	9187	39239	38508	15535	1738
F	93621	5702	10739	13080	13143	27849	18451	4996	909
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	129	120	148	152	144	125	131	126	98
F	132	169	137	137	135	134	123	124	131
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	142	597	214	102	123	127	148	134	135
F	168	428	212	207	113	148	215	147	146

1966

"CANADA"

DIAGNOSIS 22 - VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM

- 113 -

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	18767	83	127	243	203	770	2896	7115	7330
F	17196	32	132	177	176	682	2086	5986	7925
PATIENT DAYS									
M	864986	1567	2993	7970	4016	16719	89084	332132	410105
F	1021583	863	2598	3391	3738	22433	70413	320988	597159
AVERAGE STAY									
M	46.1	23.7	23.6	32.8	19.8	21.7	30.8	46.7	55.9
F	59.4	27.0	19.7	19.2	21.2	32.9	33.8	53.6	75.4
SEPARATION RATE PER 100,000 POPULATION									
M	194.0	42.3	14.3	11.3	12.8	31.6	207.3	946.5	2923.8
F	179.4	17.3	15.7	8.6	11.1	28.2	150.7	743.9	2615.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	8941	1003	337	369	252	685	6378	44184	163584
F	10658	467	308	164	237	928	5086	39889	197082
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	17884	101	131	227	168	773	2738	6894	6969
F	16181	39	137	165	145	683	1904	5539	6892
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	824261	2386	3088	7424	3317	16778	84226	321805	389912
F	961283	1060	2696	3155	3081	22473	64275	297006	519352
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	109	120	88	93	97	112	107	105	116
F	109	58	94	94	107	114	102	100	109
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	115	136	100	165	89	106	106	116	117
F	112	57	85	81	131	161	119	120	98

DIAGNOSIS 33 - INFLAMMATORY AND OTHER DISEASES OF CENTRAL NERVOUS SYSTEM

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
		SEPARATIONS DURING YEAR							
M	15307	569	1399	2148	1384	2698	2725	2997	1387
F	14510	418	1112	1705	1607	3257	2634	2413	1364
		PATIENT DAYS							
M	749161	12583	26636	44042	28403	109485	159399	232200	136413
F	845711	5568	25185	29372	25077	151223	161868	251931	191487
		AVERAGE STAY							
M	48.9	22.1	19.0	20.5	20.5	40.6	58.5	77.5	98.4
F	58.3	22.9	22.6	17.2	15.6	46.4	61.5	104.4	140.4
		SEPARATION RATE PER 100,000 POPULATION							
M	158.2	290.0	157.4	99.6	86.9	110.6	195.1	398.7	553.3
F	151.4	226.4	132.0	82.5	101.7	134.7	190.3	295.9	450.2
		PATIENT DAY RATE PER 100,000 POPULATION							
M	7744	6413	2997	2041	1784	4487	11413	30890	54413
F	8823	5183	2990	1421	1587	6254	11692	31307	63197
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	14587	690	1442	2003	1144	2708	2576	2904	1319
F	13654	514	1155	1586	1322	3262	2404	2233	1186
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	713911	15255	27459	41065	23481	109903	150717	224981	129697
F	795777	11770	26169	27333	20631	151448	147760	233106	166537
		CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	116	94	116	111	103	106	121	143	143
F	114	96	108	104	102	107	121	135	144
		DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	130	105	127	140	116	123	149	138	118
F	142	112	153	112	109	148	159	170	106

1966

"CANADA"

DIAGNOSIS 24 - DISEASES OF NERVES AND PERIPHERAL GANGLIA

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4898	15	54	139	357	1544	1531	965	293
F	5530	17	42	160	514	1847	1598	546	406
PATIENT DAYS									
M	60868	226	964	2183	3930	15925	18793	13830	5017
F	72540	170	799	3050	5431	20934	19804	15158	7194
AVERAGE STAY									
M	12.4	15.1	17.9	15.7	11.0	10.3	12.3	14.3	17.1
F	13.1	10.0	19.0	19.1	10.6	11.3	12.4	16.0	17.7
SEPARATION RATE PER 100,000 POPULATION									
M	50.6	7.6	6.1	6.4	22.4	63.3	109.6	128.4	116.9
F	57.7	5.2	5.0	7.7	32.5	76.4	115.4	117.6	134.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	629	115	108	101	247	653	1346	1840	2001
F	757	92	95	148	344	866	1431	1884	2374
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4668	18	56	130	295	1550	1448	935	279
F	5204	21	44	149	423	1850	1459	875	353
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	57987	274	990	2032	3251	15994	17775	13401	4770
F	68276	205	831	2847	4472	20971	18085	14028	6256
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	102	82	102	106	93	98	110	109	97
F	105	210	126	99	90	108	103	106	106
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	98	78	105	89	88	93	105	103	105
F	104	95	124	132	84	99	100	108	115

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	21700	410	3144	4353	1468	2135	2913	4596	2681	
F	22278	378	2949	3777	1264	2002	2895	5258	3755	
PATIENT DAYS										
M	179896	2529	11010	18704	9543	17671	29627	56236	34576	
F	198031	1857	9873	14358	6681	14756	30080	63416	57010	
AVERAGE STAY										
M	8.3	6.2	3.5	4.3	6.5	8.3	10.2	12.2	12.9	
F	8.9	4.9	3.3	3.8	5.3	7.4	10.4	12.1	15.2	
SEPARATION RATE PER 100,000 POPULATION										
M	224.3	209.0	353.8	201.8	92.2	87.5	208.6	611.4	1069.4	
F	232.4	204.8	350.1	182.7	80.0	82.8	209.1	653.4	1239.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1860	1289	1239	867	599	724	2121	7481	13792	
F	2066	1006	1172	694	423	610	2173	7881	18815	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	20679	497	3241	4059	1214	2143	2754	4453	2549	
F	20963	465	3064	3514	1040	2005	2643	4865	3266	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	171471	3066	11352	17444	7884	17733	28009	54486	32874	
F	186340	2284	10258	13349	5499	14772	27462	58680	49581	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	114	88	129	117	107	101	108	119	122	
F	113	91	125	107	93	107	110	113	124	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	93	104	110	101	92	97	75	105	88	
F	107	92	111	91	83	102	100	102	120	

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	18637	2361	4377	5279	1230	2520	1836	856	178
F	18035	1720	3367	4148	1458	3347	2506	1267	222
				PATIENT DAYS					
M	138735	25842	37577	31932	8196	15010	11699	6514	1965
F	134513	17747	29310	26212	9805	21397	17126	9816	3100
				AVERAGE STAY					
M	7.4	10.5	8.6	6.0	6.7	6.0	6.4	7.6	11.0
F	7.5	10.3	8.7	6.3	6.7	6.4	6.8	7.7	14.0
				SEPARATION RATE PER 100,000 POPULATION					
M	192.7	1203.4	492.5	244.7	77.3	103.3	131.5	113.9	71.0
F	188.2	931.7	399.7	200.6	92.3	138.4	181.0	157.4	73.3
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1434	13171	4228	1480	515	615	838	867	784
F	1403	5614	3479	1268	620	885	1237	1220	1023
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	17760	2863	4512	4923	1017	2529	1736	829	169
F	16971	2116	3498	3859	1199	3352	2288	1172	193
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	132199	31331	38737	29778	6778	15064	11066	6315	1869
F	126541	21831	30449	24390	8060	21431	15633	9084	2696
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	113	100	113	130	112	119	133	144	112
F	109	98	116	125	101	110	114	131	108
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	98	100	106	106	96	101	119	118	69
F	92	96	110	107	93	103	104	112	25

1966

"CANADA"

DIAGNOSIS 27 - RHEUMATIC FEVER AND CHRONIC RHEUMATIC HEART DISEASE

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	4545	2	137	1195	467	957	1132	539	116
F	6525	2	91	1073	716	1752	1853	869	169
				PATIENT DAYS					
M	87042	34	2225	23686	8540	16596	21478	11795	2688
F	140892	7	1497	22544	11082	30133	42552	20577	12500
				AVERAGE STAY					
M	19.2	17.0	16.2	19.8	18.3	17.3	19.0	21.9	23.2
F	21.6	3.5	16.5	21.0	15.5	17.2	23.0	23.7	74.0
				SEPARATION RATE PER 100,000 POPULATION					
M	47.0	1.0	15.4	55.4	29.3	39.2	81.0	71.7	46.3
F	68.1	1.1	10.8	51.9	45.3	72.5	133.8	108.0	55.8
				PATIENT DAY RATE PER 100,000 POPULATION					
M	900	17	250	1098	536	680	1538	1569	1072
F	1470	4	178	1090	701	1246	3074	2557	4125
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	4331	2	141	1114	386	961	1070	522	110
F	6140	2	95	998	589	1755	1692	804	147
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	82970	40	2291	22092	7055	16656	20310	11427	2555
F	132584	9	1558	20966	9113	30173	38848	19039	10870
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	93	200	82	80	75	90	112	119	100
F	91	20	74	70	71	91	111	112	84
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	91	211	76	78	70	81	111	126	121
F	89	5	62	70	65	82	116	107	77

1966
DIAGNOSIS

38

- ARTERIOSCLEROTIC AND DEGENERATIVE HEART DISEASE

"CANADA"

- 119 -

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	64969	21	29	111	142	5231	20455	25268	13712
F	41761	17	31	58	140	1690	8337	17273	14215
PATIENT DAYS									
M	1467222	343	309	1037	1695	88709	383842	532149	459138
F	1244597	195	428	577	1353	26342	158322	435556	621734
AVERAGE STAY									
M	22.6	16.3	10.7	9.3	11.9	17.0	18.8	21.1	33.5
F	29.8	11.5	13.8	9.9	9.7	15.6	19.0	25.2	43.7
SEPARATION RATE PER 100,000 POPULATION									
M	671.6	10.7	3.3	5.1	8.9	214.4	1464.5	3361.4	5469.5
F	435.7	9.2	3.7	2.8	8.9	69.9	602.2	2146.5	4691.4
PATIENT DAY RATE PER 100,000 POPULATION									
M	15167	175	35	48	106	3635	27482	70793	183142
F	12985	106	51	28	86	1089	11436	54131	205209
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	61913	25	30	104	117	5250	19340	24482	13037
F	39297	21	32	54	115	1693	7611	15983	12363
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	1398228	416	321	966	1395	89035	362919	515607	436530
F	1171163	241	446	539	1118	26371	144525	403050	540769
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	115	104	43	90	76	123	119	116	110
F	114	111	55	49	90	109	111	107	113
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	109	146	47	60	63	115	111	109	109
F	115	85	53	37	62	99	104	111	112

1966
DIAGNOSIS 39 - OTHER DISEASES OF THE HEART

- 120 -

1966

"CANADA"

DIAGNOSIS 40 - HYPERTENSIVE HEART DISEASE AND OTHER HYPERTENSIVE DISEASE

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS								75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	9166	2	11	45	273	1516	2771	3070	1478	
F	15851	1	9	59	255	2169	4332	5695	3331	
PATIENT DAYS										
M	174047	13	144	511	3013	16419	42926	66487	44534	
F	351671	22	136	880	2408	25449	63038	107118	152620	
AVERAGE STAY										
M	19.0	6.5	13.1	11.4	11.0	10.8	15.5	21.7	30.1	
F	22.2	22.0	15.1	14.9	9.4	11.7	14.6	18.8	45.8	
SEPARATION RATE PER 100,000 POPULATION										
M	94.7	1.0	1.2	2.1	17.1	62.1	198.4	408.4	589.5	
F	165.4	0.5	1.1	2.9	16.1	89.7	312.9	707.7	1099.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1799	7	16	24	189	673	3073	8845	17764	
F	3669	12	16	43	152	1053	4553	13312	50370	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	8735	2	11	42	226	1522	2620	2975	1405	
F	14916	1	9	55	210	2172	3955	5270	2897	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	165848	17	147	483	2488	16484	40581	64421	42342	
F	330920	27	140	827	1976	25500	57539	59119	132736	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	110	67	122	86	114	125	111	106	109	
F	108	25	75	102	137	152	101	98	102	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	110	61	191	64	117	104	115	113	107	
F	109	42	80	85	100	142	104	88	117	

1966

DIAGNOSIS 41 - DISEASES OF ARTERIES

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +	
SEPARATIONS DURING YEAR										
M	10700	3	18	67	151	723	2592	4046	3100	
F	6228	4	13	41	130	527	999	1937	2577	
PATIENT DAYS										
M	422384	62	253	1112	2282	15543	60826	143786	198520	
F	402613	166	144	622	2073	9985	23332	86122	280169	
AVERAGE STAY										
M	39.5	20.7	14.1	16.6	15.1	21.5	23.5	35.5	64.0	
F	64.6	41.5	11.1	15.2	15.9	18.9	23.4	44.5	108.7	
SEPARATION RATE PER 100,000 POPULATION										
M	110.6	1.5	2.0	3.1	9.5	29.6	185.6	538.2	1236.5	
F	65.0	2.2	1.5	2.0	8.2	21.8	72.2	240.7	850.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	4366	32	28	52	143	637	4355	19128	79186	
F	4200	90	17	30	131	413	1685	10702	92465	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	10197	4	19	62	125	726	2451	3920	2947	
F	5860	5	14	38	107	528	512	1792	2241	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	402497	76	257	1046	1882	15602	57511	139315	188745	
F	378813	204	149	577	1703	10001	21295	79685	243665	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	125	27	95	159	120	119	129	125	124	
F	121	125	45	88	108	119	128	115	114	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	134	39	88	144	100	128	127	139	135	
F	116	567	29	124	109	126	126	120	105	

1966

DIAGNOSIS 42 - VARICOSE VEINS OF LOWER EXTREMITIES

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	4733	0	2	10	153	1400	1814	1061	293	
F	17489	0	0	12	474	8439	5575	2358	631	
PATIENT DAYS										
M	62841	0	20	76	1309	13444	22218	17659	8115	
F	203356	0	0	72	3168	70859	66516	43580	19161	
AVERAGE STAY										
M	13.3	0.0	10.0	7.6	8.6	9.6	12.2	16.6	27.7	
F	11.6	0.0	0.0	6.0	6.7	8.4	11.9	18.5	30.4	
SEPARATION RATE PER 100,000 POPULATION										
M	48.9	0.0	0.2	0.5	9.6	57.4	129.9	141.1	116.9	
F	182.5	0.0	0.0	0.6	30.0	349.0	402.7	293.0	208.3	
PATIENT DAY RATE PER 100,000 POPULATION										
M	650	0	2	4	82	551	1591	2349	3237	
F	2122	0	0	3	200	2931	4805	5416	6324	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	4510	0	2	9	126	1405	1715	1028	279	
F	16457	0	0	11	390	8452	5089	2182	549	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	59923	0	18	80	1079	13496	21010	17108	7716	
F	191391	0	0	58	2600	70978	60724	40327	16665	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	111	0	67	113	117	115	115	108	96	
F	119	0	0	55	91	123	124	115	102	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	93	0	150	78	123	111	110	94	54	
F	113	0	0	32	91	123	114	101	107	

1966
DIAGNOSIS 43 - HAEMORRHOIDS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44		
SEPARATIONS DURING YEAR								
M	10754	3	11	17	573	4789	1383	262
F	9536	0	5	16	564	4527	1107	258
PATIENT DAYS								
M	96335	27	47	112	4101	39600	14903	2876
F	88779	0	28	100	4266	39206	12252	3348
AVERAGE STAY								
M	9.0	5.0	4.3	6.6	7.2	8.3	10.8	11.0
F	9.3	0.0	5.6	6.2	7.6	8.7	11.1	13.0
SEPARATION RATE PER 100,000 POPULATION								
M	111.2	1.5	1.2	0.8	36.0	196.2	184.0	104.5
F	99.5	0.0	0.6	0.8	35.7	187.2	137.6	85.1
PATIENT DAY RATE PER 100,000 POPULATION								
M	996	14	5	5	258	1623	1983	1147
F	926	0	3	5	270	1621	1523	1105
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	10248	4	11	16	474	4807	1340	249
F	8973	0	5	15	464	4534	1024	224
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	91820	33	46	101	3396	39753	14443	2734
F	83519	0	26	96	3510	39254	11340	2912
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	107	100	58	94	115	105	106	113
F	99	0	45	79	77	99	106	115
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	103	114	41	88	113	103	104	90
F	98	0	57	95	80	98	103	121

1966

DIAGNOSIS 44 - PHLEBITIS AND THROMBOPHLEBITIS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	2276	0	4	16	70	423	762	735	266
F	4531	0	3	12	240	1354	1382	1130	410
PATIENT DAYS									
M	35051	0	30	196	794	5878	11465	11873	4815
F	70012	0	16	85	2633	18189	20486	19761	8842
AVERAGE STAY									
M	15.4	C.O	7.5	12.2	11.3	13.9	15.0	16.2	18.1
F	15.5	C.O	5.3	7.1	11.0	13.4	14.8	17.5	21.6
SEPARATION RATE PER 100,000 POPULATION									
M	23.5	C.O	0.5	0.7	4.4	17.3	54.6	97.8	106.1
F	47.3	C.O	0.4	0.6	15.2	56.0	99.8	140.4	135.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	362	0	3	9	50	241	821	1579	1921
F	730	0	2	4	167	752	1480	2456	2918
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	2169	0	4	15	58	425	720	712	253
F	4264	0	3	11	197	1356	1262	1046	357
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	33372	0	27	181	658	5903	10842	11500	4579
F	65841	0	18	77	2171	18211	18704	18287	7690
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	98	0	400	79	87	86	100	103	111
F	108	0	75	55	113	118	112	94	102
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	0	540	104	109	88	101	94	116
F	107	0	38	54	108	119	108	96	102

1966

DIAGNOSIS 45 - OTHER DISEASES OF THE CIRCULATORY SYSTEM

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS								75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
		SEPARATIONS DURING YEAR								
M	8290	130	1021	3287	795	851	897	883	426	
F	7749	51	762	2951	979	1139	789	702	336	
PATIENT DAYS										
M	78721	1356	7458	16665	5016	8686	13186	15774	10580	
F	77333	573	5536	15536	6560	12905	11496	13258	11069	
AVERAGE STAY										
M	9.5	10.4	7.3	5.1	6.3	10.2	14.7	17.9	24.8	
F	10.0	10.7	7.3	5.3	6.7	11.3	14.6	18.9	32.9	
SEPARATION RATE PER 100,000 POPULATION										
M	85.7	66.3	114.9	152.3	49.9	34.9	64.2	117.5	169.9	
F	80.8	45.3	90.5	142.7	62.0	47.1	57.0	87.2	110.9	
PATIENT DAY RATE PER 100,000 POPULATION										
M	814	651	839	772	315	356	944	2098	4220	
F	807	527	657	751	415	534	830	1648	3653	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	7900	158	1053	3065	657	854	848	856	405	
F	7292	112	792	2745	805	1141	720	650	292	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	75042	1644	7687	15533	4146	8720	12466	15280	10059	
F	72786	1197	5750	14446	5395	12931	10489	12271	9626	
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	105	82	105	101	90	105	116	122	128	
F	102	74	96	95	87	112	120	135	109	
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100										
M	107	78	104	91	83	94	112	129	164	
F	109	80	84	89	84	128	117	130	128	

"CANADA"

1966
DIAGNOSIS 46 - ACUTE UPPER RESPIRATORY INFECTIONS

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
SEPARATIONS DURING YEAR								
M	28993	5514	12893	6005	1751	1433	651	493
F	24996	4178	9144	5619	2520	1803	849	591
PATIENT DAYS								
M	163430	41585	69222	26287	7974	7485	4090	4109
F	141924	30490	51207	24290	11481	9466	6175	5121
AVERAGE STAY								
M	5.6	7.5	5.4	4.4	4.6	5.2	6.3	8.3
F	5.7	7.3	5.6	4.3	4.6	5.3	7.3	8.7
SEPARATION RATE PER 100,000 POPULATION								
M	299.7	2810.4	1450.8	278.3	110.0	58.7	46.6	65.6
F	260.8	2263.3	1085.5	271.8	159.5	74.6	61.3	73.4
PATIENT DAY RATE PER 100,000 POPULATION								
M	1689	21195	7789	1218	501	307	293	547
F	1481	16517	6079	1175	727	391	446	636
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	27629	6685	13292	5600	1448	1438	616	478
F	23521	5139	9500	5227	2073	1806	775	547
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	155707	50418	71364	24506	6594	7520	3869	3984
F	133577	37507	53205	22601	9451	9469	5636	4736
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	112	119	131	127	95	91	94	100
F	106	116	125	123	90	95	87	102
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	103	117	120	117	89	87	87	84
F	99	115	119	109	86	84	86	95

1966
DIAGNOSIS 47 - INFLUENZA

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
			SEPARATIONS DURING YEAR						
M	10749	884	1759	1902	1018	1358	1254	1362	1212
F	12028	721	1639	1820	1454	2001	1586	1618	1189
			PATIENT DAYS						
M	71203	7573	10843	8986	4484	6637	8440	11439	12801
F	85304	5854	10142	8778	7126	12180	11579	15666	13979
			AVERAGE STAY						
M	6.6	8.6	6.2	4.7	4.4	4.9	6.7	8.4	10.6
F	7.1	8.1	6.2	4.8	4.9	6.1	7.3	9.7	11.8
			SEPARATION RATE PER 100,000 POPULATION						
M	111.1	450.6	197.9	88.2	63.9	55.6	89.8	181.2	483.4
F	125.5	350.6	194.6	88.0	92.0	82.8	114.6	201.1	392.4
			PATIENT DAY RATE PER 100,000 POPULATION						
M	736	3860	1220	416	282	272	604	1522	5106
F	890	3171	1204	425	451	504	836	1947	4614
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	10243	1072	1813	1774	842	1363	1186	1320	1152
F	11318	887	1703	1693	1196	2004	1448	1497	1034
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	67851	5182	11178	8370	3712	6662	7976	11085	12170
F	80272	7201	10538	8175	5863	12205	10565	14497	12159
			CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100						
M	115	129	135	108	91	92	117	140	164
F	109	117	139	98	79	103	116	124	133
			DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100						
M	119	142	139	102	86	87	116	144	161
F	110	130	150	93	78	106	116	131	99

1966

DIAGNOSIS 48 - PNEUMONIA

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	55192	10708	14949	6773	2118	4010	4872	6299	5463	
F	44062	7559	11853	5464	1833	4763	3961	4436	4193	
PATIENT DAYS										
M	647011	128866	144614	57704	17674	39605	63141	95911	99496	
F	513357	88515	114137	46740	15951	49239	51042	69143	78590	
AVERAGE STAY										
M	11.7	12.0	9.7	8.5	8.3	9.9	13.0	15.2	18.2	
F	11.7	11.7	9.6	8.6	8.7	10.3	12.9	15.6	18.7	
SEPARATION RATE PER 100,000 POPULATION										
M	570.5	5457.7	1682.1	313.9	133.0	164.3	348.8	838.0	2179.1	
F	459.7	4054.8	1407.1	264.3	116.0	197.0	286.1	551.3	1383.8	
PATIENT DAY RATE PER 100,000 POPULATION										
M	6688	65681	16273	2674	1110	1623	4521	12759	39687	
F	5356	47550	13549	2260	1009	2036	3687	8592	25937	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	52596	12983	15412	6316	1751	4025	4606	6103	5194	
F	41462	9298	12315	5083	1508	4770	3616	4105	3647	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	616560	156241	149095	53801	14610	39753	59703	92928	94596	
F	483077	108884	118585	43472	13117	49304	46595	63974	68349	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	105	109	123	117	86	99	103	111	117	
F	100	105	119	107	85	98	101	105	113	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	101	110	119	113	81	99	104	106	102	
F	99	108	116	100	83	97	103	105	98	

1966
DIAGNOSIS 49 - BRONCHITIS

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS				75 +
				5 - 14	15 - 24	25 - 44	45 - 59	60 - 74
M	36509	6456	10228	SEPARATIONS DURING YEAR				
F	26287	4280	6986	3680	796	1918	4251	6193
				2770	1444	3103	3159	3010
M	406884	61061	74823	PATIENT DAYS				
F	253652	35054	51500	23162	5437	16360	54372	107675
				18238	10386	28079	35591	44121
M	11.1	9.5	7.3	AVERAGE STAY				
F	9.6	9.1	7.4	6.3	6.8	8.5	12.8	17.4
				6.6	7.2	9.0	11.3	14.7
M	377.4	3290.5	1150.9	SEPARATION RATE PER 100,000 POPULATION				
F	274.3	2318.5	829.3	170.6	50.0	78.6	304.4	823.9
				134.0	91.4	128.3	228.2	374.1
M	4206	31122	8419	PATIENT DAY RATE PER 100,000 POPULATION				
F	2646	21156	6113	1074	342	670	3893	14324
				882	657	1161	2571	5483
M	34792	7827	10545	EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
F	24736	5265	7258	3432	658	1925	4019	6000
				2577	1188	3108	2884	2785
M	387747	74033	77136	EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
F	238652	48041	53503	21609	4501	16411	51410	104326
				16965	8541	28115	32491	40825
M	115	107	132	CASE RATE COMPARISON WITH 1962 CANADA RATE = 100				
F	106	100	130	127	82	102	128	139
				113	93	102	115	128
M	120	109	135	DAY RATE COMPARISON WITH 1962 CANADA RATE = 100				
F	109	106	131	120	81	99	132	137
				104	92	104	117	135

DIAGNOSIS 50 - HYPERTROPHY OF TONSILS AND ADENOIDS

- 131 -

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	96181	183	31544	52451	7083	4478	391	45	6
F	98672	113	24994	54345	13470	5061	556	125	8
PATIENT DAYS									
M	202199	587	60786	102914	21149	14708	1390	209	56
F	218115	489	47886	108964	40524	17381	2268	560	43
AVERAGE STAY									
M	2.1	5.4	1.9	2.0	3.0	3.3	3.6	4.6	9.3
F	2.2	4.3	1.9	2.0	3.0	3.4	4.1	4.5	5.4
SEPARATION RATE PER 100,000 POPULATION									
M	994.2	53.3	3549.5	2431.0	444.9	183.5	28.0	6.0	2.4
F	1029.4	61.2	2967.0	2628.3	852.4	209.3	40.2	15.5	2.6
PATIENT DAY RATE PER 100,000 POPULATION									
M	2090	503	6840	4770	1328	603	100	28	22
F	2276	265	5684	5270	2564	719	164	70	14
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	91657	222	32521	48911	5856	4495	370	44	6
F	92849	139	25968	50556	11081	5069	508	116	7
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	192675	1157	62669	95972	17479	14770	1321	204	52
F	205280	602	49748	101370	33333	17411	2073	521	37
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	99	62	104	99	106	90	84	57	50
F	98	67	104	96	102	93	73	95	47
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	98	81	107	101	78	87	72	37	36
F	97	73	108	99	99	69	73	77	33

1966

DIAGNOSIS 51 - OTHER DISEASES OF RESPIRATORY SYSTEM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	31583	833	1761	2692	5059	7676	5792	5624	2146	
F	20206	574	1167	1831	3502	5908	3557	2474	1193	
PATIENT DAYS										
M	325471	9847	16477	17631	28068	50231	62239	95405	55573	
F	194772	6297	10967	12814	20446	44013	37361	38675	24199	
AVERAGE STAY										
M	10.6	11.8	9.4	6.5	5.5	6.5	10.7	17.0	25.9	
F	9.6	11.0	9.4	7.0	5.8	7.4	10.5	15.6	20.3	
SEPARATION RATE PER 100,000 POPULATION										
M	326.5	424.6	198.2	124.8	317.8	314.6	414.7	748.2	856.0	
F	210.8	310.9	138.5	88.6	221.6	244.3	256.9	307.4	393.7	
PATIENT DAY RATE PER 100,000 POPULATION										
M	3468	5019	1854	817	1763	2058	4456	12692	22167	
F	2032	3411	1302	620	1294	1820	2699	4806	7986	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	30098	1010	1816	2510	4182	7705	5476	5449	2040	
F	19014	706	1212	1703	2881	5917	3247	2289	1038	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	319711	11939	16987	16438	23204	50408	58845	92440	52836	
F	183273	7746	11396	11926	16822	44073	34109	35785	21045	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	109	117	128	105	103	102	109	120	124	
F	103	107	131	94	97	106	101	101	101	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	111	106	120	97	91	101	106	122	135	
F	95	98	121	87	87	100	101	94	81	

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	
SEPARATIONS DURING YEAR								
M	12950	50	1016	2636	3683	3365	1535	93
F	17336	48	1035	3047	5174	5326	2049	66
PATIENT DAYS								
M	28052	280	2166	5100	6949	7191	3934	424
F	37067	234	2027	5867	10131	11648	4911	263
AVERAGE STAY								
M	2.2	5.6	2.1	1.9	1.9	2.1	2.6	4.6
F	2.1	4.9	2.0	1.9	2.0	2.2	2.4	4.0
SEPARATION RATE PER 100,000 POPULATION								
M	133.9	25.5	114.3	122.2	231.3	137.9	109.9	37.1
F	180.9	26.0	122.9	147.4	327.4	220.3	148.0	21.8
PATIENT DAY RATE PER 100,000 POPULATION								
M	290	143	244	236	436	295	282	169
F	387	127	241	284	641	482	355	87
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	12341	61	1047	2458	3045	3378	1451	88
F	16313	59	1075	2835	4256	5334	1870	57
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION								
M	26735	340	2236	4748	5739	7226	3724	403
F	34905	288	2109	5463	8333	11672	4486	229
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	100	76	91	92	97	103	100	111
F	94	79	96	86	88	94	103	70
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100								
M	98	89	98	92	93	100	101	89
F	92	86	101	88	84	93	96	63

1966

DIAGNOSIS 53 - ULCER OF STOMACH, DUODENUM AND JEJUNUM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	31282	10	24	245	1619	10281	10610	6398	2095	
F	12438	14	10	145	759	3722	4177	2572	1039	
PATIENT DAYS										
M	449389	180	333	2262	16911	123853	154031	108759	43060	
F	189843	230	92	1424	7481	47286	63377	47808	22145	
AVERAGE STAY										
M	14.4	18.0	13.9	9.2	10.4	12.0	14.5	17.0	20.6	
F	15.3	16.4	9.2	9.8	9.9	12.7	15.2	18.6	21.3	
SEPARATION RATE PER 100,000 POPULATION										
M	323.4	5.1	2.7	11.4	101.7	421.3	759.6	851.1	835.7	
F	129.8	7.6	1.2	7.0	48.0	153.9	301.7	319.6	342.9	
PATIENT DAY RATE PER 100,000 POPULATION										
M	4645	52	37	105	1062	5075	11028	14468	17176	
F	1981	125	11	69	473	1956	4578	5941	7309	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	29811	12	25	228	1338	10319	10032	6199	1992	
F	11704	17	10	135	624	3728	3813	2380	904	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	428218	219	339	2113	13978	124306	145632	105375	40940	
F	178673	284	96	1327	6149	47367	57855	44236	19261	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	55	52	66	89	92	92	97	99	104	
F	92	425	42	64	86	88	91	100	99	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	94	65	62	84	87	93	97	95	98	
F	93	450	35	67	80	88	93	101	88	

DIAGNOSIS 54 -- GASTRITIS, DUODENITIS AND OTHER DISORDERS AND DISEASES OF THE STOMACH AND DUODENUM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	14553	328	385	871	1367	5148	3762	1929	763		
F	13518	159	400	798	2061	4610	2907	1735	808		
PATIENT DAYS											
M	111386	2649	2094	3954	7527	35242	31765	19321	8834		
F	113743	1817	1914	3756	12948	36768	26486	19102	10952		
AVERAGE STAY											
M	7.7	8.1	5.4	4.5	5.5	6.8	8.4	10.0	11.6		
F	8.4	9.1	4.8	4.7	6.3	8.0	9.1	11.0	13.6		
SEPARATION RATE PER 100,000 POPULATION											
M	150.4	167.2	43.3	40.4	85.9	211.0	269.3	256.6	304.3		
F	141.0	107.8	47.5	38.6	130.4	190.7	210.0	215.6	266.7		
PATIENT DAY RATE PER 100,000 POPULATION											
M	1151	1350	236	183	473	1444	2274	2570	3524		
F	1187	584	227	182	819	1521	1913	2374	3615		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	13869	358	397	812	1130	5167	3557	1869	725		
F	12720	245	416	742	1695	4617	2654	1605	703		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	106109	3211	2162	3682	6226	35369	30030	18718	8400		
F	107060	2234	1987	3501	10647	36833	24176	17676	9526		
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	112	113	122	119	115	117	116	100	112		
F	114	87	121	110	112	124	106	102	118		
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100											
M	106	54	118	124	111	111	110	98	103		
F	112	80	112	108	107	123	107	103	120		

103
120

1966
DIAGNOSIS 55 - APPENDICITIS

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	25096	16	581	9111	7401	5169	1804	765	249
F	21714	9	422	8112	7936	3562	1016	491	166
				PATIENT DAYS					
M	195859	246	5522	64596	51401	39818	19050	10657	4569
F	165821	71	3938	56773	54828	29311	11073	6787	3050
				AVERAGE STAY					
M	7.8	15.4	9.5	7.2	6.9	7.7	10.6	13.9	18.3
F	7.6	7.9	9.3	7.0	6.9	8.2	10.9	13.8	18.4
				SEPARATION RATE PER 100,000 POPULATION					
M	259.4	8.2	65.4	422.3	464.9	211.8	129.2	101.8	99.3
F	226.5	4.9	50.1	392.3	502.2	147.3	73.4	61.0	54.8
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2025	125	621	2994	3229	1632	1364	1418	1822
F	1730	38	467	2746	3469	1212	800	843	1007
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	23916	19	599	8496	6119	5188	1706	741	237
F	20433	11	438	7546	6529	3567	527	454	144
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	186683	297	5690	60239	42499	39974	18013	10328	4343
F	156025	86	4087	52820	45098	29350	10110	6277	2654
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	86	90	86	81	85	80	89	89	103
F	77	55	81	76	69	75	85	80	74
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	84	177	88	80	82	78	86	87	109
F	74	45	83	75	65	74	80	76	46

DIAGNOSIS 56 - HERNIA OF ABDOMINAL CAVITY

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
				4434	3366	10073	12216	9645	3137
M	51291	2578	5442	942	635	4465	4514	3533	1218
F	17311	781	1223						
				PATIENT DAYS					
M	427457	15537	26533	22411	23147	78322	111548	102058	43901
F	195085	5623	5714	4594	4827	44706	56542	50559	22120
				AVERAGE STAY					
M	8.3	6.6	4.9	5.1	6.9	7.8	9.1	10.6	14.0
F	11.3	7.2	4.7	4.9	7.6	10.0	12.5	14.4	18.2
				SEPARATION RATE PER 100,000 POPULATION					
M	530.2	1517.8	612.4	205.5	211.4	412.8	874.6	1283.1	1251.3
F	180.6	423.1	145.2	45.6	40.2	184.7	326.1	439.0	402.0
				PATIENT DAY RATE PER 100,000 POPULATION					
M	4419	5558	2986	1039	1454	3210	7987	13577	17511
F	2035	3046	678	222	305	1849	4084	6333	7300
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	48879	3611	5610	4135	2783	10110	11550	9345	2983
F	16289	561	1271	876	522	4472	4121	3269	1059
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	407383	23688	27358	20905	19137	78625	105474	58885	41739
F	183544	6517	5934	4270	3965	44776	51612	47154	19237
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	108	118	109	107	95	113	113	112	110
F	106	105	95	103	86	103	115	123	105
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	103	106	100	91	87	108	109	106	110
F	106	92	85	87	79	102	110	119	102

DIAGNOSIS 57 - INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
			SEPARATIONS DURING YEAR						
M	4206	203	254	377	224	556			794
F	4987	122	128	239	262	1035	1021	1047	942
			PATIENT DAYS						
M	50071	1546	1583	2493	2138	5821	14672		11866
F	70502	1266	992	1586	2104	12372	18931		16932
			AVERAGE STAY						
M	11.9	9.6	6.2	6.6	9.5	10.5	14.4		14.9
F	14.1	10.4	7.7	6.6	8.0	12.0	18.1		18.0
			SEPARATION RATE PER 100,000 POPULATION						
M	43.5	103.5	28.6	17.5	14.1	22.8	135.8		316.7
F	52.0	66.1	15.2	11.6	16.6	42.8	130.1		310.9
			PATIENT DAY RATE PER 100,000 POPULATION						
M	518	592	178	116	134	239	1952		4733
F	726	686	118	77	133	512	2353		5588
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	4008	246	262	352	185	558	989		755
F	4693	150	133	222	216	1037	969		819
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	47754	2360	1631	2334	1764	5854	14217		11281
F	66382	1558	1033	1481	1729	12399	17520		14726
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	92	87	86	77	89	92	100		103
F	93	89	76	80	72	89	93		93
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	95	94	81	82	98	90	106		110
F	97	111	102	87	73	92	94		95

1966

"CANADA"

DIAGNOSIS 58 - GASTRO-ENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
				2841	1213	1758	1198	914	668
M	22320	6307	7931	2516	1988	2747	1877	1603	989
F	24876	6631	6525						
				PATIENT DAYS					
				12046	4751	9666	8453	7135	6917
M	159244	54085	56191	11074	8980	17254	13654	15449	11169
F	183088	59790	45718						
				AVERAGE STAY					
				4.2	3.9	5.5	7.1	7.8	10.4
M	7.0	8.6	7.1	4.4	4.5	6.3	7.3	9.6	11.3
F	7.4	9.0	7.0						
				SEPARATION RATE PER 100,000 POPULATION					
				131.7	76.2	72.0	85.8	121.6	266.5
M	236.0	3214.6	892.4	121.7	125.8	113.6	135.6	199.2	326.4
F	259.5	3592.1	774.6						
				PATIENT DAY RATE PER 100,000 POPULATION					
				558	298	396	605	949	2759
M	1646	27566	6323	536	568	714	986	1920	3686
F	1910	32389	5427						
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				2649	1003	1765	1133	886	635
M	21756	7647	8177	2341	1635	2751	1713	1483	860
F	23408	8157	6779						
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
				11227	3922	9700	7989	6912	6576
M	151743	65574	57932	10310	7384	17290	12461	14296	9713
F	172270	73549	47499						
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
				108	103	107	92	93	110
M	94	84	133	101	91	109	105	112	103
F	103	112	134						
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
				107	91	107	103	92	118
M	82	70	120	100	87	103	87	115	97
F	95	101	133						

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ACULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	5066	34	46	111	344	984	1279	1383	885
F	7320	32	39	96	373	1124	1612	2336	1703
				PATIENT DAYS					
M	79320	401	467	1423	6215	16653	18958	20719	14484
F	122983	513	376	1603	6365	18720	24311	36434	34661
				AVERAGE STAY					
M	15.7	11.8	10.2	12.8	18.1	16.9	14.8	15.0	16.4
F	16.8	16.0	9.6	16.7	17.1	16.7	15.1	15.6	20.3
				SEPARATION RATE PER 100,000 POPULATION					
M	52.4	17.3	5.2	5.1	21.6	40.3	91.6	184.0	353.0
F	76.4	17.3	4.6	4.6	23.6	46.5	116.4	290.3	563.7
				PATIENT DAY RATE PER 100,000 POPULATION					
M	820	204	53	66	390	682	1357	2756	5777
F	1283	278	45	78	403	774	1756	4528	11439
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	4828	41	47	104	284	988	1209	1340	841
F	6888	39	41	89	307	1126	1472	2161	1485
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	75595	485	486	1328	5133	16705	17920	20073	13770
F	115718	631	394	1500	5239	18743	22192	33715	30144
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	109	132	84	137	115	128	117	96	102
F	112	244	137	103	115	109	111	102	115
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	108	126	110	133	94	133	117	96	98
F	106	178	99	120	123	103	112	101	97

1966

DIAGNOSIS 60 - CIRRHOSIS AND OTHER DISEASES OF LIVER

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	4513	20	37	119	142	1103	1757	1075	260
F	3196	14	19	155	263	816	1065	686	178
PATIENT DAYS									
M	98324	289	809	1248	1809	18029	36379	30925	8836
F	70536	345	218	1945	3141	14663	24058	20076	6090
AVERAGE STAY									
M	21.8	14.4	21.9	10.5	12.7	16.3	20.7	28.8	34.0
F	22.1	24.6	11.5	12.5	11.9	18.0	22.6	29.3	34.2
SEPARATION RATE PER 100,000 POPULATION									
M	46.7	10.2	4.2	5.5	8.9	45.2	125.8	143.0	103.7
F	33.3	7.6	2.3	7.5	16.6	33.7	76.9	85.2	58.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	1016	147	91	58	114	739	2605	4114	3525
F	736	187	26	94	199	606	1738	2495	2010
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	4301	24	38	111	117	1107	1661	1042	247
F	3007	17	20	144	216	817	972	635	155
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	93664	350	834	1167	1500	18101	34401	29963	8402
F	66382	425	228	1808	2587	14675	21964	18577	5297
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	101	65	68	33	46	110	114	114	120
F	88	89	56	43	54	82	106	115	99
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	117	50	96	34	52	116	126	144	101
F	109	66	56	46	68	96	114	150	103

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	20181	84	112	140	497	5223	6457	5460	2208
F	57729	56	105	220	5805	20937	15913	10972	3721
				PATIENT DAYS					
M	297886	2292	3001	2773	5310	62119	89542	90234	42615
F	733300	3341	2513	3186	59971	244117	215467	184943	69762
				AVERAGE STAY					
M	14.8	27.3	26.8	19.8	10.7	11.9	13.9	16.5	19.3
F	13.6	59.7	23.9	14.5	10.3	11.7	13.5	16.9	18.7
				SEPARATION RATE PER 100,000 POPULATION					
M	208.6	42.8	12.6	6.5	31.2	214.0	462.3	726.4	880.7
F	602.3	30.3	12.5	10.6	367.3	865.9	1149.5	1363.5	1228.1
				PATIENT DAY RATE PER 100,000 POPULATION					
M	3079	1168	338	129	334	2546	6411	12004	16993
F	8172	1810	298	154	3795	10096	15564	22983	23024
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	19232	102	115	131	411	5242	6105	5290	2099
F	54222	69	109	205	4775	20969	14526	10152	3236
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	283850	2778	3097	2595	4396	62361	84662	87429	40516
F	737061	4110	2608	2962	49336	244487	156693	171127	60673
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	129	111	112	130	133	138	123	131	140
F	123	105	125	96	130	131	115	119	116
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	126	128	171	202	134	138	119	125	132
F	121	213	114	140	130	129	112	117	108

1966

DIAGNOSIS 62 - OTHER DISEASES OF DIGESTIVE SYSTEM

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	17999	664	1388	1696	1375	4847	3925	2697	1407
F	17739	371	1287	1479	2099	5042	3608	2495	1358
PATIENT DAYS									
M	172318	6157	12356	11075	10085	38980	40283	34132	19250
F	184191	3585	10634	9461	15260	46769	40732	36770	20980
AVERAGE STAY									
M	9.6	5.3	8.9	6.5	7.3	8.0	10.3	12.7	13.7
F	10.4	5.7	8.3	6.4	7.3	9.3	11.3	14.7	15.4
SEPARATION RATE PER 100,000 POPULATION									
M	186.1	338.4	156.2	78.6	86.4	198.6	281.0	358.8	561.2
F	185.1	201.0	152.8	71.5	132.8	208.5	260.6	310.1	448.2
PATIENT DAY RATE PER 100,000 POPULATION									
M	1781	3138	1390	513	633	1597	2884	4541	7678
F	1922	1942	1262	458	966	1934	2942	4569	6924
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	17152	805	1431	1582	1137	4865	3711	2613	1338
F	16692	456	1337	1376	1727	5050	3294	2309	1181
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	164188	7465	12735	10322	8331	39116	38085	33073	18301
F	173352	4410	11045	8810	12558	46834	37180	34020	18246
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	107	91	115	111	98	104	113	115	122
F	102	80	116	102	92	102	99	106	110
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	103	82	117	109	92	102	106	111	105
F	98	87	118	99	87	100	95	108	87

1966

DIAGNOSIS 63 - NEPHRITIS AND NEPHROSIS

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	6736	19	475	1217	646	2495	1266	388	230	
F	4198	20	348	908	509	1376	522	353	162	
PATIENT DAYS										
M	87847	542	10138	24617	8429	17192	12764	7642	6523	
F	75685	384	7606	16902	6435	13104	9839	11385	10030	
AVERAGE STAY										
M	13.0	28.5	21.3	20.2	13.0	6.9	10.1	19.7	28.4	
F	18.0	19.2	21.9	18.6	12.6	9.5	18.8	32.3	61.9	
SEPARATION RATE PER 100,000 POPULATION										
M	69.6	9.7	53.4	56.4	40.6	102.2	90.6	51.6	91.7	
F	43.8	10.8	41.3	43.9	32.2	56.9	37.7	43.9	53.5	
PATIENT DAY RATE PER 100,000 POPULATION										
M	908	276	1141	1141	529	705	914	1017	2602	
F	790	208	903	817	407	542	711	1415	3310	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	6419	23	490	1135	534	2504	1197	376	219	
F	3950	25	362	845	419	1378	477	327	141	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	83708	657	10454	22957	6963	17268	12070	7407	6202	
F	71253	472	7903	15715	5291	13125	8985	10536	8723	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	170	52	103	106	126	356	246	100	113	
F	121	81	99	97	103	198	109	107	96	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	107	63	100	104	90	143	131	83	95	
F	113	68	106	103	84	137	103	132	122	

1966
DIAGNOSIS 64 - INFECTIONS OF KIDNEY

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	5462	149	302	845	512	1038	1068	927	621	
F	15890	242	1280	2953	2905	4128	2135	1518	729	
PATIENT DAYS										
M	72538	3190	3782	7067	4285	10194	12874	14295	16851	
F	168077	4204	13210	23053	20526	36257	24847	23512	22468	
AVERAGE STAY										
M	13.3	21.4	12.5	8.4	8.4	9.8	12.1	15.4	27.1	
F	10.6	17.4	10.3	7.8	7.1	8.8	11.6	15.5	30.8	
SEPARATION RATE PER 100,000 POPULATION										
M	56.5	75.9	34.0	39.2	32.2	42.5	76.5	123.3	247.7	
F	165.8	131.1	151.9	142.8	183.8	170.7	154.2	188.6	240.6	
PATIENT DAY RATE PER 100,000 POPULATION										
M	750	1626	426	328	269	418	922	1902	6722	
F	1754	2277	1568	1115	1299	1500	1795	2922	7415	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	5205	181	311	788	423	1042	1010	898	590	
F	14952	258	1330	2747	2390	4134	1949	1405	634	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	69142	3868	3903	6599	3541	10238	12176	13853	16022	
F	158199	5171	13724	21447	16887	36324	22685	21757	19540	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	102	159	122	105	95	89	108	106	104	
F	108	143	128	109	94	106	103	114	114	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	105	178	119	104	90	88	111	92	127	
F	108	146	129	109	72	102	101	114	170	

1966

DIAGNOSIS 65 - CALCULI OF KIDNEY, URETER AND OTHER PARTS OF URINARY SYSTEM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	13354	0	14	56	816	5404	4520	2036	508	
F	5808	2	5	58	689	2399	1565	875	215	
PATIENT DAYS										
M	119274	0	349	474	6146	39571	39478	23059	10197	
F	60761	43	105	622	5843	22141	16928	11421	3658	
AVERAGE STAY										
M	8.9	C.0	24.9	8.5	7.5	7.3	8.7	11.3	20.1	
F	10.5	21.5	21.0	10.7	8.5	9.2	10.8	13.1	17.0	
SEPARATION RATE PER 100,000 POPULATION										
M	138.0	C.C	1.6	2.6	51.3	221.4	323.6	270.9	202.6	
F	60.6	1.1	0.6	2.8	43.6	99.2	113.0	108.7	71.0	
PATIENT DAY RATE PER 100,000 POPULATION										
M	1233	C	39	22	386	1622	2827	3068	4067	
F	634	23	12	30	370	916	1223	1419	1207	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	12726	C	14	52	675	5424	4274	1973	483	
F	5465	2	5	54	567	2403	1425	810	187	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	113669	C	357	443	5080	39729	37333	22345	9694	
F	57183	52	105	577	4810	22182	15456	10566	3181	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	112	C	100	80	114	115	114	109	124	
F	116	100	63	72	99	128	119	110	84	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	104	0	149	69	106	104	106	97	135	
F	123	85	142	77	115	133	123	121	94	

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						
		1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		SEPARATIONS DURING YEAR						
M	15711	331	1944	1152	2984	2603	3377	2356
F	23499	290	3926	2545	5827	4204	3067	1449
		PATIENT DAYS						
M	178908	4289	17339	9897	24908	24816	42067	45153
F	216950	4272	27833	18013	47513	39277	33126	27668
		AVERAGE STAY						
M	11.4	10.8	8.9	8.6	8.3	9.5	12.5	19.2
F	9.2	8.8	7.1	7.1	8.2	9.3	10.8	19.1
		SEPARATION RATE PER 100,000 POPULATION						
M	162.4	108.5	90.1	72.4	122.3	186.4	449.2	939.8
F	245.2	260.1	189.9	161.0	241.0	303.7	381.1	478.2
		PATIENT DAY RATE PER 100,000 POPULATION						
M	1849	1175	804	622	1021	1777	5596	18011
F	2263	2285	1346	1140	1965	2837	4117	9131
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	14972	994	1813	952	2995	2461	3272	2240
F	22112	2276	3652	2094	5836	3838	2838	1260
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	170457	5200	16176	8187	25008	23467	40757	42930
F	204108	5255	25891	14820	47585	35853	30654	24062
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	114	156	120	107	115	100	112	122
F	125	189	160	118	116	106	112	124
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	110	139	117	85	96	85	109	143
F	121	210	152	115	110	104	110	118

1966

DIAGNOSIS 67 - HYPERPLASIA OF PROSTATE

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	18995	2	8	7	16	261	2673	9760	6268	
F	0	0	0	0	0	0	0	0	0	
PATIENT DAYS										
M	383840	8	48	30	183	2549	37200	185547	158275	
F	0	0	0	0	0	0	0	0	0	
AVERAGE STAY										
M	20.2	4.0	6.0	4.3	11.4	9.8	13.9	19.0	25.3	
F	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
SEPARATION RATE PER 100,000 POPULATION										
M	196.4	1.0	0.9	0.3	1.0	10.7	191.4	1298.4	2500.2	
F	0.0	C.C	0.0	0.0	0.0	0.0	0.0	C.0	0.0	
PATIENT DAY RATE PER 100,000 POPULATION										
M	3968	4	5	1	11	104	2663	24684	63133	
F	0	C	0	0	0	0	0	0	0	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	18102	2	8	7	13	262	2527	9457	5959	
F	0	C	0	0	0	0	0	0	0	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	365806	10	46	20	145	2547	35167	179781	150481	
F	0	C	0	0	0	0	0	0	0	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	110	200	800	70	43	91	107	115	108	
F	0	C	0	0	0	0	0	0	0	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	105	30	418	14	55	87	103	106	105	
F	0	C	0	0	0	0	0	0	0	

1966

DIAGNOSIS 68 - REDUNDANT PREPUCE AND PHIMOSIS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	9816	1679	2981	2378	1039	1071	350	215	103
F	0	0	0	0	0	0	0	0	0
PATIENT DAYS									
M	32414	4866	9205	7223	3700	3797	1603	1303	717
F	0	0	0	0	0	0	0	0	0
AVERAGE STAY									
M	3.3	2.9	3.1	3.0	3.6	3.5	4.6	6.1	7.0
F	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	101.5	855.8	335.4	110.2	65.3	43.9	25.1	28.6	41.1
F	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	335	2480	1036	335	232	156	115	173	286
F	0	C	0	0	0	0	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	9354	2036	3073	2218	859	1075	331	208	98
F	0	C	0	0	0	0	0	C	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	30883	5899	9492	6740	3054	3821	1519	1260	682
F	0	C	0	0	0	0	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	83	79	93	84	83	98	107	86	89
F	0	C	0	0	0	0	0	C	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	86	85	101	89	82	93	109	74	68
F	0	C	0	0	0	0	0	0	0

1966

DIAGNOSIS 69 - DISEASES OF OVARY, FALLOPIAN TUBE AND PARAMETRIUM, AND INFECTIVE DISEASE OF UTERUS, VAGINA AND VULVA

"CANADA"

- 150 -

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	0	0	0	0	0	0	0	0	0
F	23893	11	98	433	8350	19240	4592	936	233
				PATIENT DAYS					
M	0	0	0	0	0	0	0	0	0
F	245180	94	639	2766	53782	140204	36317	8605	2773
				AVERAGE STAY					
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	7.2	8.5	6.5	6.4	6.4	7.3	7.9	5.2	11.9
				SEPARATION RATE PER 100,000 POPULATION					
M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	353.6	6.0	11.6	20.9	528.4	795.7	331.7	116.3	76.9
				PATIENT DAY RATE PER 100,000 POPULATION					
M	0	0	0	0	0	0	0	0	0
F	2558	51	76	134	3403	5799	2623	1069	915
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	0	0	0	0	0	0	0	0
F	21893	14	102	403	6869	19270	4192	866	203
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	0	0	0	0	0	0	0	0
F	230715	116	665	2578	44240	140430	33149	7960	2411
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	0	0	0	0	0	0	0	0
F	96	100	64	74	96	97	99	100	111
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	0	0	0	0	0	0	0	0
F	90	94	45	64	90	91	94	88	98

1966
DIAGNOSIS 70 - UTEROVAGINAL PROLAPSE

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
M	0	C	0	0	0	0	0	0	0
F	21558	1	2	4	182	7393	8240	4811	925
SEPARATIONS DURING YEAR									
M	0	C	0	0	0	0	0	0	0
F	309030	4	29	72	2009	99375	116685	74580	15876
PATIENT DAYS									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	14.3	4.C	14.5	18.0	11.0	13.4	14.2	15.6	17.2
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	224.9	C.5	0.2	0.2	11.5	305.8	595.2	597.9	305.3
SEPARATION RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	3224	2	3	3	127	4110	8429	9318	5240
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	20286	1	2	4	150	7404	7522	4452	804
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	250784	5	26	58	1651	99529	106523	69380	13808
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	115	C	50	200	79	122	118	106	106
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	112	C	32	829	80	121	114	103	96
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100									

1966
DIAGNOSIS 71 - DISORDERS OF MENSTRUATION

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		ADULTS AND CHILDREN, BY AGE IN YEARS							
		SEPARATIONS DURING YEAR							
M	0	C	0	0	0	0	0	0	0
F	37929	C	1	480	6877	20230	9422	797	122
		PATIENT DAYS							
M	0	C	0	0	0	0	0	0	0
F	172075	C	13	1989	28319	94032	42730	4236	756
		AVERAGE STAY							
M	C.C	C.C	0.0	0.0	0.0	0.0	C.C	C.C	0.0
F	4.5	C.C	13.0.	4.1	4.1	4.6	4.5	5.3	6.2
		SEPARATION RATE PER 100,000 POPULATION							
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	395.7	C.C	0.1	23.2	435.2	836.7	680.6	99.0	40.3
		PATIENT DAY RATE PER 100,000 POPULATION							
M	0	C	0	0	0	0	0	0	0
F	1795	C	2	96	1792	3889	3087	526	250
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	0	C	0	0	0	0	0	0	0
F	35691	C	1	447	5657	20261	8601	737	106
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	0	C	0	0	0	0	0	0	0
F	161897	C	18	1847	23297	94177	39013	3917	659
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	0	C	0	0	0	0	0	0	0
F	112	C	33	96	96	110	132	146	154
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	0	C	0	0	0	0	0	0	0
F	105	C	46	84	88	106	116	122	105

1966

DIAGNOSIS 72 - OTHER DISEASES OF GENITAL ORGANS

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	12900	332	936	1219	1468	2920	2825	2333	867
F	30721	31	54	215	4155	16060	8628	1321	257
PATIENT DAYS									
M	105079	2267	4892	6776	9349	19506	23152	26359	12778
F	171507	276	302	1173	19077	87151	50551	10416	2561
AVERAGE STAY									
M	8.1	6.8	5.2	5.6	6.4	6.7	8.2	11.3	14.7
F	5.6	8.9	5.6	5.5	4.6	5.4	5.9	7.9	10.0
SEPARATION RATE PER 100,000 POPULATION									
M	133.3	169.2	105.3	56.5	92.2	119.7	202.3	310.4	345.8
F	320.5	16.8	6.4	10.4	262.9	664.2	623.2	164.2	84.8
PATIENT DAY RATE PER 100,000 POPULATION									
M	1086	1155	550	314	587	799	1658	3507	5097
F	1789	150	36	57	1207	3604	3651	1294	845
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	12293	403	965	1137	1214	2931	2671	2260	824
F	28908	38	56	200	3418	16085	7876	1222	224
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	100117	2748	5039	6318	7726	19570	21895	25543	12149
F	161356	341	315	1096	15691	87275	46140	9635	2227
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	104	88	101	104	109	107	104	107	108
F	100	55	90	84	91	98	106	127	138
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	97	86	100	99	98	98	96	103	95
F	94	60	123	88	83	94	98	115	110

1966

DIAGNOSIS 73 - COMPLICATIONS OF PREGNANCY

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	0	C	0	0	0	0	C	0	0
F	72304	C	0	75	32758	39111	360	0	0
				PATIENT DAYS					
M	0	C	0	0	0	0	0	0	0
F	309885	C	0	344	133359	174163	2019	0	0
				AVERAGE STAY					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	4.3	C.C	0.0	4.6	4.1	4.5	5.6	0.0	0.0
				SEPARATION RATE PER 100,000 POPULATION					
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	754.3	C.C	0.0	3.6	2072.9	1617.6	26.0	0.0	0.0
				PATIENT DAY RATE PER 100,000 POPULATION					
M	C	C	0	0	0	0	C	0	0
F	3233	C	0	17	8439	7203	146	0	0
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	C	0	0	0	0	0	0	0
F	68037	C	0	70	26948	39171	329	0	0
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	0	0	0	0	0	0	0	0	0
F	291596	C	0	327	109710	174429	1845	0	0
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	0	C	0	0	0	0	0	0	0
F	88	C	0	132	88	85	102	0	0
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	C	0	0	0	0	0	0	0	0
F	84	C	0	103	84	81	81	0	0

1966
DIAGNOSIS 74 - ABORTION

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	0	C	0	0	0	0	0	0	0
F	44402	C	0	22	14818	28911	650	1	0
PATIENT DAYS									
M	0	C	0	0	0	0	0	0	0
F	167647	C	0	107	54673	110036	2828	3	0
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	3.8	C.C	0.0	4.9	3.7	3.8	4.4	3.0	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	463.2	C.C	0.0	1.1	937.7	1195.7	47.0	0.1	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	0	C	0	0	0	0	0	0	0
F	1749	C	0	5	3460	4551	204	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	41782	C	0	20	12190	28955	593	1	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	C	0	0	0	0	0	0	0
F	157748	C	0	96	44981	110208	2578	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	73	C	0	83	74	72	90	100	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	C	0	0	0	0	0	0	0
F	68	C	0	78	69	67	86	0	0

1966

DIAGNOSIS 75 - DELIVERY WITHOUT MENTION OF COMPLICATIONS

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	C	0	0	0	0	0	0	0	0
F	302733	0	0	174	133883	167925	749	2	0
PATIENT DAYS									
M	0	0	0	0	0	0	0	0	0
F	1721622	0	0	1389	756766	958620	4838	9	0
AVERAGE STAY									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	5.7	C.C	0.0	8.0	5.7	5.7	6.5	4.5	0.0
SEPARATION RATE PER 100,000 POPULATION									
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	3158.4	C.C	0.0	8.4	8472.0	6945.1	54.1	0.2	0.0
PATIENT DAY RATE PER 100,000 POPULATION									
M	C	0	0	0	0	0	0	0	0
F	17962	0	0	67	47887	39647	349	1	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	284868	0	0	162	110138	168183	684	2	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	0	0	0	0	0	0	0	0	0
F	1620055	0	0	1289	622546	960099	4411	7	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	68	0	0	77	67	66	75	29	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	0	0	0	0	0	0	0	0	0
F	65	0	0	89	65	63	69	17	0

1966
DIAGNOSIS 76

- DELIVERY WITH SPECIFIED COMPLICATIONS

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59			
SEPARATIONS DURING YEAR										
M	0	C	0	0	0	0	0	0	0	0
F	69547	C	0	57	29513	39725	252	0	0	0
PATIENT DAYS										
M	C	0	0	0	0	0	0	0	0	0
F	592221	0	0	505	234683	354210	2823	0	0	0
AVERAGE STAY										
M	0.0	C.C	0.0	0.0	0.0	0.0	C.0	0.0	0.0	0.0
F	8.5	C.C	0.0	8.9	8.0	8.9	11.2	0.0	0.0	0.0
SEPARATION RATE PER 100,000 POPULATION										
M	0.0	C.C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F	725.6	C.C	0.0	2.8	1867.6	1643.0	18.2	0.0	0.0	0.0
PATIENT DAY RATE PER 100,000 POPULATION										
M	0	C	0	0	0	0	0	0	0	0
F	6179	C	0	24	14851	14649	204	0	0	0
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	C	0	0	0	0	0	0	0	0
F	65443	C	0	53	24279	39786	230	0	0	0
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	0	C	0	0	0	0	0	0	0	0
F	557206	C	0	462	193068	354743	2578	0	0	0
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	C	0	0	0	0	C	0	0	0
F	185	C	0	241	214	167	185	0	0	0
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	0	C	0	0	0	0	0	0	0	0
F	176	C	0	255	205	160	184	0	0	0

1966

DIAGNOSIS 77 - COMPLICATIONS OF THE PUERPERIUM

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59		
M	C	C	0	SEPARATIONS DURING YEAR				0	0
				0	0	0	0		
F	7827	C	0	7	3128	4639	53	0	0
M	0	C	0	PATIENT DAYS				0	0
				0	0	0	0		
F	70870	C	0	35	28992	41192	651	0	0
M	0.0	C.C	0.0	AVERAGE STAY				0.0	0.0
				0.0	0.0	0.0	0.0		
F	9.1	C.C	0.0	5.0	9.3	8.9	12.3	0.0	0.0
M	0.0	C.C	0.0	SEPARATION RATE PER 100,000 POPULATION				0.0	0.0
				0.0	0.0	0.0	0.0		
F	81.7	C.C	0.0	0.3	197.9	191.9	3.8	0.0	0.0
M	C	0	0	PATIENT DAY RATE PER 100,000 POPULATION				0	0
				0	0	0	0		
F	729	0	0	2	1835	1704	47	0	0
M	0	C	0	EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION				0	0
				0	0	0	0		
F	7265	C	0	7	2573	4646	48	0	0
M	C	0	0	EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION				0	0
				0	0	0	0		
F	66653	C	0	38	23856	41264	594	0	0
M	0	C	0	CASE RATE COMPARISON WITH 1962 CANADA RATE = 100				0	0
				0	0	0	0		
F	162	C	0	175	148	167	150	0	0
M	0	C	0	DAY RATE COMPARISON WITH 1962 CANADA RATE = 100				0	0
				0	0	0	0		
F	155	0	0	36	174	144	159	0	0

1966

DIAGNOSIS 78 - INFECTION OF SKIN AND SUBCUTANEOUS TISSUE

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				ADULTS AND CHILDREN, BY AGE IN YEARS					
				SEPARATIONS DURING YEAR					
M	14501	662	2467	3568	2175	2656	1657	524	392
F	11764	637	2498	2736	1467	1988	1275	780	383
				PATIENT DAYS					
M	111570	7503	20730	21743	12482	18092	14728	11054	5238
F	94833	6883	20511	16742	8185	14166	12473	9807	6066
				AVERAGE STAY					
M	7.7	11.3	8.4	6.1	5.7	6.8	8.9	12.0	13.4
F	8.1	10.8	8.2	6.1	5.6	7.1	5.8	12.6	15.8
				SEPARATION RATE PER 100,000 POPULATION					
M	149.9	337.4	277.6	165.4	136.6	108.8	118.6	122.9	156.4
F	122.7	345.1	296.5	132.3	92.8	82.2	92.1	96.9	126.4
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1153	3824	2333	1008	784	741	1054	1471	2089
F	989	3729	2435	810	518	586	901	1219	2002
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	13819	803	2543	3327	1798	2666	1567	895	373
F	11070	784	2595	2545	1207	1951	1164	722	333
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	106294	5056	21375	20281	10319	18150	13919	10714	4979
F	89201	8468	21312	15581	6734	14151	11387	9076	5276
				CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100					
M	78	78	93	83	67	71	80	84	78
F	79	83	103	83	62	70	75	80	94
				DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100					
M	78	70	98	83	68	75	82	81	72
F	75	75	103	85	62	75	81	74	78

1966

"CANADA"

DIAGNOSIS 79 - OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	
SEPARATIONS DURING YEAR									
M	14322	1068	1416	2264	2532	2589	2096	1548	809
F	15811	788	1184	2037	2757	3596	2804	1777	868
PATIENT DAYS									
M	166738	14906	16332	16173	17064	29581	28657	26775	17250
F	184675	10556	12601	15257	22666	37867	37069	28116	20503
AVERAGE STAY									
M	11.6	14.0	11.5	7.1	6.7	11.4	13.7	17.3	21.3
F	11.7	13.4	10.6	7.5	8.2	10.5	13.2	15.8	23.6
SEPARATION RATE PER 100,000 POPULATION									
M	148.0	544.3	159.3	104.9	159.0	106.1	150.1	205.9	322.7
F	165.0	426.5	140.6	98.5	174.5	148.7	202.5	220.8	286.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	1724	7597	1838	750	1072	1212	2052	3562	6881
F	1927	5740	1496	738	1434	1566	2678	3494	6767
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	13648	1295	1460	2111	2093	2599	1982	1500	769
F	14878	569	1230	1895	2268	3602	2560	1644	755
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	158934	18072	16840	15090	14109	29686	27098	25943	16401
F	173803	13034	13093	14196	18642	37923	33844	26016	17832
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	90	98	105	80	77	90	102	92	103
F	90	104	120	80	81	88	92	92	110
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	91	91	98	83	82	101	101	87	98
F	95	91	103	85	92	95	99	92	101

1966
DIAGNOSIS 80

ARTHRITIS AND RHEUMATISM, EXCEPT RHEUMATIC FEVER

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		ADULTS AND CHILDREN, BY AGE IN YEARS							
		SEPARATIONS DURING YEAR							
M	17697	27	252	856	873	4121	5229	4359	1980
F	22560	18	221	832	1066	4396	6458	6187	3382
		PATIENT DAYS							
M	367004	311	3347	10562	10329	64457	101533	104196	72269
F	621211	584	2978	11785	14991	78272	138279	194041	180281
		AVERAGE STAY							
M	20.7	11.5	13.3	12.3	11.8	15.6	19.4	23.9	36.5
F	27.5	32.4	13.5	14.2	14.1	17.8	21.4	31.4	53.3
		SEPARATION RATE PER 100,000 POPULATION							
M	182.9	13.8	28.4	39.7	54.8	168.9	374.4	579.9	789.8
F	235.4	9.8	26.2	40.2	67.5	181.8	466.5	768.9	1116.2
		PATIENT DAY RATE PER 100,000 POPULATION							
M	3794	159	377	490	649	2641	7269	13861	28827
F	6481	316	354	570	949	3237	9588	24113	59499
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	16865	33	260	798	722	4136	4544	4223	1883
F	21229	22	230	774	877	4403	5895	5725	2941
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	349765	378	3454	9859	8542	64688	95992	100954	68711
F	584544	718	3098	10964	12337	78388	126225	179541	156792
		CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	101	67	127	107	81	100	103	105	104
F	107	76	116	101	85	101	106	108	111
		DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	103	60	103	109	75	101	119	100	99
F	102	142	77	114	103	101	103	103	91

DISPLACEMENT OF INTERVERTEBRAL DISC

"CANADA"

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS					45 - 59	60 - 74	75 +
			1 - 4	5 - 14	15 - 24	25 - 44				
			SEPARATIONS DURING YEAR							
M	11611	1	4	26	571	5825	3863	1174	147	
F	8637	1	2	18	495	4049	2581	925	166	
			PATIENT DAYS							
M	187344	5	23	299	8871	91022	62873	20377	3874	
F	150377	13	7	379	7190	67819	53920	17203	3846	
			AVERAGE STAY							
M	16.1	5.0	5.7	11.5	15.5	15.6	16.3	17.4	26.4	
F	17.4	13.0	3.5	21.1	14.5	16.7	18.1	18.6	23.2	
			SEPARATION RATE PER 100,000 POPULATION							
M	120.0	C.5	0.5	1.2	35.9	238.7	276.6	156.2	58.6	
F	90.1	C.5	0.2	0.9	31.3	167.5	215.3	114.9	54.8	
			PATIENT DAY RATE PER 100,000 POPULATION							
M	1937	3	3	14	557	3730	4502	2711	1545	
F	1569	7	1	18	455	2805	3895	2138	1269	
			EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	11065	1	4	24	472	5847	3652	1138	140	
F	8127	1	2	17	407	4055	2721	856	144	
			EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	178570	7	27	282	7331	91362	59452	19745	3693	
F	141514	16	9	346	5915	67926	49224	15519	3344	
			CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	101	C	100	185	85	99	107	121	121	
F	108	C	67	113	86	104	117	124	119	
			DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	96	O	71	112	85	93	100	116	173	
F	101	C	13	214	82	95	109	111	134	

SEX	ALL AGES	UNDER 1	ADULTS AND CHILDREN, BY AGE IN YEARS							75 +
			1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74		
SEPARATIONS DURING YEAR										
M	23852	301	1215	3817	4090	6708	4735	2317	669	
F	24487	155	861	2878	3656	5871	6049	3619	1398	
PATIENT DAYS										
M	339179	5025	17848	64394	45957	75356	62110	43579	24910	
F	379887	3258	11032	40065	38069	57801	75498	73958	80206	
AVERAGE STAY										
M	14.2	16.7	14.7	16.9	11.2	11.2	13.1	18.8	37.2	
F	15.5	21.0	12.8	13.9	10.4	9.8	12.5	20.4	57.4	
SEPARATION RATE PER 100,000 POPULATION										
M	246.6	153.4	136.7	176.9	256.9	274.9	339.0	308.2	266.9	
F	255.5	84.0	102.2	139.2	231.3	242.8	436.9	449.7	461.4	
PATIENT DAY RATE PER 100,000 POPULATION										
M	3506	2561	2008	2985	2887	3088	4447	5797	9936	
F	3963	1765	1310	1938	2409	2391	5453	9191	26471	
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	22730	365	1253	3559	3381	6733	4477	2245	636	
F	23042	191	895	2677	3008	5880	5522	3349	1216	
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION										
M	323214	6092	18398	60058	37998	75637	58726	42221	23683	
F	357437	4008	11466	37278	31318	57901	68913	68434	69757	
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	117	79	103	112	119	120	121	120	123	
F	120	73	116	101	117	120	124	124	130	
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100										
M	108	77	95	112	109	110	109	96	149	
F	119	80	100	91	113	111	100	117	196	

SEX	ALL AGES	UNDER 1	1 - 4	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +	
				5 - 14	15 - 24	25 - 44	45 - 59				
SEPARATIONS DURING YEAR											
M	16951	3857	3561	5405	1544	1401	746	384	53		
F	14570	2692	2963	3094	2223	2363	837	315	83		
PATIENT DAYS											
M	254192	77015	61743	61741	18426	18940	10700	4881	746		
F	223073	55297	55880	42238	20746	28503	13508	4580	1921		
AVERAGE STAY											
M	15.0	20.0	17.3	11.4	11.9	13.5	14.3	12.7	14.1		
F	15.3	20.5	18.9	13.7	9.3	12.1	16.1	15.8	23.1		
SEPARATION RATE PER 100,000 POPULATION											
M	175.2	1965.9	400.7	250.5	97.0	57.4	53.4	51.1	21.1		
F	152.0	1458.3	351.7	149.6	140.7	97.7	60.5	39.1	27.4		
PATIENT DAY RATE PER 100,000 POPULATION											
M	2628	39253	6948	2862	1157	776	766	649	298		
F	2327	25955	6633	2043	1313	1179	976	619	634		
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	16154	4676	3671	5040	1276	1406	705	372	50		
F	13710	3311	3078	2878	1829	2367	764	291	72		
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION											
M	242273	93375	63658	57583	15228	19007	10116	4727	710		
F	209880	68021	58054	39298	17069	28551	12334	4609	1671		
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100											
M	114	123	133	118	106	113	126	131	74		
F	115	113	122	124	123	142	124	112	86		
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100											
M	109	129	145	115	76	99	115	83	45		
F	109	118	134	113	97	135	116	95	103		

[illegible]

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		ADULTS AND CHILDREN, BY AGE IN YEARS							
		SEPARATIONS DURING YEAR							
M	38061	1474	3779	6768	3734	8370	6763	4565	2608
F	37945	1206	3095	6324	6038	9588	6039	3733	1922
		PATIENT DAYS							
M	270700	12924	24954	38099	19682	50844	48053	40352	34792
F	294785	11243	19990	34767	33027	69049	52435	39854	34420
		AVERAGE STAY							
M	7.1	5.4	6.6	5.6	5.3	6.1	7.1	8.8	13.3
F	7.8	5.3	6.5	5.5	5.5	7.2	8.7	10.7	17.9
		SEPARATION RATE PER 100,000 POPULATION							
M	393.4	751.3	425.2	313.7	234.5	343.0	484.2	607.3	1040.3
F	395.9	653.3	367.4	305.8	382.1	396.5	436.2	463.9	634.3
		PATIENT DAY RATE PER 100,000 POPULATION							
M	2798	7097	2808	1766	1236	2084	3440	5368	13878
F	3075	6090	2373	1681	2090	2856	3788	4953	11360
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	36271	1787	3896	6311	3087	8401	6394	4423	2480
F	25706	1484	3216	5883	4967	9603	5513	3454	1672
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	257945	16882	25727	35532	16268	51045	45428	39097	33079
F	277345	13825	20769	32334	27171	69161	47872	36879	29936
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	118	122	130	126	111	124	122	107	102
F	114	117	123	121	106	119	118	104	87
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	96	119	134	128	98	113	95	87	61
F	91	125	124	117	95	107	105	78	47

1966

"CANADA"

DIAGNOSIS 86 - FRACTURE OF OR INVOLVING SKULL OR FACE BONES, AND HEAD INJURY EXCEPT OPEN WOUND, CONTUSION AND HAEMATOMA OF SCALP

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		ADULTS AND CHILDREN, BY AGE IN YEARS							
		SEPARATIONS DURING YEAR							
M	28882	450	2831	6520	8458	6174	2568	1366	475
F	12817	405	2040	2996	2701	2217	1244	775	439
		PATIENT DAYS							
M	226068	3228	14784	32256	57855	62431	27352	20833	7329
F	92787	2258	9848	15926	17499	19215	12291	8544	7166
		AVERAGE STAY							
M	7.8	6.6	5.2	4.9	6.8	10.1	10.7	15.3	15.4
F	7.2	5.7	4.8	5.3	6.5	8.7	9.9	11.0	16.3
		SEPARATION RATE PER 100,000 POPULATION							
M	298.6	245.7	318.6	302.2	531.3	253.0	183.9	181.7	189.5
F	132.7	215.4	242.2	144.9	170.9	91.7	89.9	96.3	144.9
		PATIENT DAY RATE PER 100,000 POPULATION							
M	2337	1645	1664	1495	3634	2558	1558	2771	2923
F	568	1245	1169	770	1107	795	888	1062	2365
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	27524	594	2919	6080	6993	6197	2428	1324	452
F	12061	498	2120	2787	2222	2220	1136	717	382
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	215446	3513	15246	30079	47830	62655	25857	20182	6967
F	87307	2827	10231	14811	14391	19252	11222	7907	6232
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	116	132	118	111	119	108	112	119	125
F	117	136	123	112	116	114	118	117	126
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	124	107	112	109	123	128	115	142	140
F	108	106	125	120	96	113	110	102	81

1966

DIAGNOSIS 87 - FRACTURE OF SPINE AND TRUNK

"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	9047	1	57	426	1644	2518	2068	1534	799
F	6153	0	39	241	951	1090	1206	1312	1314
PATIENT DAYS									
M	197637	9	794	5795	36506	62519	41284	31720	19010
F	143741	0	685	4487	19146	20167	23855	30821	44580
AVERAGE STAY									
M	21.8	5.0	13.9	13.6	22.2	24.8	20.0	20.7	23.8
F	23.4	0.0	17.6	18.6	20.1	18.5	19.8	23.5	33.9
SEPARATION RATE PER 100,000 POPULATION									
M	93.5	0.5	6.4	19.7	103.3	103.2	148.1	204.1	318.7
F	64.2	0.0	4.6	11.7	60.2	45.1	87.1	163.0	433.7
PATIENT DAY RATE PER 100,000 POPULATION									
M	2043	5	89	269	2293	2562	2956	4220	7583
F	1500	0	81	217	1212	834	1723	3830	14713
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	8621	1	59	397	1359	2527	1955	1486	760
F	5750	0	41	224	782	1092	1101	1214	1143
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	188342	12	815	5412	30180	62753	39036	30736	18075
F	135290	0	709	4174	15756	20196	21775	28517	38772
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	106	33	102	105	112	100	102	111	114
F	110	0	117	99	126	103	103	103	109
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	115	60	117	110	104	119	113	115	113
F	111	0	207	92	111	97	107	105	113

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	17880	54	960	7388	3526	2884	1681	1001	386
F	13420	30	712	3856	906	1259	2274	2716	1667
				PATIENT DAYS					
M	58297	430	4253	25320	18114	18636	13356	11276	6912
F	92127	285	2960	12633	4933	6745	14687	22612	27272
				AVERAGE STAY					
M	5.5	8.0	4.4	3.4	5.1	6.5	7.9	11.3	17.9
F	6.9	9.5	4.2	3.3	5.4	5.4	6.5	8.3	16.4
				SEPARATION RATE PER 100,000 POPULATION					
M	184.8	27.5	108.0	342.4	221.5	118.2	120.4	133.2	154.0
F	140.0	16.3	84.5	186.5	57.3	52.1	164.3	337.5	550.2
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1016	219	479	1174	1138	764	956	1500	2757
F	961	154	351	611	312	279	1061	2810	9001
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	17039	65	990	6889	2915	2895	1589	970	367
F	12628	37	740	3587	745	1261	2076	2513	1450
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	93664	521	4389	23621	14978	18713	12625	10925	6571
F	86676	350	3072	11753	4056	6756	13409	20923	23720
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	91	110	89	87	92	89	90	93	78
F	89	61	84	91	94	82	82	83	97
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	91	91	102	90	94	86	92	83	99
F	95	63	83	94	93	84	97	90	95

1966
DIAGNOSIS 89 - FRACTURE OF FEMUR

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59
						60 - 74	75 +
SEPARATIONS DURING YEAR							
M	6522	97	630	1145	880	659	584
F	10139	56	295	486	241	265	965
							1596
							5405
PATIENT DAYS							
M	271767	2063	19041	37778	35051	25509	28122
F	521289	1886	8481	15392	10693	10232	35184
							44900
							116104
							79303
							323317
AVERAGE STAY							
M	41.7	21.3	30.2	33.0	39.8	38.7	48.2
F	51.4	15.6	28.7	31.7	44.4	38.6	48.7
							49.7
							59.8
SEPARATION RATE PER 100,000 POPULATION							
M	67.4	45.4	70.9	53.1	55.3	27.0	41.8
F	105.8	52.0	35.0	23.5	15.3	11.0	69.7
							123.9
							296.5
							636.6
							1783.8
PATIENT DAY RATE PER 100,000 POPULATION							
M	2809	1051	2143	1751	2202	1045	2013
F	5439	1022	1007	744	677	423	2541
							5973
							14428
							31633
							106705
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	6215	118	650	1068	728	661	552
F	9541	118	306	452	198	265	881
							902
							2208
							1517
							4701
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	258959	2500	19634	35230	28982	25596	26583
F	490563	2321	8814	14311	8801	10243	32112
							43503
							107428
							75399
							281190
CASE RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	114	131	115	108	140	112	96
F	110	120	107	119	135	90	112
							105
							95
							118
							107
DAY RATE CCMPARISON WITH 1962 CANADA RATE = 100							
M	111	134	117	115	140	113	113
F	100	118	114	113	151	93	112
							98
							94
							102
							91

1966
DIAGNOSIS 90 - OTHER FRACTURES OF LOWER LIMBS (EXCLUDING FEMUR) "CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS					60 - 74	75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44		
		SEPARATIONS DURING YEAR						
M	15414	50	374	2492	3997	4479	1215	302
F	8515	23	185	1247	1122	1729	1603	704
		PATIENT DAYS						
M	208008	406	2453	19415	48089	61026	26190	9387
F	139601	200	1294	9128	12311	20402	36340	29666
		AVERAGE STAY						
M	13.5	8.1	6.6	7.8	13.6	16.4	21.6	31.1
F	16.4	8.7	7.0	7.3	11.8	15.9	22.7	42.1
		SEPARATION RATE PER 100,000 POPULATION						
M	159.3	25.5	42.1	115.5	251.1	179.4	161.6	120.5
F	88.8	12.5	22.0	60.3	71.0	137.4	199.2	232.3
		PATIENT DAY RATE PER 100,000 POPULATION						
M	2150	207	276	900	3021	2501	2938	3744
F	1456	108	154	441	779	844	2186	9791
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	14689	61	386	2324	3304	4496	1177	287
F	8012	28	192	1160	923	1732	1483	612
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION						
M	198206	492	2529	18108	39762	61259	25375	8924
F	131322	245	1348	8483	10127	20438	33625	25801
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	99	469	88	96	113	95	90	84
F	93	215	69	89	108	81	98	89
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100						
M	94	170	105	95	113	91	76	95
F	90	104	74	88	104	73	88	87

1966

DISLOCATION WITHOUT FRACTURE, AND SPRAINS AND STRAINS OF JOINTS AND ADJACENT MUSCLES

"CANADA"

DIAGNOSIS 91

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	16895	11	99	1150	4035	6956	3187	1137	320
F	7623	6	104	665	1588	2288	1622	846	514
				PATIENT DAYS					
M	136675	92	714	5193	26067	58904	30203	10855	4647
F	66133	68	516	3414	10704	20324	16377	8571	6159
				AVERAGE STAY					
M	8.1	8.4	7.2	4.5	6.5	8.5	9.5	9.5	14.5
F	8.7	11.3	5.0	5.1	6.7	8.9	10.1	10.1	12.0
				SEPARATION RATE PER 100,000 POPULATION					
M	174.6	5.6	11.1	53.3	253.5	285.0	228.2	151.3	127.6
F	79.6	3.3	12.3	32.2	100.5	94.6	117.2	105.1	169.6
				PATIENT DAY RATE PER 100,000 POPULATION					
M	1413	47	80	241	1637	2414	2162	1444	1854
F	690	37	61	165	677	841	1183	1065	2033
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	16100	13	102	1072	3336	6982	3013	1102	304
F	7183	7	108	619	1306	2292	1481	783	447
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	130263	112	733	4849	21546	59128	28551	10517	4419
F	62234	84	534	3174	8801	20366	14950	7930	5357
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	104	57	59	85	94	106	110	115	109
F	98	29	93	82	94	99	106	87	106
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	104	28	65	84	94	103	109	123	149
F	100	104	94	88	87	102	109	93	97

1966
DIAGNOSIS 92

- INTERNAL INJURY OF CHEST, ABDOMEN AND PELVIS
"CANADA"

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
ADULTS AND CHILDREN, BY AGE IN YEARS									
SEPARATIONS DURING YEAR									
M	3426	4	96	612	992	902	458	283	79
F	1012	4	53	205	230	216	161	99	44
PATIENT DAYS									
M	48264	23	1100	7467	12473	13320	7482	4837	1562
F	15398	63	565	2587	2743	3769	2992	1518	761
AVERAGE STAY									
M	14.1	5.7	11.5	12.2	12.6	14.8	16.3	17.1	19.8
F	15.2	15.7	10.7	12.6	11.9	17.4	18.6	19.4	17.3
SEPARATION RATE PER 100,000 POPULATION									
M	35.4	2.0	10.8	28.4	62.3	37.0	32.8	37.6	31.5
F	10.6	2.2	6.3	9.9	14.6	8.9	11.6	12.3	14.5
PATIENT DAY RATE PER 100,000 POPULATION									
M	499	12	124	346	783	546	536	643	623
F	161	34	67	125	174	156	216	238	251
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	3265	5	99	571	820	905	433	274	75
F	952	5	55	191	189	216	147	92	38
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	46002	29	1136	6962	10306	13374	7078	4683	1485
F	14521	77	586	2404	2262	3778	2730	1772	661
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	150	100	132	140	157	143	126	188	156
F	146	125	190	149	162	117	144	139	173
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	150	64	139	137	158	138	131	191	243
F	154	296	260	165	154	146	135	139	195

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS							
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
SEPARATIONS DURING YEAR									
M	7000	256	1770	1244	1179	1441	655	325	130
F	3822	181	1261	642	427	610	346	230	125
PATIENT DAYS									
M	115801	3300	25290	23905	14207	23005	13376	8460	4258
F	67668	2847	23475	10741	4884	9725	6844	5452	3700
AVERAGE STAY									
M	16.5	12.9	14.3	19.2	12.1	16.0	20.4	26.0	32.8
F	17.7	15.7	18.6	16.7	11.4	15.9	19.8	23.7	29.6
SEPARATION RATE PER 100,000 POPULATION									
M	72.4	130.5	199.2	57.7	74.1	59.1	46.9	43.2	51.9
F	39.9	98.0	149.7	31.0	27.0	25.2	25.0	28.6	41.3
PATIENT DAY RATE PER 100,000 POPULATION									
M	1197	1682	2846	1108	892	943	958	1125	1698
F	706	1542	2787	519	309	402	494	678	1221
EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	6671	310	1825	1160	975	1446	619	315	124
F	2556	223	1310	597	351	611	316	213	109
EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION									
M	110350	4001	26075	22293	11740	23098	12651	8194	4047
F	63677	2502	24393	9983	4017	9735	6243	5048	3218
CASE RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	101	115	104	114	105	92	100	115	89
F	97	110	102	101	92	99	102	102	99
DAY RATE COMPARISON WITH 1962 CANADA RATE = 100									
M	104	110	102	112	102	100	114	114	98
F	102	113	115	96	94	110	92	107	99

1966
DIAGNOSIS 94 - OTHER AND UNSPECIFIED EFFECTS OF ACCIDENTS, POISONINGS AND VIOLENCE

"CANADA"

SEX	ALL AGES	ADULTS AND CHILDREN, BY AGE IN YEARS						75 +
		UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74
M	611C2	584	8302	10236	13949	14422	7683	4268
F	37050	395	5776	5807	6703	8592	4842	3017
				SEPARATIONS DURING YEAR				
M	383722	3895	33753	53818	75528	91210	60995	42156
F	239644	31C2	22038	29040	30418	52850	40921	33385
				PATIENT DAYS				
M	6.3	6.7	4.1	5.3	5.4	6.3	7.9	9.9
F	6.5	7.9	3.8	5.0	4.5	6.2	8.5	11.1
				AVERAGE STAY				
M	631.6	297.7	934.2	474.4	876.2	591.0	550.1	567.8
F	386.5	214.C	685.7	280.8	424.2	355.3	349.8	374.9
				SEPARATION RATE PER 100,000 POPULATION				
M	3967	1985	3798	2494	4744	3738	4367	5608
F	2500	168C	2616	1404	1925	2186	2956	4149
				PATIENT DAY RATE PER 100,000 POPULATION				
M	58228	7C8	8559	9545	11532	14476	7264	4135
F	34864	486	6001	5402	5514	8605	4420	2752
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
M	365713	4722	34798	50179	62439	91558	57669	40845
F	225484	3815	22896	27006	25026	52937	37357	30893
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION				
M	99	97	106	94	95	92	101	113
F	1C8	1C1	104	100	109	116	109	112
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100				
M	113	113	98	93	98	93	102	99
F	147	147	101	107	104	114	117	114
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100				
M	99	99	98	93	98	93	102	125
F	112	147	101	107	104	114	117	111

1966

"CANADA"

-- MEDICAL OR SPECIAL EXAMINATION (WITHOUT SICKNESS)

DIAGNOSIS 95

- 176

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
		ADULTS AND CHILDREN, BY AGE IN YEARS							
		SEPARATIONS DURING YEAR							
M	404	53	25	36	17	75	121	56	21
F	338	60	24	42	46	86	49	25	6
		PATIENT DAYS							
M	1410	302	61	186	62	239	258	188	114
F	1225	315	101	176	122	284	149	65	13
		AVERAGE STAY							
M	3.5	5.7	2.4	5.2	3.6	3.2	2.1	3.4	5.4
F	3.6	5.2	4.2	4.2	2.7	3.3	3.0	2.6	2.2
		SEPARATION RATE PER 100,000 POPULATION							
M	4.2	27.0	2.8	1.7	1.1	3.1	8.7	7.4	8.4
F	3.5	32.5	2.8	2.0	2.9	3.6	3.5	3.1	2.0
		PATIENT DAY RATE PER 100,000 POPULATION							
M	15	154	7	9	4	10	18	25	45
F	13	171	12	9	8	12	11	8	4
		EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	385	64	26	34	14	75	114	54	20
F	318	74	25	39	38	86	45	23	5
		EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION							
M	1383	366	64	181	53	245	238	182	107
F	1173	388	105	173	104	251	139	60	11
		CASE RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	96	267	130	92	39	76	100	92	167
F	66	389	139	139	22	56	76	92	50
		DAY RATE COMPARISON WITH 1962 CANADA RATE = 100							
M	137	421	86	174	65	105	113	102	261
F	91	408	244	225	39	85	112	34	7

1966
DIAGNOSIS 98 - OTHER SPECIAL ADMISSIONS, EXAMINATIONS, ETC.

"CANADA"

ADULTS AND CHILDREN, BY AGE IN YEARS

SEX	ALL AGES	UNDER 1	1 - 4	5 - 14	15 - 24	25 - 44	45 - 59	60 - 74	75 +
				SEPARATIONS DURING YEAR					
M	9484	333	355	876	1231	2094	1818	1866	911
F	11397	250	407	773	1530	2630	1807	2246	1714
				PATIENT DAYS					
M	201955	3668	7370	15096	23600	36941	38165	48420	28695
F	302029	4193	9716	15450	15308	32077	51631	87240	86414
				AVERAGE STAY					
M	21.3	11.0	20.8	17.2	19.2	17.6	21.0	25.9	31.5
F	26.5	14.5	23.9	20.0	10.0	12.2	28.6	38.8	50.4
				SEPARATION RATE PER 100,000 POPULATION					
M	98.0	169.7	39.9	40.6	77.3	85.8	130.2	248.2	363.4
F	118.9	157.1	48.3	37.4	96.8	108.8	130.5	275.1	565.7
				PATIENT DAY RATE PER 100,000 POPULATION					
M	2088	1870	829	700	1482	1514	2733	6441	11446
F	3151	2271	1153	747	969	1327	3729	10841	28519
				EXPECTED CASES STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	9038	404	366	817	1018	2102	1719	1808	866
F	10724	357	423	719	1259	2634	1650	2078	1491
				EXPECTED DAYS STANDARDIZED TO 1961 CANADA CENSUS POPULATION					
M	192490	4448	7595	14084	19506	37083	36091	46912	27282
F	284200	5157	10091	14369	12597	32135	47126	80720	75154
				CASE RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	146	110	134	133	149	157	150	147	163
F	146	151	155	165	118	141	146	140	170
				DAY RATE COMPARISON WITH 1962 CANADA RATE = 100					
M	225	212	210	285	285	198	241	227	201
F	201	330	417	279	177	187	187	182	196

Total separations (1-98, less newborn diagnoses 96, 97) M. 1,254,538
F. 1,788,778

Total days (1-98, less newborn diagnoses 96, 97) M. 16,164,969
F. 20,654,867

NOTES: TABLE 6

Hospitalized patients may be classified as PLAN or NON-PLAN according to the responsibility for payment of hospitalization costs as outlined in Table 1. Basically Table 6 presents combined data from nine provinces (Newfoundland, Prince Edward Island, New Brunswick, Quebec, Ontario, Manitoba, Saskatchewan, Alberta and British Columbia) and two territories (Yukon and Northwest Territories) concerning in-patients separated from general hospitals and chronic hospitals (including patients hospitalized out-of-province or out-of-territory) who were insured under a provincial or territorial hospital insurance plan.

Because of differences in reporting procedures in the various provinces, Table 6 excludes "newborns" in all diagnoses. In addition, Table 6 should not be considered as an exact representation of the combined experience of provincial and territorial plans because of the inclusion, in data provided by some provinces, of NON-PLAN separations and patient-days, and the exclusion in some provinces of certain categories of PLAN separations and patient-days.

The provinces and territories have added to, or deleted from, the basic PLAN data as follows:

1. NEWFOUNDLAND: - Included: PLAN separations and days, and some NON-PLAN separations and days.
2. PRINCE EDWARD ISLAND: - Included: PLAN and NON-PLAN separations and days. Also included are 10 separations and 2552 patient-days not included in other tables.
3. NEW BRUNSWICK: - Included: PLAN separations and days only.
4. QUEBEC: - PLAN and NON-PLAN separations and days.
5. ONTARIO: - Data is based on claims processed January 1 - December 31, 1966. Included: PLAN and NON-PLAN separations and days of Ontario residents; separations and days of out-of-province residents hospitalized in Ontario hospitals; separations and days of patients hospitalized in federal (including D.V.A.) hospitals for whom the Ontario Hospital Services Commission was responsible for payment. Excluded: - Approximately 2873 separations and 33,834 days of patients with age "unspecified".

6. MANITOBA: - Included: PLAN and NON-PLAN separations and days of Manitoba residents. Excluded: Non-resident separations and days.
7. SASKATCHEWAN: - Included: PLAN separations and days only. Excluded: PLAN separations and days from geriatric hospitals in Regina, Saskatoon, Melfort, and Swift Current.
8. ALBERTA: - Included: PLAN and NON-PLAN separations and days of Alberta residents. Excluded: Separations and days of non-residents.
9. BRITISH COLUMBIA: - Included: PLAN separations and days of patients hospitalized in the province. Excluded: PLAN separations and days of persons hospitalized out-of-province.
10. YUKON: - Included: PLAN separations and days only.
11. NORTHWEST TERRITORIES: - Included: PLAN separations and days only.

Note concerning diagnoses 75 and 76: Changes in coding procedures in Ontario resulted in more separations and days coded to (76) "Delivery with specified complications" and fewer separations and days coded to (75) "Delivery without mention of complications".

TABLE 7(a) NUMBER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES(1), 1966.

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					18885							
33	Inflammatory and other diseases of central nervous system												140
38	Arteriosclerotic and degenerative heart disease	1326	848	4529	3935	27567	42909	5791	5966	7770	10631	67	
46	Acute upper respiratory infections	1694	420		2352				5442	7201	5094	89	
48	Pneumonia	2723	1383	4539	3534	16562	31681	7697	10323	11525	12656	206	1133
49	Bronchitis	1565	576	2457	2002	14242		4937	7312	8795	6881	111	280
50	Hypertrophy of tonsils and adenoids	2010	701	5867	5238	45450	86137	7961	11476	15936	19957	61	138
55	Appendicitis		352	2065			17637						
56	Hernia of abdominal cavity			2132		17340	29103	3552		6683	6614		
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over				2159			3737	5256			67	208
61	Diseases of gallbladder and pancreas		437	2431	2385	26517	24051	4637	5256	7082	6697		
73	Complications of pregnancy	2738	518	3112	2535	17941	25682	3692	4857	6550	7507	64	220
74	Abortion	1333											112
75	Delivery without mention of complications	11867	2216	13890	11049	102851	95255(1)	15725	16936	21430	24479	331	854
76	Delivery with specified complications	1523					39316(1)			9331	7193		154
78.													332
85	Symptoms, senility, and ill-defined conditions	1375	832	3971	3015	22887	22497	6129	6583			109	
86	Fracture of skull, face bones and head injury except open wound, contusion and haematoma of scalp											66	

(1) See references at the end of Table 6.

TABLE 7(b) RANK ORDER OF SEPARATIONS, BOTH SEXES AND ALL AGES, FOR THE TEN MOST COMMON DIAGNOSES, FOR TEN PROVINCES AND TWO TERRITORIES(1), 1966.

(1) See footnotes, Table 6, for details

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					6							
33	Inflammatory and other diseases of central nervous system												8
38	Arteriosclerotic and degenerative heart disease	10	3	4	3	3	3	5	6	6	4	6	
46	Acute upper respiratory infections	5	9		8				7	7	10	5	1
48	Pneumonia	3	2	3	4	9	5	3	3	3	3	2	4
49	Bronchitis	6	6	7	10	10		6	4	5	7	3	
50	Hypertrophy of tonsils and adenoids	4	5	2	2	2	2	2	2	2	2	10	9
55	Appendicitis		10	10			10						
56	Hernia of abdominal cavity			9		8	6	10			9	6	6
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over				9			8	8	9			
61	Diseases of gallbladder and pancreas		8	8	7	4	8	7	8	8	8		
73	Complications of pregnancy	2	7	6	6	7	7	9	10	10	5	9	5
74	Abortion	9											10
75	Delivery without mention of complications	1	1	1	1	1	1	1	1	1	1	1	2
76	Delivery with specified complications	7					4			4	6		
78													7
85	Symptoms, senility, and ill-defined conditions	8	4	5	5	5	9	4	5			4	3
86	Fracture of skull, face bones and head injury except open wound, contusion and haematoma of scalp												8

TABLE 7(c) PATIENT-DAYS CORRESPONDING TO THE TOP TEN DIAGNOSES BASED ON SEPARATIONS, BOTH SEXES AND ALL AGES,
FOR TEN PROVINCES AND TWO TERRITORIES(1), 1966.

(1) See footnotes, Table 6, for details

NO.	CANADIAN LIST OF 98 CATEGORIES	Nfld.	P.E.I.	N.S.	N.B.	QUE.	ONT.	MAN.	SASK.	ALTA.	B.C.	YUKON	N.W.T.
30	Psychoneurotic disorders					305082							
33	Inflammatory and other diseases of central nervous system												2450
38	Arteriosclerotic and degenerative heart disease	25206	14363	80380	72379	798139	1189081	113749	105135	198721	189650	943	
46	Acute upper respiratory infections	9620	2650		15815				29267	36891	30018	341	
48	Pneumonia	28853	16297	53708	42653	240783	379200	72467	106896	115411	142868	2014	10410
49	Bronchitis	13874	5297	25139	19085	216259		42505	57591	68674	62952	618	1956
50	Hypertrophy of tonsils and adenoids	7317	3283	15735	18386	94756	166047	16477	27257	40489	45339	150	684
55	Appendicitis		2782	18180			131003						
56	Hernia of abdominal cavity			23000	14670	169200	248653	30245	37838	41909	57226	572	1477
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over							22799					
61	Diseases of gallbladder and pancreas		5934	35981	32491	390169	348121	54626	63928	82860	88022		
73	Complications of pregnancy	13235	1848	13143	8814	79336	114420	13218	19967	26749	31246	261	791
74	Abortion	5783											445
75	Delivery without mention of complications	66486	13201	83822	60393	540942	552529	91760	102551	138246	146068	1862	5211
76	Delivery with specified complications	15554					330443			68593	64862		
78													
85	Symptoms, senility, and ill-defined conditions	9421	6318	30144	24227	216072	154289	42369	39277			576	1235
86	Fracture of skull, face bones and head injury except open wound, contusion and haematoma of scalp											266	2123

TABLE 7(d) Cont'd

ALL AGES		UNDER 1				5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	F
NO. DIAGNOSIS		Patient-days															
75	Delivery without mention of complications	66486	-	66486	-	-	-	95	-	32572	-	33355	-	464	-	-	-
73	Complications of pregnancy	12235	-	12235	-	-	-	26	-	6385	-	6698	-	126	-	-	-
48	Pneumonia	28853	16921	11932	6104	4135	4738	1478	556	339	960	705	1376	919	664	533	550
50	Hypertrophy of tonsils and adenoids	7317	3215	4102	4	-	690	549	1772	2482	877	232	9	12	12	-	-
46	Acute upper respiratory infections	9620	5332	4288	2244	1743	1976	1342	706	680	178	129	44	100	55	26	21
49	Bronchitis	13874	9235	4639	3039	1807	1878	1006	314	175	58	110	235	366	2196	647	141
76	Delivery with specified complications	15554	-	15554	-	-	-	17	-	6456	-	8876	-	205	-	-	-
85	Symptoms, senility and ill-defined conditions	9421	5085	4336	385	262	746	487	944	967	503	635	944	931	1066	712	160
74	Abortion	5783	-	5783	-	-	-	12	-	1922	-	3722	-	127	-	-	-
38	Arteriosclerotic and degenerative heart disease	25206	14281	10925	-	-	-	16	-	3	13	1245	351	6817	3575	4247	3683
		Patient-days per 1,000 population															
75	Delivery without mention of complications	135	-	276	-	-	-	1	-	719	-	679	-	14	-	-	-
73	Complications of pregnancy	27	-	55	-	-	-	..	-	141	-	136	-	4	-	-	-
48	Pneumonia	58	67	49	872	627	167	23	12	7	18	14	36	27	73	57	96
50	Hypertrophy of tonsils and adenoids	15	13	17	1	-	24	39	11	19	4	4	1	-	-
46	Acute upper respiratory infections	19	21	18	321	264	70	50	11	4	5	2	3	1	3	6	4
49	Bronchitis	28	37	19	434	274	66	38	5	3	1	2	4	7	19	41	25
76	Delivery with specified complications	32	-	64	-	-	-	..	-	143	-	181	-	6	-	-	-
85	Symptoms, senility and ill-defined conditions	19	20	18	55	40	26	18	14	15	11	19	28	21	27	19	28
74	Abortion	12	-	24	-	-	-	..	-	42	-	76	-	4	-	-	-
38	Arteriosclerotic and degenerative heart disease	51	57	45	-	-	-	1	-	..	23	7	178	104	467	350	646
		Average days stay of separations															
75	Delivery without mention of complications	5.6	-	5.6	-	-	-	9.5	-	5.6	-	5.5	-	10.1	-	-	-
73	Complications of pregnancy	4.8	-	4.8	-	-	-	3.7	-	4.7	-	4.9	-	6.6	-	-	-
48	Pneumonia	10.6	11.1	10.0	11.4	10.6	10.3	9.1	9.0	8.1	12.6	9.5	14.5	12.3	13.6	13.0	15.3
50	Hypertrophy of tonsils and adenoids	3.6	3.6	3.7	2.0	-	4.0	3.5	3.2	3.9	5.4	4.6	4.5	6.0	12.0	-	-
46	Acute upper respiratory infections	5.7	5.7	5.7	6.5	7.1	5.3	5.2	5.0	4.4	4.6	4.5	5.5	5.6	13.8	6.5	7.0
49	Bronchitis	8.9	9.6	7.6	8.7	7.9	7.2	6.3	7.8	5.8	6.1	8.7	12.8	9.2	17.7	10.2	8.3
76	Delivery with specified complications	10.2	-	10.2	-	-	-	8.5	-	9.7	-	10.6	-	11.4	-	-	-
85	Symptoms, senility and ill-defined conditions	6.9	7.2	6.5	5.7	6.2	7.7	6.4	5.7	6.1	5.9	7.4	9.7	9.2	9.3	12.1	11.4
74	Abortion	4.3	-	4.3	-	-	-	-	-	6.0	-	4.4	-	5.1	-	-	-
38	Arteriosclerotic and degenerative heart disease	19.0	17.3	21.8	-	-	-	16.0	-	3.0	13.0	13.0	17.3	18.1	17.4	19.9	34.1

.. indicates less than 0.5

TABLE 7(e) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See footnotes, Table 6 for details

PRINCE EDWARD ISLAND

[illegible]

TABLE 7(e) Cont'd

[illegible]

... Indicates less than 0.5

TABLE 7(f) - HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, ALL AGES, BY SEX, FOR PROVINCIAL PLAN IN-PATIENTS
(EXCLUDING NEWBORN) HOSPITALIZED IN THE PROVINCE, 1966.

NOVA SCOTIA

NO.	DIAGNOSIS	Separations			Patient-days			Average days stay of Separations		
		T	M	F	T	M	F	T	M	F
75	Delivery without mention of complications	13890	-	13890	83222	-	83222	6.0	-	6.0
50	Hypertrophy of tonsils and adenoids	5867	2807	3060	15735	7356	8379	2.7	2.6	2.7
48	Pneumonia	4539	2569	1970	53708	30338	23370	11.8	11.8	11.9
38	Arteriosclerotic and degenerative heart disease	4529	2833	1696	80380	49523	30857	17.7	17.5	18.2
85	Symptoms, senility, and ill-defined conditions	3971	2076	1895	30144	15926	14218	7.6	7.7	7.5
73	Complications of pregnancy	3112	-	3112	13143	-	13143	4.2	-	4.2
49	Bronchitis	2457	1491	966	25139	15887	9252	10.2	10.7	9.6
61	Diseases of gallbladder and pancreas	2431	546	1885	35981	9098	26883	14.8	16.7	14.3
56	Hernia of abdominal cavity	2132	1547	585	23000	15483	7517	10.8	10.0	12.8
55	Appendicitis	2065	Not available	Not available	18180	Not available	Not available	8.8	Not available	Not available
75	Delivery without mention of complications	18.4	-	37.0	110	-	222			
50	Hypertrophy of tonsils and adenoids	7.8	7.4	8.1	21	19	22			
48	Pneumonia	6.0	6.8	5.2	71	80	62			
38	Arteriosclerotic and degenerative heart disease	6.0	7.4	4.5	106	130	82			
85	Symptoms, senility, and ill-defined conditions	5.3	5.5	5.0	40	42	38			
73	Complications of pregnancy	4.1	-	8.3	17	-	35			
49	Bronchitis	3.2	3.9	2.6	33	42	25			
61	Diseases of gallbladder and pancreas	3.2	1.4	5.0	48	24	72			
56	Hernia of abdominal cavity	2.8	4.1	1.6	30	41	20			
55	Appendicitis	2.7	Not available	Not available	24	Not available	Not available			

TABLE 7 (g) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966.

NEW BRUNSWICK

No. DIAGNOSIS		ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Separations																			
75	Delivery without mention of complications	11049	-	11049	-	-	-	-	9	-	5182	-	5820	-	38	-	-	-	-
50	Hypertrophy of tonsils and adenoids	5238	2455	2783	9	8	680	522	1420	1616	235	497	102	121	7	18	1	1	1
38	Arteriosclerotic and degenerative heart disease	3935	2348	1587	-	-	-	1	2	2	8	5	172	68	981	483	661	524	561
48	Pneumonia	3534	1914	1620	445	321	473	384	218	183	80	65	123	179	235	199	150	124	190
85	Symptoms, senility and ill-defined conditions	3015	1481	1534	48	44	142	107	268	263	138	243	278	371	348	300	146	96	113
73	Complications of pregnancy	2535	-	2535	-	-	-	-	-	2	-	1160	-	1362	-	11	-	-	-
61	Diseases of gallbladder and pancreas	2385	535	1850	1	-	-	3	4	10	18	176	132	616	214	643	103	258	63
46	Acute upper respiratory infections	2352	1204	1148	351	252	443	345	186	233	89	99	60	90	47	72	14	25	14
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	2159	992	1167	341	304	239	188	150	177	43	92	69	152	82	138	29	60	39
49	Bronchitis	2002	1119	883	259	180	263	199	101	93	38	50	59	105	204	138	119	67	76
Separations per 1,000 population																			
75	Delivery without mention of complications	17.9	-	36.0	-	-	-	-	-	0.1	-	97.2	-	87.6	-	0.7	-	-	-
50	Hypertrophy of tonsils and adenoids	8.5	7.9	9.1	1.3	1.2	22.1	18.1	18.7	22.1	4.3	9.3	1.6	1.8	0.1	0.3	0.1	0.1	0.1
38	Arteriosclerotic and degenerative heart disease	6.4	7.6	5.2	-	-	-	-	-	-	0.1	0.1	2.6	1.0	18.6	9.3	45.3	29.0	58.2
48	Pneumonia	5.7	6.2	5.3	65.4	49.4	15.4	13.3	2.9	2.5	1.5	1.2	1.9	2.7	4.4	3.8	10.3	7.7	21.1
85	Symptoms, senility and ill-defined conditions	4.9	4.8	5.0	7.1	6.8	4.6	3.7	3.5	3.6	2.5	4.6	4.2	5.6	6.6	5.8	10.0	6.0	12.6
73	Complications of pregnancy	4.1	-	8.3	-	-	-	-	-	-	-	21.8	-	20.5	-	0.2	-	-	-
61	Diseases of gallbladder and pancreas	3.9	1.7	6.0	0.1	-	-	0.1	0.1	0.1	0.3	3.3	2.0	9.3	4.1	12.4	7.1	16.0	7.0
46	Acute upper respiratory infections	3.8	3.9	3.7	51.6	38.8	14.4	11.9	2.4	3.2	1.6	1.9	0.9	1.4	0.9	1.4	1.0	1.6	1.6
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	3.5	3.2	3.8	50.1	46.8	7.8	6.5	2.0	2.4	0.8	1.7	1.1	2.3	1.6	2.7	2.0	3.7	4.3
49	Bronchitis	3.2	3.6	2.9	38.1	27.7	8.6	6.9	1.3	1.3	0.7	0.9	0.9	1.6	3.9	2.7	8.2	4.2	8.4

.. indicates less than 0.05

TABLE 7 (g) cont'd

ALL AGES			UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
NO. DIAGNOSIS			T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
			Patient-days															
75	Delivery without mention of complications	60393	-	60393	-	-	-	54	-	27964	-	32148	-	227	-	-	-	
50	Hypertrophy of tonsils and adenoids	18386	8412	9974	117	109	2372	1792	4338	5309	985	2051	546	625	43	84	5	
38	Arteriosclerotic and degenerative heart disease	72379	42188	30191	-	-	-	2	43	6	147	24	2639	989	17829	9170	9268	
48	Pneumonia	42653	23395	19258	5201	3698	5035	4037	1948	1717	719	552	1154	1748	3210	2578	3865	
85	Symptoms, senility and ill-defined conditions	24227	12019	12208	447	336	1195	706	1923	1711	893	1447	1853	2791	2766	2598	1463	
73	Complications of pregnancy	8814	-	8814	-	-	-	-	-	2	-	3665	-	5094	-	53	-	
61	Diseases of gallbladder and pancreas	32491	7696	24795	20	-	-	81	30	142	191	1819	1335	7180	3372	8655	1235	
46	Acute upper respiratory infections	15815	7821	7994	2546	1888	2695	2407	1041	1373	480	607	361	544	439	594	129	
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	14670	6781	7889	2941	2508	1467	1033	617	831	170	446	368	915	581	985	379	
49	Bronchitis	19085	10618	8467	2493	1618	2242	1594	680	701	279	403	405	1024	2099	1654	886	
			Patient-days per 1,000 population															
75	Delivery without mention of complications	98	-	197	-	17	77	-	62	57	73	18	-	484	-	4	-	
50	Hypertrophy of tonsils and adenoids	30	27	33	17	17	77	-	62	57	73	18	38	8	1	2	1	
38	Arteriosclerotic and degenerative heart disease	117	136	98	-	-	-	-	-	1	-	3	-	40	338	177	1030	
48	Pneumonia	69	75	63	765	569	164	140	26	23	13	10	18	26	61	50	429	
85	Symptoms, senility and ill-defined conditions	39	39	40	66	52	39	24	25	23	16	27	28	42	52	50	163	
73	Complications of pregnancy	14	-	29	-	-	-	-	-	-	-	69	-	77	-	1	-	
61	Diseases of gallbladder and pancreas	53	25	81	3	-	-	3	-	2	3	34	20	108	64	167	137	
46	Acute upper respiratory infections	26	25	26	374	290	88	83	14	19	9	11	6	8	8	11	14	
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	24	22	26	432	386	48	36	8	11	3	8	6	14	11	19	42	
49	Bronchitis	31	34	28	367	249	73	55	9	10	5	8	6	15	40	32	98	

Average days stay of separations

75	Delivery without mention of complications	5.5	-	5.5	-	13.0	13.6	-	3.5	-	3.4	3.1	3.3	6.0	-	5.4	-
50	Hypertrophy of tonsils and adenoids	3.5	3.4	3.6	13.0	13.6	3.5	-	3.4	3.1	3.3	4.2	4.1	5.4	-	6.1	6.0
38	Arteriosclerotic and degenerative heart disease	18.4	18.0	19.0	-	-	-	-	2.0	21.5	3.0	18.4	4.8	15.3	14.5	18.2	19.0
48	Pneumonia	12.1	12.2	11.9	11.7	11.5	10.6	10.5	8.9	8.9	9.4	9.0	8.5	9.4	9.8	13.7	13.0
85	Symptoms, senility and ill-defined conditions	8.0	8.1	8.0	9.3	7.6	8.4	6.6	7.2	6.5	6.5	6.0	6.7	7.5	7.9	8.7	8.7
73	Complications of pregnancy	3.5	-	3.5	-	-	-	-	-	1.0	-	-	3.2	-	3.7	4.8	4.8
61	Diseases of gallbladder and pancreas	13.6	14.4	13.4	20.0	-	-	27.0	7.5	14.2	10.6	10.3	10.1	11.7	15.8	13.5	14.7
46	Acute upper respiratory infections	6.7	6.5	7.0	7.3	7.5	6.1	7.0	5.6	5.9	5.4	6.1	6.0	6.0	9.3	8.2	9.7
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	6.8	6.8	6.8	8.6	8.2	6.1	5.5	4.1	4.7	4.0	4.8	5.3	6.0	7.1	7.1	8.9
49	Bronchitis	9.5	9.5	9.6	9.6	9.0	8.5	8.0	6.7	7.5	7.3	8.1	6.9	9.8	10.3	12.0	12.9
			.. indicates less than 0.5														

TABLE 7(h) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See footnotes, Table 6, for details

QUEBEC

NO. DIAGNOSIS	ALL AGES																75+	
	UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+			
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	F
Separations																		
75 Delivery without mention of complications	102851	-	102851	-	76	6502	5250	-	12416	12458	24	-	42105	-	60466	-	256	-
50 Hypertrophy of tonsils and adenoids	45450	22056	23394	100	76	415	988	34	1933	1767	400	797	2306	2811	5948	2024	3210	233
33 Arteriosclerotic and degenerative heart disease	27567	16647	10920	6	5	5	5	5	32	14	50	49	1705	1705	651	8559	4346	3868
61 Diseases of gallbladder and pancreas	26517	6467	20050	31	24	55	34	34	43	108	193	2320	2016	8014	7015	859	703	2527
85 Symptoms, senility and ill-defined conditions	22887	11423	11464	520	415	1136	988	34	1933	1767	400	797	2306	2811	5948	2024	3210	233
30 Psychoneurotic disorders	19885	6300	12585	13	4	24	34	34	342	400	797	2306	2811	5948	2024	3210	233	233
73 Complications of pregnancy	17941	-	17941	-	-	-	-	-	8	8	-	-	6975	-	10868	-	90	-
56 Hernia of abdominal cavity	17340	12969	4371	808	237	1286	269	1178	219	1192	338	290	796	796	898	1059	808	1137
46 Pneumonia	16562	9251	7311	2651	1899	2132	1584	1163	893	893	600	233	451	733	1126	2101	1199	1001
49 Bronchitis	14242	8173	6069	1300	844	1535	1058	755	755	600	233	451	733	733	1126	2101	1199	1001
Separations per 1,000 population																		
75 Delivery without mention of complications	17.8	7.6	35.5	1.7	1.4	24.3	20.8	18.6	19.4	3.8	7.7	80.6	-	1.3	81.0	-	0.5	-
50 Hypertrophy of tonsils and adenoids	7.9	-	8.1	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	-
38 Arteriosclerotic and degenerative heart disease	4.8	5.8	3.8	0.1	0.1	0.1	..
61 Diseases of gallbladder and pancreas	4.6	2.2	6.9	0.5	0.4	0.2	0.1	0.1	0.2	0.4	0.4	0.1	0.1	2.3	0.9	18.1	8.9	35.6
85 Symptoms, senility, and ill-defined conditions	4.0	4.0	4.0	8.9	7.6	4.3	3.9	2.9	2.8	2.2	1.5	3.3	3.8	2.7	10.7	6.0	14.4	7.9
30 Psychoneurotic disorders	3.3	2.2	4.3	0.2	0.1	0.1	0.1	0.5	0.6	1.5	1.5	4.4	3.8	3.8	8.0	4.3	4.6	7.1
73 Complications of pregnancy	3.1	-	6.2	-	-	-	-	-	..	-	-	13.4	-	-	14.6	-	0.2	2.1
56 Hernia of abdominal cavity	3.0	4.5	1.5	13.8	4.3	4.8	1.1	1.8	0.3	2.3	0.4	4.0	4.0	4.0	1.7	8.3	3.1	10.4
48 Pneumonia	2.9	3.2	2.5	45.3	34.7	8.0	6.3	1.7	1.4	0.7	0.6	1.1	1.2	1.1	1.2	2.2	1.7	5.1
49 Bronchitis	2.5	2.8	2.1	22.2	15.4	5.7	4.2	1.1	0.9	0.4	0.9	0.9	1.0	1.0	1.5	4.4	2.5	9.2

.. Indicates less than 0.05

TABLE 7(h) cont'd

NO.	DIAGNOSTIS	ALL AGES										Patient-days										Average days stay of separations																			
		UNDER 1					1 - 4					5 - 14					15 - 24					25 - 44					45 - 64					65 - 74					75+				
		T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F	T	M	F	M	F					
75	Delivery without mention of complications	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942	-	540942			
50	Hypertrophy of tonsils and adenoids	94756	44165	50591	397	297	11872	9562	22401	22972	148	-	217880	-	321495	-	288	620	1419	-	18	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
38	Arteriosclerotic and degenerative heart disease	798139	399582	398557	132	56	115	158	247	169	482	505	25036	10307	147535	91295	94905	104989	131130	191078	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
61	Diseases of gallbladder and pancreas	390169	100133	290036	1108	1443	1779	911	1538	1693	2067	25842	25520	101655	42741	110119	16177	35094	9203	13279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
85	Symptoms, senility, and ill-defined conditions	216072	101292	114780	7562	6017	9714	8660	14736	12407	7808	12243	20108	28315	22448	25239	8985	9735	9931	12164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
30	Psychoneurotic disorders	305082	92555	212527	168	22	276	601	3528	4395	11480	31549	37923	98400	33368	61737	4770	12237	1042	3586	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
73	Complications of pregnancy	79336	-	79336	-	-	-	-	-	35	-	29641	-	49090	-	570	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
56	Hernia of abdominal cavity	169200	116230	52970	6405	1850	6861	1457	6535	1215	8928	2048	25371	13917	41629	21422	13981	7695	6520	3366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
43	Pneumonia	240783	135640	105143	40490	28136	27485	20101	13064	9894	3711	3087	9375	11408	18877	13944	10662	8339	11976	10234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
49	Bronchitis	216259	133314	82945	17142	10431	16121	10891	6691	5514	2114	4260	7817	12728	36107	18974	27250	12028	20072	8119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Patient-days per 1,000 population																																									
75	Delivery without mention of complications	94	-	187	-	7	5	44	38	33	-	-	417	-	431	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
50	Hypertrophy of tonsils and adenoids	16	15	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
38	Arteriosclerotic and degenerative heart disease	138	138	138	2	1	-	-	1	-	-	-	-	-	14	311	187	872	842	2517	2895	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
61	Diseases of gallbladder and pancreas	67	35	100	19	26	7	4	4	3	1	49	35	136	90	226	149	281	177	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
85	Symptoms, senility, and ill-defined conditions	37	35	40	129	110	36	34	22	19	15	23	27	38	47	52	83	78	191	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
30	Psychoneurotic disorders	53	32	73	3	-	1	2	5	7	22	60	51	132	70	127	44	98	20	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
73	Complications of pregnancy	14	-	27	-	-	-	-	-	-	-	-	-	-	66	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
56	Hernia of abdominal cavity	29	40	18	109	34	26	6	10	2	17	4	34	19	88	44	128	62	125	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
48	Pneumonia	42	47	36	692	513	103	80	20	15	7	6	13	15	40	29	98	67	230	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
49	Bronchitis	37	46	29	293	190	60	43	10	9	4	8	11	17	76	39	250	96	385	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
Average days stay of separations																																									
75	Delivery without mention of complications	5.3	-	5.3	-	4.0	3.9	1.8	1.8	1.8	-	6.2	-	5.2	-	5.3	-	4.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
50	Hypertrophy of tonsils and adenoids	2.1	2.0	2.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
38	Arteriosclerotic and degenerative heart disease	29.0	24.0	36.5	22.0	11.2	23.0	31.6	7.7	12.1	9.6	10.3	14.7	15.8	17.2	21.0	24.5	31.6	54.1	75.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
61	Diseases of gallbladder and pancreas	14.7	15.5	14.5	35.7	60.1	32.3	26.8	35.8	15.7	10.7	11.1	12.7	12.7	15.1	15.7	18.8	19.2	21.0	18.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
85	Symptoms, senility, and ill-defined conditions	9.4	8.9	10.0	14.5	14.5	8.6	8.8	7.6	7.0	6.8	7.2	7.2	8.7	9.0	11.3	11.7	14.3	16.1	28.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
30	Psychoneurotic disorders	16.2	14.7	16.9	12.9	5.5	11.5	17.7	10.3	11.0	14.4	13.7	13.5	16.5	16.5	19.2	20.5	78.9	18.6	28.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
73	Complications of pregnancy	4.4	-	4.4	-	-	-	-	-	4.4	-	4.2	-	4.5	-	6.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
56	Hernia of abdominal cavity	9.8	9.0	12.1	7.9	7.8	5.3	5.4	5.5	5.5	7.5	8.8	8.6	11.2	10.6	14.3	12.3	16.4	13.6	15.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
48	Pneumonia	14.5	14.7	14.4	15.3	14.8	12.9	12.7	11.2	11.1	11.0	10.6	11.8	12.7	17.8	17.3	19.1	18.4	21.6	21.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
49	Bronchitis	15.2	16.3	13.7	13.2	12.4	10.5	10.3	8.9	9.2	9.1	9.4	10.7	11.3	17.2	15.8	27.2	23.0	39.0	30.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

.. Indicates less than 0.5

TABLE 7 (1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966.

(1) See footnotes, Table 6, for details

ONTARIO

NO. DIAGNOSIS	ALL AGES																	75+			
	UNDER 1			1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+					
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
	<u>Separations</u>																				
(1)																					
75 Delivery without mention of complications	95255	-	95255	-	-	-	-	48	-	42694	-	52343	-	170	-	-	-				
50 Hypertrophy of tonsils and adenoids	86137	43351	42786	54	20	16141	12679	21962	22657	2814	4881	2171	2245	198	275	10	26				
38 Arteriosclerotic and degenerative heart disease	42909	25789	17120	11	12	14	20	58	22	54	55	2187	663	11559	4899	6492	5160				
76 Delivery with specified complications (1)	39316	-	39316	-	-	-	-	-	28	-	17183	-	21993	-	112	-	-				
48 Pneumonia	31681	17660	14021	2734	1891	4564	3602	2257	1795	660	595	1363	1627	2547	1818	1610	1100				
56 Hernia of abdominal cavity	29103	21786	7317	1176	290	2231	528	1767	366	1325	221	4492	1885	7166	2502	2452	978				
73 Complications of pregnancy	25682	-	25682	-	-	-	-	-	29	-	12076	-	13460	-	117	-	-				
61 Disease of gallbladder and pancreas	24051	6288	17763	25	13	36	39	52	53	155	1590	1650	6269	2703	6266	1068	2280				
85 Symptoms, senility and ill-defined conditions	22497	11511	10986	438	391	1180	1046	2124	1948	1092	1698	2838	2834	2537	2127	749	549				
55 Appendicitis	17637	9300	8337	8	5	209	143	3083	2887	2724	3031	2135	1524	876	554	172	118				
	<u>Separations per 1,000 population</u>																				
(1)																					
75 Delivery without mention of complications	13.7	-	27.4	-	-	-	-	-	0.1	-	79.2	-	57.6	-	0.3	-	-				
50 Hypertrophy of tonsils and adenoids	12.4	12.5	12.3	0.8	0.3	51.7	42.6	29.5	31.8	5.2	9.1	2.4	2.5	0.3	0.4	0.1	0.1				
38 Arteriosclerotic and degenerative heart disease	6.2	7.4	4.9	0.2	0.2	..	0.1	0.1	..	0.1	0.1	2.4	0.7	18.0	7.6	39.7	26.5				
76 Delivery with specified complications (1)	5.6	-	11.3	-	-	-	-	-	..	-	31.9	-	24.2	-	0.2	-	-				
48 Pneumonia	4.6	5.1	4.0	39.1	28.8	14.6	12.1	3.0	2.5	1.2	1.1	1.5	1.8	4.0	2.8	9.8	5.6				
56 Hernia of abdominal cavity	4.2	6.3	2.1	16.8	4.4	7.1	1.8	2.4	0.5	2.4	0.4	4.9	2.1	11.2	3.9	15.0	5.0				
73 Complications of pregnancy	3.7	-	7.4	-	-	-	-	-	..	-	22.4	-	14.8	-	0.2	-	-				
61 Diseases of gallbladder and pancreas	3.5	1.8	5.1	0.4	0.2	0.1	0.1	0.1	0.1	0.3	3.0	1.8	6.9	4.2	9.8	6.5	11.7				
85 Symptoms, senility and ill-defined conditions	3.2	3.3	3.2	6.3	6.0	3.8	3.5	2.8	2.7	2.0	3.2	3.1	3.1	4.0	3.3	4.6	2.8				
55 Appendicitis	2.5	2.7	2.4	0.1	0.1	0.7	0.5	4.1	4.0	5.0	5.6	2.3	1.7	1.4	0.9	1.1	0.6				

.. indicates less than 0.05

(1) Coding procedures in Ontario resulted in more separations and days coded to Diagnosis 76, in relation to Diagnosis 75, than in other provinces

TABLE 7(j) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See footnotes, Table 6, for details

MANITOBA

ALL AGES		UNDER 1			1 - 4			5 - 14			15 - 25			25 - 44			45 - 64			65 - 74			75+		
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
NO.	DIAGNOSIS	Separations																							
75	Delivery without mention of complications	15725	-	15725	-	-	-	-	-	-	-	6944	-	8722	-	43	-	-	-	-	-	-			
50	Hypertrophy of tonsils and adenoids	7961	3845	4116	2	2	1151	918	2176	2237	334	739	162	184	19	33	1	3	-	-	-	-			
48	Pneumonia	7697	4287	3410	1006	722	1085	900	467	370	146	124	237	297	487	394	333	228	526	375	-	-			
85	Symptoms, senility and ill defined-conditions	6129	3015	3114	107	95	238	195	460	443	240	454	529	707	763	684	326	274	352	262	-	-			
38	Arteriosclerotic and degenerative heart disease	5791	3647	2144	-	-	1	1	6	3	4	6	202	62	1458	567	962	654	1014	851	-	-			
49	Bronchitis	4937	2902	2035	548	405	749	528	246	203	49	96	95	206	417	275	399	149	399	173	-	-			
61	Disease of gallbladder and pancreas	4637	1285	3352	4	4	6	4	8	9	30	305	269	1082	523	1206	250	451	195	291	-	-			
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	3737	1800	1937	692	580	451	409	225	237	92	138	92	172	110	208	61	95	77	98	-	-			
73	Complications of pregnancy	3692	-	3692	-	-	-	-	-	6	-	1612	-	2050	-	24	-	-	-	-	-	-			
56	Hernia of abdominal cavity	3552	2710	842	110	34	246	51	231	38	154	22	436	212	925	299	369	106	239	80	-	-			
Separations per 1,000 population																									
75	Delivery without mention of complications	16.3	-	32.8	-	-	-	-	-	0.2	-	90.7	-	76.8	-	0.5	-	-	-	-	-	-			
50	Hypertrophy of tonsils and adenoids	8.3	7.9	8.6	0.2	0.2	26.7	22.4	20.8	22.3	4.3	9.6	1.4	1.6	0.2	0.4	0.1	0.1	-	-	-	-			
48	Pneumonia	8.0	8.9	7.1	107.0	81.1	25.2	22.0	4.5	3.7	1.9	1.6	2.1	2.6	5.2	4.2	12.9	8.3	30.8	20.3	-	-			
85	Symptoms, senility and ill-defined conditions	6.4	6.2	6.5	11.4	10.7	5.5	4.8	4.4	4.4	3.1	5.9	4.7	6.2	8.2	7.4	12.6	10.0	20.6	14.2	-	-			
38	Arteriosclerotic and degenerative heart disease	6.0	7.5	4.5	-	-	0.1	..	0.1	0.1	1.8	0.5	15.7	6.1	37.3	23.9	59.3	46.0	-	-			
49	Bronchitis	5.1	6.0	4.2	58.3	45.5	17.4	12.9	2.4	2.0	0.6	1.3	0.8	1.8	4.5	3.0	15.5	5.4	23.3	9.4	-	-			
61	Disease of gallbladder and pancreas	4.8	2.7	7.0	0.4	0.4	0.1	0.1	0.1	0.1	0.4	4.0	2.4	9.5	5.6	13.0	9.7	16.5	11.4	15.7	-	-			
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	3.9	3.7	4.0	73.6	65.2	10.5	10.0	2.2	2.4	1.2	1.8	0.8	1.5	1.2	2.2	2.4	3.5	4.5	5.3	-	-			
73	Complications of pregnancy	3.8	-	7.7	-	-	-	-	-	0.1	-	21.0	-	18.1	-	0.3	-	-	-	-	-	-			
56	Hernia of abdominal cavity	3.7	5.6	1.8	11.7	3.8	5.7	1.2	2.2	0.4	2.0	0.3	3.9	1.9	9.9	3.2	14.3	3.9	14.0	4.3	-	-			

.. indicates less than 0.05

TABLE 7(k) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See footnotes Table 6, for details

SASKATCHEWAN

NO.	DIAGNOSIS	ALL AGES						UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
		T	M	F	M	F	M	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Separations																							
75	Delivery without mention of complications	16936	-	16936	-	-	-	-	-	-	-	-	-	7451	-	9388	-	-	-	-	-	-	-
50	Hypertrophy of tonsils and adenoids	11467	5567	5900	466	365	1498	1193	3369	3614	441	804	219	237	46	34	87	34	87	34	87	34	87
48	Pneumonia	10323	5638	4685	391	286	2091	1666	718	631	258	225	331	432	563	621	454	621	454	621	454	621	454
49	Bronchitis	7312	4156	3156	51	48	1743	1309	519	374	98	150	127	221	361	434	404	434	404	211	440	211	440
85	Symptoms, senility and ill-defined conditions	6583	3205	3378	51	48	333	217	584	569	335	553	455	654	720	658	329	658	329	294	460	323	460
38	Arteriosclerotic and degenerative heart disease	5966	3686	2280	1	-	2	-	5	9	7	8	165	54	584	1243	1006	1243	1006	680	1257	945	680
46	Acute upper respiratory infections	5442	2808	2634	265	252	1452	1189	602	618	170	206	130	145	114	100	52	100	52	54	37	56	52
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5256	2562	2694	532	435	1228	1061	290	261	93	195	116	211	252	141	62	141	62	125	100	154	125
61	Diseases of gallbladder and pancreas	5256	1490	3766	-	1	8	2	7	11	21	332	254	1164	1399	601	296	601	296	465	303	392	465
73	Complications of pregnancy	4857	-	4857	-	-	-	-	-	6	-	2172	-	2638	41	-	-	-	-	-	-	-	-
Separations per 1,000 population																							
75	Delivery without mention of complications	17.7	-	36.3	-	-	-	-	-	0.1	-	100.4	-	88.8	1.0	-	-	-	-	-	-	-	-
50	Hypertrophy of tonsils and adenoids	12.0	11.4	12.7	0.1	-	33.1	27.7	30.9	34.6	5.8	10.8	2.0	2.2	0.5	0.4	0.2	0.4	0.5	0.2	-	0.1	-
48	Pneumonia	10.8	11.5	10.0	47.6	38.8	46.3	38.7	6.6	6.0	3.4	3.0	3.0	4.1	6.5	6.7	17.0	6.7	6.5	12.6	35.1	27.7	12.6
49	Bronchitis	7.7	8.5	6.8	39.9	30.4	38.6	30.4	4.8	3.6	1.3	2.0	1.2	2.1	4.1	4.7	15.1	4.7	4.1	8.6	22.1	13.7	8.6
85	Symptoms, senility and ill-defined conditions	6.9	6.6	7.2	5.2	5.1	7.4	5.0	5.4	5.5	4.4	7.5	4.2	6.2	8.3	7.1	12.3	7.1	8.3	12.0	23.1	18.1	12.0
38	Arteriosclerotic and degenerative heart disease	6.2	7.5	4.9	0.1	-	..	-	..	0.1	0.1	0.1	1.5	0.5	6.7	13.4	37.7	13.4	6.7	27.6	63.2	53.1	27.6
46	Acute upper respiratory infections	5.7	5.7	5.6	27.0	26.8	32.1	27.6	5.5	5.9	2.2	2.8	1.2	1.4	1.3	1.1	1.9	1.1	1.3	2.2	1.9	3.1	2.2
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	5.5	5.2	5.8	54.3	46.3	27.2	24.6	2.7	2.5	1.2	2.6	1.1	2.0	2.9	1.5	2.3	1.5	2.9	5.1	5.0	8.7	5.1
61	Diseases of gallbladder and pancreas	5.5	3.0	8.1	-	0.1	0.2	..	0.1	0.1	0.3	4.5	2.3	11.0	16.0	6.5	11.1	6.5	16.0	18.9	15.2	22.0	18.9
73	Complications of pregnancy	5.1	-	10.4	-	-	-	-	-	0.1	-	29.3	-	25.0	0.5	-	-	-	0.5	-	-	-	-

.. Indicates less than 0.05

TABLE 7(k) cont'd

		ALL AGES										UNDER 1										1 - 4										5 - 14										15 - 24										25 - 44										45 - 64										65 - 74										75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		T					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M					F					M									

.. Indicates less than 0.5

TABLE 7 (1) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN⁽¹⁾ IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966,
(1) See footnotes Table 6, for details.

ALBERTA

NO. DIAGNOSIS	ALL AGES																198																
	UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+				
	T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	Separations																																
75 Delivery without mention of complications	21171	-	21171	-	-	-	-	-	-	-	-	-	10288	-	-	-	10816	-	-	-	52	-	-	-	-	-	-	-	-	-	-	-	
50 Hypertrophy of tonsils and adenoids	15733	7702	8031	12	5	2264	1904	4650	4864	447	937	301	281	27	281	4	554	728	607	521	36	-	4	322	540	446	-	-	-	-	-	-	
48 Pneumonia	11356	6308	5048	1210	833	1824	1433	748	609	266	244	471	554	728	607	521	36	607	521	36	-	-	-	-	-	-	-	-	-	-	-	-	
76 Delivery with specified complications	9217	-	9217	-	-	-	-	-	-	-	-	-	4134	-	-	-	5056	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-	
49 Bronchitis	8672	4932	3740	906	613	1439	988	577	436	141	228	208	360	666	593	537	271	458	251	-	-	-	-	-	-	-	-	-	-	-	-	-	
38 Arteriosclerotic and degenerative heart disease	7659	4871	2788	-	-	4	2	3	3	8	6	315	58	1892	707	1269	941	1380	1071	-	-	-	-	-	-	-	-	-	-	-	-	-	
46 Acute upper respiratory infections	7101	3823	3278	743	528	1680	1168	719	682	227	312	201	242	128	206	79	75	46	65	-	-	-	-	-	-	-	-	-	-	-	-	-	
61 Diseases of gallbladder and pancreas	6986	1992	4994	12	4	2	6	9	19	41	529	443	1840	817	1728	391	502	277	366	-	-	-	-	-	-	-	-	-	-	-	-	-	
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	6588	3288	3300	1141	889	926	753	425	391	189	312	208	348	198	311	90	144	111	152	-	-	-	-	-	-	-	-	-	-	-	-	-	
73 Complications of pregnancy	6550	-	6550	-	-	-	-	-	6	-	3274	-	3239	-	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Separations per 1,000 population																																
75 Delivery without mention of complications	14.5	-	29.5	-	-	-	-	-	0.1	-	88.5	-	59.2	-	0.4	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	
50 Hypertrophy of tonsils and adenoids	10.8	10.3	11.2	0.8	0.3	30.8	27.2	26.9	29.6	3.9	8.1	1.6	1.5	0.2	0.3	-	0.1	-	0.3	-	-	0.1	15.8	10.7	25.4	22.8	-	-	-	-	
48 Pneumonia	7.8	8.5	7.0	77.1	57.4	24.8	20.5	4.3	3.7	2.3	2.1	2.5	3.0	5.7	5.1	15.8	10.7	25.4	22.8	-	5.1	-	-	15.8	10.7	25.4	22.8	-	-	-	-	-	
76 Delivery with specified complications	6.3	-	12.9	-	-	-	-	-	..	-	35.5	-	27.7	-	0.2	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-	-	-	
49 Bronchitis	5.9	6.6	5.2	57.7	42.3	19.6	14.1	3.3	2.6	1.2	2.0	1.1	2.0	5.2	5.0	16.3	9.0	21.5	12.8	-	5.0	-	-	16.3	9.0	21.5	12.8	-	-	-	-	-	
38 Arteriosclerotic and degenerative heart disease	5.2	6.5	3.9	-	-	0.1	0.1	0.1	1.7	0.3	14.9	5.9	38.6	31.2	64.8	54.6	-	5.9	-	-	38.6	31.2	64.8	54.6	-	-	-	-	-	
46 Acute upper respiratory infections	4.9	5.1	4.6	47.3	36.4	22.9	16.7	4.2	4.1	2.0	2.7	1.1	1.3	1.0	1.7	2.4	2.5	2.2	3.3	-	1.7	-	-	2.4	2.5	2.2	3.3	-	-	-	-	-	
61 Diseases of gallbladder and pancreas	4.8	2.7	7.0	0.8	0.3	..	0.1	0.1	0.1	0.4	4.5	2.3	10.1	6.4	14.5	11.9	16.6	13.0	18.7	-	14.5	-	-	11.9	16.6	13.0	18.7	-	-	-	-	-	
58 Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	4.5	4.4	4.6	72.7	61.3	12.6	10.8	2.5	2.4	1.6	2.7	1.1	1.9	1.6	2.6	2.7	4.8	5.2	7.8	-	2.6	-	-	2.7	4.8	5.2	7.8	-	-	-	-	-	
73 Complications of pregnancy	4.5	-	9.1	-	-	-	-	-	..	-	28.2	-	17.7	-	0.3	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-

.. indicates less than 0.05

Table 7 (1) cont'd

		ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
NO. DIAGNOSIS		Patient-days																
75	Delivery without mention of complications	140635	-	140635	-	-	-	-	-	67128	-	72656	-	454	-	-	-	-
50	Hypertrophy of tonsils and adenoids	41045	19881	21164	262	16	5719	4654	11273	12031	1450	3270	1058	98	151	-	16	21
48	Pneumonia	117927	65884	52043	12834	8749	15545	12755	5797	4796	1809	1817	3875	8066	7785	6818	3912	11140
76	Delivery with specified complications	70060	-	70060	-	-	-	-	-	30463	-	39321	-	241	-	-	-	-
49	Bronchitis	69635	41926	27709	6917	4599	8560	6216	2999	2244	792	1260	1395	6289	5615	6392	2306	8582
38	Arteriosclerotic and degenerative heart disease	202791	124134	78657	-	-	29	36	41	32	88	19	5423	35303	13489	24727	17406	58523
46	Acute upper respiratory infections	37268	20078	17190	4783	3404	8366	5899	3186	2924	955	1442	876	854	1103	577	566	481
61	Diseases of gallbladder and pancreas	83931	26571	57360	136	504	48	80	81	194	327	4666	4876	10480	19891	5789	6751	4834
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	42445	21856	20589	9858	7583	6330	4873	1538	1540	591	1096	724	1381	1527	613	1101	1154
73	Complications of pregnancy	26749	-	26749	-	-	-	-	-	26	-	13066	-	-	189	-	-	-
		Patient-days per 1,000 population																
75	Delivery without mention of complications	96	-	196	-	-	-	-	-	577	-	398	-	-	4	-	-	-
50	Hypertrophy of tonsils and adenoids	28	27	30	17	1	78	66	65	73	13	28	6	1	1	-	1	-
48	Pneumonia	81	88	73	817	603	212	182	34	29	16	16	21	64	65	207	130	523
76	Delivery with specified complications	48	-	98	-	-	-	-	-	262	-	215	-	-	2	-	-	-
49	Bronchitis	48	56	39	441	317	117	89	17	14	7	11	7	50	47	194	76	403
38	Arteriosclerotic and degenerative heart disease	139	166	110	-	-	..	1	..	1	..	29	3	278	113	752	576	2748
46	Acute upper respiratory infections	25	27	24	305	235	114	84	18	8	12	5	6	7	9	18	19	23
61	Diseases of gallbladder and pancreas	57	36	80	9	35	1	1	..	3	40	26	107	83	167	176	224	227
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	29	29	29	628	523	86	70	9	5	9	4	8	8	13	19	36	54
73	Complications of pregnancy	18	-	37	-	-	-	-	-	112	-	74	-	-	2	-	-	-
		Average days stay of separations																
75	Delivery without mention of complications	6.6	-	6.6	-	-	-	-	-	6.5	-	6.7	-	-	8.7	-	-	-
50	Hypertrophy of tonsils and adenoids	2.6	2.6	2.6	21.8	3.2	2.5	2.4	2.4	3.2	3.5	3.5	3.5	3.6	4.2	-	4.0	21.0
48	Pneumonia	10.4	10.4	10.3	10.6	10.5	8.5	8.9	7.8	7.9	6.8	7.4	8.2	11.1	12.8	13.1	12.1	20.6
76	Delivery with specified complications	7.6	-	7.6	-	-	-	-	-	7.4	-	7.8	-	-	11.0	-	-	-
49	Bronchitis	8.0	8.5	7.4	7.6	7.5	5.9	6.3	5.2	5.1	5.6	6.7	6.5	9.4	9.5	11.9	8.5	18.7
38	Arteriosclerotic and degenerative heart disease	26.5	25.5	28.2	-	-	7.2	18.0	13.7	10.7	11.0	3.2	17.2	18.7	19.1	19.5	18.5	42.4
46	Acute upper respiratory infections	5.2	5.3	5.2	6.4	6.4	5.0	5.0	4.4	4.3	4.2	4.6	4.4	6.7	5.4	7.3	7.5	10.5
61	Diseases of gallbladder and pancreas	12.0	13.3	11.5	11.3	126.0	24.0	13.3	9.0	10.2	8.0	8.8	11.0	12.8	11.5	14.8	13.4	17.5
58	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	6.4	6.6	6.2	8.6	8.5	6.8	6.5	3.6	3.9	3.1	3.5	3.5	5.3	4.9	6.8	7.6	10.4
73	Complications of pregnancy	4.1	-	4.1	-	-	-	-	-	4.3	-	4.0	-	-	6.1	-	-	-

.. indicates less than 0.5

TABLE 7(m) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR PROVINCIAL PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-PROVINCE HOSPITALIZATION, 1966

(1) See footnotes, Table 6, for details

BRITISH COLUMBIA

NO.	DIAGNOSIS	ALL AGES				UNDER 1				1 - 4				5 - 14				15 - 24				25 - 44				45 - 64				65 - 74				75+
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F						
		Separations																																
75	Delivery without mention of complications	24479	-	24479	-	-	-	-	-	-	-	37	-	12044	-	12357	-	41	-	-	-	-	-	-	-	-	-	-	-					
50	Hypertrophy of tonsils and adenoids	19957	9891	10066	1	2	3007	2286	5663	5934	675	1243	488	518	54	71	12	1	12	1	12	1	12	1	12	1	12	1	12					
48	Pneumonia	12656	7150	5506	1224	836	1921	1579	819	659	231	201	521	562	949	759	577	401	908	509	509	509	509	509	509	509	509	509						
38	Arteriosclerotic and degenerative heart disease	10631	6539	4092	2	-	2	1	4	3	7	5	363	102	2513	1010	1632	1260	2016	1711	1711	1711	1711	1711	1711	1711	1711	1711						
73	Complications of pregnancy	7507	-	7507	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
76	Delivery with specified complications	7193	-	7193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
49	Bronchitis	6881	4004	2877	836	596	1283	844	369	272	74	134	157	248	516	454	394	188	375	141	141	141	141	141	141	141	141	141						
61	Diseases of gallbladder and pancreas	6697	1816	4881	7	5	4	10	15	7	35	452	386	1571	719	1683	350	663	300	490	490	490	490	490	490	490	490	490						
56	Hernia of abdominal cavity	6614	4950	1664	291	61	541	118	398	101	212	55	733	359	1563	539	693	248	519	183	183	183	183	183	183	183	183	183						
46	Acute upper respiratory infections	5094	2810	2284	618	499	1245	891	480	430	149	179	151	150	95	95	33	17	39	23	23	23	23	23	23	23	23	23						
		Separations per 1,000 population																																
75	Delivery without mention of complications	13.1	-	26.5	-	-	-	-	-	-	-	0.2	-	85.1	-	53.7	-	0.2	-	-	-	-	-	-	-	-	-	-						
50	Hypertrophy of tonsils and adenoids	10.7	10.4	10.9	0.1	0.1	37.6	30.4	28.8	31.4	4.6	8.8	2.0	2.3	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1						
48	Pneumonia	6.8	7.5	6.0	71.6	50.7	24.0	21.0	4.2	3.5	1.6	1.4	2.2	2.4	5.2	4.2	11.7	7.6	24.5	13.0	24.5	13.0	24.5	13.0	24.5	13.0	24.5							
38	Arteriosclerotic and degenerative heart disease	5.7	6.9	4.4	0.1	-	-	-	-	-	-	-	1.5	0.4	13.8	5.6	33.1	23.8	54.5	43.5	54.5	43.5	54.5	43.5	54.5	43.5	54.5							
73	Complications of pregnancy	4.0	-	8.1	-	-	-	-	-	-	-	26.9	-	16.0	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-						
76	Delivery with specified complications	3.8	-	7.8	-	-	-	-	-	-	-	21.9	-	17.8	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-						
49	Bronchitis	3.7	4.2	3.1	48.9	36.1	16.1	11.2	1.9	1.4	0.5	0.9	0.7	1.1	2.8	2.5	8.0	3.5	10.1	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6							
61	Diseases of gallbladder and pancreas	3.6	1.9	5.3	0.4	0.3	0.1	0.1	0.1	0.1	0.2	3.2	1.6	6.8	4.0	9.3	7.1	12.5	8.1	12.5	8.1	12.5	8.1	12.5	8.1	12.5	8.1							
56	Hernia of abdominal cavity	3.5	5.2	1.8	17.0	3.7	6.8	1.6	2.0	0.5	1.4	0.4	3.1	1.6	8.6	3.0	14.1	4.8	14.0	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7							
46	Acute upper respiratory infections	2.7	3.0	2.5	36.1	30.2	15.6	11.8	2.4	2.3	1.0	1.3	0.6	0.7	0.5	0.5	0.7	0.3	1.1	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6							

... indicates less than 0.05

TABLE 7(m) Cont'd

[illegible]

TABLE 7(n) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR YUKON PLAN(1) IN-PATIENTS (EXCLUDING NEWBORN) INCLUDING OUT-OF-YUKON HOSPITALIZATION, 1966

(1) See footnotes Table 6, for details

YUKON

ALL AGES		UNDER 1		1 - 4		5 - 14		15 - 24		25 - 44		45 - 64		65 - 74		75+	
T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Separations																	
331	-	331	-	-	-	-	-	-	161	-	167	-	3	-	6	3	
206	124	82	17	12	49	17	10	15	5	18	14	12	13	3	7	5	
111	68	43	11	7	23	19	5	5	2	10	7	11	2	3	3	1	
109	56	53	2	4	13	6	7	10	3	16	21	10	7	5	2	-	
89	54	35	7	6	21	8	14	15	2	7	2	2	1	1	-	-	
67	47	20	1	-	1	-	-	-	-	2	1	22	6	16	2	7	
67	39	28	13	8	14	8	3	7	-	6	1	3	1	-	1	-	
66	37	29	-	1	4	3	8	10	10	12	7	3	1	-	-	-	
64	-	64	-	-	-	-	-	-	-	-	35	-	-	-	-	-	
61	37	24	-	-	13	6	21	16	2	1	-	-	-	-	-	-	
Separations per 1,000 population																	
23.0	-	50.2	-	-	-	-	-	-	-	-	87.9	-	3.8	-	-	-	
14.3	15.9	12.4	85.0	60.0	54.4	21.2	6.2	8.8	4.5	7.5	7.4	10.0	16.2	30.0	15.0	35.0	
7.7	8.7	6.5	55.0	35.0	25.6	23.8	3.1	2.9	1.8	4.2	3.7	9.2	2.5	15.0	-	15.0	
7.6	7.2	8.0	10.0	20.0	14.4	7.5	4.4	5.9	2.7	6.7	11.1	8.3	8.8	25.0	10.0	-	
6.2	6.9	5.3	35.0	30.0	23.3	10.0	8.8	8.8	1.8	2.9	1.1	1.7	1.2	5.0	-	-	
4.7	6.0	3.0	5.0	-	1.1	-	-	-	-	0.8	0.5	18.3	7.5	80.0	10.0	25.0	
4.7	5.0	4.2	65.0	40.0	15.6	10.0	1.9	4.1	-	2.5	0.5	2.5	1.2	-	5.0	-	
4.6	4.7	4.4	-	5.0	4.4	3.8	5.0	5.9	9.1	5.0	3.7	2.5	1.2	-	5.0	-	
4.4	-	9.7	-	-	-	-	-	-	-	-	18.4	-	-	-	-	-	
4.2	4.7	3.6	-	-	14.4	7.5	13.1	9.4	1.8	0.4	-	-	-	-	-	-	
POP'N NOT AVAILABLE																	

TABLE 7 (o) HOSPITALIZATION FOR THE TEN MOST COMMON DIAGNOSES, BY SEX AND AGE, FOR NORTHWEST TERRITORIES PLAN (1) IN-PATIENTS
(EXCLUDING NEWBORN) INCLUDING OUT-OF-TERRITORIES HOSPITALIZATION, 1966.

(1) See footnotes Table 6
NORTHWEST TERRITORIES

NO. DIAGNOSIS		ALL AGES												75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		UNDER 1						1 - 4						5 - 14						15 - 24						25 - 44						45 - 64						65 - 74						75+																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F

Table 7 (o) cont'd

ALL AGES		UNDER 1			1 - 4			5 - 14			15 - 24			25 - 44			44 - 64			65 - 74			75+	
T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
NO. DIAGNOSIS		Patient-days																						
48	Pneumonia	10410	5599	4811	2464	1500	1250	1193	351	354	277	163	349	487	428	437	312	293	168	384				
75	Delivery without complications	5211	-	5211	-	-	-	-	-	-	-	1938	-	3206	-	67	-	-	-	-	-			
85	Symptoms, senility and ill-defined conditions																							
49	Bronchitis	2123	780	1343	36	16	99	132	161	78	61	54	217	411	120	512	30	111	56	29				
73	Complications of pregnancy	1956	1186	770	437	254	452	277	75	30	31	16	51	81	53	71	53	22	34	19				
58	Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	791	-	791	-	-	-	-	-	-	-	250	-	533	-	8	-	-	-	-	-			
78	Infection of skin and subcutaneous tissue	1477	690	787	393	520	195	160	44	24	9	20	30	47	19	16	-	-	-	-				
33	Inflammatory and other diseases of C.N.S.	1235	746	489	118	59	101	127	189	127	69	50	142	88	40	19	49	-	38	19				
50	Hypertrophy of tonsils and adenoids	2450	1437	1013	434	433	251	156	117	46	309	102	168	116	89	54	28	35	41	71				
74	Abortion	684	319	365	2	-	59	143	227	138	19	84	9	-	3	-	-	-	-	-				
		445	-	445	-	-	-	-	-	-	-	169	-	272	-	4	-	-	-	-	-			
		Patient-days per 1,000 population																						
48	Pneumonia	363	359	367	4107	3000	595	596	100	101	103	71	81	152	225	336	1040	1465	840	3840				
75	Delivery without complications	182	-	398	-	-	-	-	-	-	-	843	-	1002	-	52	-	-	-	-	-			
85	Symptoms, senility and ill-defined conditions																							
49	Bronchitis	74	50	103	60	32	47	66	46	22	23	23	50	128	63	394	100	555	280	290				
73	Complications of pregnancy	68	76	59	728	508	215	138	21	9	11	7	12	25	28	55	177	110	170	190				
58	Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	28	-	60	-	-	-	-	-	-	-	109	-	167	-	6	-	-	-	-	-			
78	Infection of skin and subcutaneous tissue	51	44	60	655	1040	93	80	13	7	3	9	7	15	10	12	-	-	-	-				
33	Inflammatory and other diseases of C.N.S.	43	48	37	197	118	48	63	54	36	26	22	33	28	21	15	163	-	190	190				
50	Hypertrophy of tonsils and adenoids	85	92	77	723	866	120	78	33	13	114	44	39	36	47	42	93	175	205	710				
74	Abortion	24	20	28	3	-	28	71	65	39	7	37	2	-	2	-	-	-	-	-				
		16	-	34	-	-	-	-	-	-	-	73	-	85	-	3	-	-	-	-	-			
		Average days stay of separations																						
48	Pneumonia	9.2	9.2	9.2	10.9	9.7	7.7	7.7	6.8	6.8	7.1	10.9	7.4	8.1	9.1	9.9	14.9	11.7	12.9	19.2				
75	Delivery without complications	6.1	-	6.1	-	-	-	-	-	-	-	6.0	-	6.1	-	9.6	-	-	-	-	-			
85	Symptoms, senility and ill-defined conditions																							
49	Bronchitis	6.4	4.8	8.0	2.8	2.3	3.4	6.9	7.7	6.2	4.1	2.8	4.4	6.8	4.8	17.1	6.0	12.3	8.0	7.2				
73	Complications of pregnancy	7.0	7.0	7.0	7.4	7.1	6.6	7.3	6.2	6.0	6.2	5.3	5.7	5.8	6.6	7.9	13.2	11.0	8.5	6.3				
58	Gastro-enteritis and colitis except ulcerative, age 4 weeks and over	3.6	-	3.6	-	-	-	-	-	-	-	3.3	-	3.8	-	2.7	-	-	-	-	-			
78	Infection of skin and subcutaneous tissue	7.1	6.6	7.6	7.7	9.0	5.9	8.4	4.4	6.0	3.0	5.0	7.5	3.6	4.8	3.2	-	-	-	-				
33	Inflammatory and other diseases of C.N.S.	8.0	8.1	7.9	10.7	9.8	5.9	8.5	8.2	7.1	6.9	4.5	8.4	12.6	6.7	6.3	9.8	-	12.7	9.5				
50	Hypertrophy of tonsils and adenoids	17.5	17.7	17.2	18.1	21.6	13.9	14.2	9.8	11.5	28.1	12.8	16.8	14.5	29.7	9.0	28.0	35.0	20.5	71.0				
74	Abortion	5.0	3.9	6.4	2.0	-	2.8	10.2	4.5	4.8	3.2	6.0	4.5	-	3.0	-	-	-	-	-				
		4.0	-	4.0	-	-	-	-	-	-	-	3.8	-	4.1	-	4.0	-	-	-	-				

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NEWFOUNDLAND, 1966

Rank	U.K. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	777	Delivery, spontaneous	11,349	4,703.3	171.5
2	261	Tonsillectomy with adenoidectomy	1,655	335.4	25.0
3	778	Delivery, low forceps	1,098	455.0	16.6
4	441	Appendectomy	1,045	211.8	15.8
5	732	Curettag of uterus	1,011	419.0	15.3
6	789	Dilatation and curettage, obstetrical	934	387.1	14.1
7	804	Closed reduction of fracture	801	162.3	12.1
8	402	Hernioplasty, inguinal	607	123.0	9.2
9	765	Caesarean section without mention of hysterectomy	571	236.6	8.6
10	682	Circumcision	512	203.1	7.7
11	521	Cholecystectomy	437	88.6	6.6
12	938	Suture of superficial wounds	418	84.7	6.3
13	649	Cystoscopy	414	83.9	6.3
14	262	Tonsillectomy without adenoidectomy	339	68.7	5.1
15	722	Hysterectomy, total	320	132.6	4.8
16	619	Other operations on kidney	254	51.5	3.8
17	404	Hernioplasty	249	50.5	3.8
18	930	Incision and drainage, superficial	244	49.5	3.7
19	423	Gastrectomy, partial	228	46.2	3.4
20	806	Reduction of fracture with fixation	218	44.2	3.3
21	942	Skin graft (except of face)	213	43.2	3.2
22	483	Hemorrhoidectomy	207	42.0	3.1
23	934	Excision of other skin	184	37.3	2.8
24	724	Hysterectomy, vaginal	179	74.2	2.7
25	749	Other operations on vagina	174	72.1	2.6

(1) Table 8 Newfoundland is based on United Kingdom (U.K.) Code.

(2) Population: T: 493,400 M: 252,100 F: 241,300

(3) Based on male population

(4) Based on female population

(5) Separations: T: 66,166 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
PRINCE EDWARD ISLAND, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations (2)	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	63.3	Cystotomy	704	648.8	38.9
2	27.2	Tonsillectomy with adenoidectomy	522	481.1	28.9
3	72.8	Dilatation and curettage of uterus	356	665.4 (4)	19.7
4	45.1	Appendectomy	318	293.1	17.6
5	77.1	Dilatation and curettage after delivery or abortion	228	426.2 (4)	12.6
6	53.5	Cholecystectomy	227	209.2	12.6
7	41.0	Repair of inguinal hernia except recurrent	217	200.0	12.0
8	82.3	Closed reduction of fracture of extremity of long bone	140	129.0	7.7
9	89.1	Excision and destruction of lesion of skin and sub-cutaneous tissue	130	119.8	7.2
10	27.1	Tonsillectomy without adenoidectomy	116	106.9	6.4
11	89.4	Suture	102	94.0	5.6
12	90.6	Cystoscopy without effect on tissue or lesion	98	90.3	5.4
13	24.2	Surgical removal of tooth	92	84.8	5.1
14	41.1	Exploratory laparotomy or celiotomy	88	81.1	4.9
15	78.4	Caesarean section, not otherwise specified	76	142.1 (4)	4.2
16	88.4	Excision and ligation of varicose veins	63	58.1	3.5
17	89.0	Excision of skin and subcutaneous tissue	62	57.1	3.4
18	66.9	Other operations on prostate and seminal vesicles	61	110.9 (3)	3.4
19	49.3	Hemorrhoidectomy	61	56.2	3.4
20	90.5	Proctoscopy without effect upon tissue or lesion	59	54.4	3.3
21	64.5	Dilatation of urethra	55	50.7	3.0
22	84.0	Arthroplasty of hip without mechanical device	54	49.8	3.0
23	27.3	Adenoidectomy without tonsillectomy	54	49.8	3.0
24	74.3	Colporrhaphy	51	95.3 (4)	2.8
25	38.8	Biopsy of breast	51	47.0	2.8

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification, U.S. Department of Health, Education and Welfare, Public Health Service, 1959.

(2) Population: T: 108,500 M: 55,000 F: 53,500

(3) Based on male population

(4) Based on female population

(5) Separations: T: 18,086 (excluding newborns)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TEN MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NOVA SCOTIA, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2, 27.1	Tonsillectomy with and without adenoidectomy	5,843	772.9	52.1
2	76.3	Episiotomy (includes that with and without forceps)	4,019	1,070.3	35.8
3	69.2	Circumcision (includes newborn)	2,691	707.2	24.0
4	72.8	Dilatation and curettage of uterus (includes endometrial biopsy, therapeutic abortion and after delivery or abortion)			
5	45.1	Appendectomy	2,550	679.1	22.7
6	53.5	Cholecystectomy (includes resection of gallbladder)	2,043	270.2	18.2
7	41.0	Repair of inguinal hernia except recurrent	1,504	198.9	13.4
8	72.4	Abdominal hysterectomy (complete or total)	1,407	186.1	12.5
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	955	254.3	8.5
		Closed reduction of fracture of shaft or extremity of long bone	919	121.6	8.2
10	82.0, 82.3		698	92.3	6.2

- (1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification, U.S. Department of Health, Education and Welfare, Public Health Service, 1959.
- (2) Population: T: 756,000 M: 380,500 F: 375,500
- (3) Based on male population
- (4) Based on female population
- (5) Separations: T: 112,229 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
NEW BRUNSWICK, 1966

Rank	U.K. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	777	Delivery, spontaneous	12,032	3,923.1	121.5
2	261	Tonsillectomy with adenoidectomy	4,339	703.5	43.8
3	441	Appendectomy	1,533	248.5	15.5
4	521	Cholecystectomy	1,332	216.0	13.5
5	789	Dilatation and curettage, obstetrical	1,261	411.2	12.7
6	732	Curettage of uterus	1,200	391.3	12.1
7	804	Closed reduction of fracture	1,192	193.3	12.0
8	722	Hysterectomy, total	1,139	371.4	11.5
9	402	Hernioplasty, inguinal	967	156.8	9.8
10	251	Extraction of tooth, simple	863	139.9	8.7
11	938	Suture of superficial wounds	798	129.4	8.1
12	262	Tonsillectomy without adenoidectomy	778	126.1	7.9
13	649	Cystoscopy	671	108.8	6.8
14	483	Hemorrhoidectomy	498	80.7	5.0
15	749	Other operations on vagina	486	158.5	4.9
16	930	Incision and drainage, superficial	462	74.9	4.7
17	668	Urinary system, not specified	455	73.8	4.6
18	765	Caesarean section, without mention of hysterectomy	442	144.1	4.5
19	934	Excision of other skin	437	70.8	4.4
20	724	Hysterectomy, vaginal	415	135.3	4.2
21	203	Operations on tympanum	383	62.1	3.9
22	806	Reduction of fracture with fixation	370	60.0	3.7
23	404	Hernioplasty	370	60.0	3.7
24	381	Mastectomy, partial	365	59.2	3.7
25	734	Biopsy of cervix	346	112.8	3.5
25	682	Circumcision	346	111.6	3.5

(1) Table 8 New Brunswick is based on the United Kingdom (U.K.) Code only
(2) Population: T: 616,800 M: 310,100 F: 306,700
(3) Based on male population
(4) Based on female population
(5) Separations: T: 99,018 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
QUEBEC, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	38,352	663.4	47.6
2	53.5	Cholecystectomy	17,920	310.0	22.2
3	69.2	Circumcision (including newborns)	15,851 (6)	549.3 (3)	19.7
4	77.1	Dilatation and curettage after delivery or abortion	12,929	446.6 (4)	16.1
5	45.1	Appendectomy	12,124	209.7	15.1
6	76.3	Episiotomy without low forceps	11,763	406.3 (4)	14.6
7	40.0	Repair of inguinal hernia (except recurrent)	11,400	197.2	14.2
8	27.1	Tonsillectomy without adenoidectomy	10,731	185.6	13.3
9	72.8	Dilatation and curettage of uterus	9,799	338.5 (4)	12.2
10	24.1	Extraction of tooth (simple)	8,318	143.9	10.3
11	72.4	Hysterectomy, complete or total	8,094	279.6 (4)	10.0
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	6,471	111.9	8.0
13	76.4	Delivery by low forceps with episiotomy	6,364	219.8 (4)	7.9
14	49.3	Hemorrhoidectomy	5,421	93.8	6.7
15	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,492	77.7	5.6
16	81.8	Traction or fixation without reduction	4,353	75.3	5.4
17	73.1	Local excision and destruction of lesion of cervix	4,111	142.0 (4)	5.1
18	76.5	Delivery by low forceps without episiotomy	4,014	138.7 (4)	5.0
19	88.4	Excision and ligation of varicose veins	3,516	60.8	4.4
20	20.4	Operations on tympanum	3,459	59.8	4.3
21	77.3	Repair of other obstetrical laceration	3,447	119.1 (4)	4.3
22	82.0	Closed reduction of fracture of shaft of long bone	3,350	58.0	4.2
23	72.6	Hysterectomy, vaginal	3,196	110.4 (4)	4.0
24	17.4	Extraction of lens, intracapsular	3,140	54.3	3.9
25	89.4	Suture of wounds (skin and subcutaneous tissue)	3,111	53.8	3.9

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
(2) Population: T: 5,780,800 M: 2,885,900 F: 2,894,900 (3) Based on male population (4) Based on female population.
(5) Separations: T: 805,379 (excluding newborn)
(6) Total cases include circumcision of newborn males. This should be noted in making comparisons with data from other provinces.

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
ONTARIO, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	67,326	967.2	63.3
2	72.8	Dilatation and curettage of uterus	26,619	764.5 (4)	25.0
3	40.0	Repair of inguinal hernia except recurrent	18,710	268.8	17.6
4	27.1	Tonsillectomy without adenoidectomy	17,467	250.9	16.4
5	45.1	Appendectomy	17,206	247.2	16.2
6	77.1	Dilatation and curettage after delivery or abortion	15,276	438.8 (4)	14.4
7	53.5	Cholecystectomy	15,227	218.8	14.3
8	76.3	Episiotomy without low forceps	13,191	378.9 (4)	12.4
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	9,491	136.3	8.9
10	76.5	Delivery by low forceps without episiotomy	9,239	265.4 (4)	8.7
11	76.4	Delivery by low forceps with episiotomy	8,988	258.1 (4)	8.5
12	88.4	Excision and ligation of varicose veins	8,032	115.4	7.6
13	24.1	Extraction of tooth	8,023	115.3	7.5
14	49.3	Hemorrhoidectomy	7,116	102.2	6.7
15	72.4	Hysterectomy, complete or total	6,975	200.3 (4)	6.6
16	89.4	Suture	5,422	77.9	5.1
17	66.2	Prostatectomy, transurethral	5,126	147.3 (3)	4.8
18	78.4	Caesarean section, type unspecified	4,856	139.5 (4)	4.6
19	38.1	Partial mastectomy	4,228	60.7	4.0
20	21.1	Operations on nasal septum	3,888	55.9	3.7
21	83.5	Excision of semilunar cartilage of knee joint	3,849	55.3	3.6
22	82.3	Closed reduction of fracture of extremity of long bone	3,709	53.3	3.5
23	82.0	Closed reduction of fracture of shaft of long bone	3,551	51.0	3.3
24	82.5	Open reduction of fracture of extremity of long bone with internal fixation	3,509	50.4	3.3
25	72.3	Hysterectomy, partial or subtotal	3,483	100.0 (4)	3.3

(1) International Classification of Diseases, Adapted for Indexing Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 6,960,900 M: 3,479,200 F: 3,481,700 (3) Based on male population (4) Based on female population
 (5) Separations: T: 1,062,844 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
MANITOBA, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	6,263	650.3	37.1
2	53.5	Cholecystectomy	2,536	263.3	15.0
3	40.0	Repair of inguinal hernia, except recurrent	2,277	236.4	13.5
4	72.8	Dilatation and curettage of uterus	2,217	463.0 (4)	13.1
5	45.1	Appendectomy, with or without drainage	2,022	209.9	12.0
6	24.1	Extraction of tooth, simple	1,990	206.6	11.8
7	27.1	Tonsillectomy without adenoidectomy	1,425	148.0	8.4
8	82.3	Closed reduction of fracture of extremity of long bone	918	95.3	5.4
9	88.4	Excision and ligation of varicose veins	849	88.2	5.0
10	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	739	76.7	4.4
11	66.2	Prostatectomy, transurethral	721	148.9 (3)	4.3
12	17.4	Extraction of lens, intracapsular	715	74.2	4.2
13	49.3	Hemorrhoidectomy	708	73.5	4.2
14	89.4	Suture of skin and subcutaneous tissue	699	72.6	4.1
15	21.1	Operations on nasal septum	680	70.6	4.0
16	74.4	Repair of cystocele and/or rectocele	609	127.2 (4)	3.6
17	72.4	Hysterectomy, complete	604	126.1 (4)	3.6
18	82.5	Open reduction of fracture of extremity of long bone	524	54.4	3.1
19	11.3	Advancement or recession of eye muscle	511	53.1	3.0
20	82.0	Closed reduction of fracture of shaft of long bone	477	49.5	2.8
21	38.1	Partial mastectomy	449	46.6	2.7
22	89.0	Incision of skin and subcutaneous tissue	445	46.2	2.6
23	21.4	Rhinoplasty and repair of nose	374	38.8	2.2
24	38.8	Biopsy of breast	359	37.3	2.1
25	72.5	Hysterectomy, radical	349	72.9 (4)	2.1

(1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 Edition.

(2) Population: T: 963,100 M: 484,300 F: 478,800

(3) Based on male population

(4) Based on female population

(5) Separations: T: 168,674 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
SASKATCHEWAN, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	9,563	1000.9	46.9
2	72.8	Dilatation and curettage of uterus	3,992	856.1 (4)	19.6
3	45.1	Appendectomy	2,894	302.9	14.2
4	24.1	Extraction of tooth (simple)	2,460	257.5	12.1
5	76.3	Episiotomy without low forceps	2,389	512.3 (4)	11.7
6	53.5	Cholecystectomy	2,368	247.9	11.6
7	40.0	Repair of inguinal hernia, except recurrent	2,139	223.9	10.5
8	77.1	Dilatation and curettage after delivery or abortion	1,882	403.6 (4)	9.2
9	27.1	Tonsillectomy without adenoidectomy	1,538	161.0	7.5
10	72.4	Hysterectomy, complete or total	1,466	314.4 (4)	7.2
11	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,259	131.8	6.2
12	81.8	Traction or fixation without reduction	1,129	118.2	5.5
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	1,121	117.3	5.5
14	49.3	Hemorrhoidectomy	996	104.2	4.9
15	88.4	Excision and ligation of varicose veins	945	98.9	4.6
16	66.2	Prostatectomy, transurethral	942	192.6 (3)	4.6
17	89.4	Suture	849	88.9	4.2
18	89.0	Incision of skin and subcutaneous tissue	826	86.5	4.0
19	77.3	Repair of other obstetrical laceration	777	166.6 (4)	3.8
20	82.3	Closed reduction of fracture of extremities of long bone	754	78.9	3.7
21	74.4	Repair of cystocele and/or rectocele	740	158.7 (4)	3.6
22	21.1	Operations on nasal septum	725	75.9	3.6
23	17.4	Extraction of lens, intracapsular	695	72.7	3.4
24	38.1	Partial mastectomy	687	71.9	3.4
25	82.0	Closed reduction of fracture of shaft of long bone	667	69.8	3.3

- (1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 Edition.
 (2) Population: T: 955,400 M: 489,100 F: 466,300
 (3) Based on male population
 (4) Based on female population
 (5) Separations: T: 203,917 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
ALBERTA, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	13,036	890.9	44.6
2	72.8	Dilatation and curettage of uterus	5,552	774.3 (4)	19.0
3	93.1	Intravenous pyelography	5,123	350.1	17.5
4	45.1	Appendectomy	4,020	274.7	13.7
5	53.5	Cholecystectomy	3,696	252.6	12.6
6	40.0	Repair of inguinal hernia	3,221	220.1	11.0
7	77.1	Dilatation and curettage after delivery or abortion	3,183	443.9 (4)	10.9
8	24.1	Extraction of tooth (simple)	2,988	204.2	10.2
9	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,479	169.4	8.5
10	81.8	Traction or fixation without reduction	2,290	156.5	7.8
11	72.4	Hysterectomy, complete or total	2,234	311.6 (4)	7.6
12	82.3	Closed reduction of fracture of extremity of long bone	2,030	138.7	6.9
13	27.1	Tonsillectomy without adenoidectomy	2,026	138.5	6.9
14	89.4	Suture	1,813	123.9	6.2
15	88.4	Excision and ligation of varicose veins	1,659	113.4	5.7
16	90.5	Proctoscopy without effect upon tissue or lesion	1,514	103.5	5.2
17	49.3	Hemorrhoidectomy	1,476	100.9	5.0
18	89.0	Incision of skin and subcutaneous tissue	1,367	93.4	4.7
19	93.2	Retrograde pyelography	1,367	93.4	4.7
20	03.3	Spinal puncture	1,248	85.3	4.3
21	93.0	Venous angiocardiology	1,095	74.8	3.7
22	66.2	Prostatectomy, transurethral	1,026	137.5 (3)	3.5
23	17.4	Extraction of lens, intracapsular	965	66.0	3.3
24	78.1	Caesarean section, low cervical	937	130.7 (4)	3.2
25	72.6	Hysterectomy, vaginal	921	128.5 (4)	3.1

- (1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 Edition.
(2) Population: T: 1,463,200 M: 746,200 F: 717,000
(3) Based on male population
(4) Based on female population
(5) Separations: T: 292,438 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
BRITISH COLUMBIA, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	16,316	870.8	52.5
2	72.8	Dilatation and curettage of uterus	7,189	777.1 (4)	23.1
3	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,307	283.2	17.1
4	40.0	Repair of inguinal hernia except recurrent	4,289	228.9	13.8
5	53.5	Cholecystectomy	3,951	210.9	12.7
6	45.1	Appendectomy	3,558	189.9	11.4
7	27.1	Tonsillectomy without adenoidectomy	3,224	172.1	10.4
8	24.1	Extraction of tooth (simple)	2,937	156.7	9.4
9	77.1	Dilatation and curettage after delivery or abortion	2,901	313.6 (4)	9.3
10	88.4	Excision and ligation of varicose veins	2,765	147.6	8.9
11	72.4	Hysterectomy, complete or total	2,465	266.5 (4)	7.9
12	66.2	Prostatectomy, transurethral	2,345	247.2 (3)	7.5
13	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	2,187	116.7	7.0
14	49.3	Hemorrhoidectomy	1,883	100.5	6.1
15	76.3	Episiotomy without low forceps	1,829	197.7 (4)	5.9
16	82.3	Closed reduction of fracture of extremity of long bone	1,758	93.8	5.7
17	89.4	Suture	1,498	79.9	4.8
18	17.3	Extraction of lens, extracapsular	1,478	78.9	4.8
19	38.1	Partial mastectomy	1,438	76.7	4.6
20	20.4	Operation on tympanum	1,411	75.3	4.5
21	81.8	Traction or fixation without reduction	1,391	74.2	4.5
22	21.4	Rhinoplasty and repair of nose	1,391	74.2	4.5
23	72.6	Hysterectomy, vaginal	1,239	133.9 (4)	4.0
24	73.2	Trachelectomy	1,098	118.7 (4)	3.5
25	82.0	Closed reduction of fracture of shaft of long bone	1,051	56.1	3.4

(1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 Edition.

(2) Population: T: 1,873,700 M: 948,600 F: 925,100

(3) Based on male population

(4) Based on female population

(5) Separations: T: 310,935 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN),
YUKON, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	76.3	Episiotomy without low forceps	91	1378.8 (4)	34.9
2	27.2	Tonsillectomy with adenoidectomy	86	597.2	33.0
3	76.4	Delivery by low forceps with episiotomy	40	606.1 (4)	15.4
4	77.1	Dilatation and curettage after delivery or abortion	39	590.9 (4)	15.0
5	24.2	Surgical removal of tooth	39	270.8	15.0
6	45.1	Appendectomy	36	250.0	13.8
7	72.8	Dilatation and curettage of uterus	32	484.8 (4)	12.3
8	89.4	Suture	27	187.5	10.4
9	82.0	Closed reduction of fracture of shaft of long bone	25	173.6	9.6
10	3.3	Spinal puncture	24	166.7	9.2
11	89.0	Incision of skin and subcutaneous tissue	24	166.7	9.2
12	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	24	166.7	9.2
13	40.0	Repair of inguinal hernia except recurrent	24	166.7	9.2
14	88.4	Excision and ligation of varicose veins	23	159.7	8.8
15	27.1	Tonsillectomy without adenoidectomy	20	138.9	7.7
16	53.5	Cholecystectomy	16	111.1	6.1
17	90.5	Proctoscopy without effect upon tissue or lesion	14	97.2	5.4
18	49.3	Hemorrhoidectomy	12	83.3	4.6
19	38.8	Biopsy of breast	11	76.4	4.2
20	82.3	Closed reduction of fracture of extremity of long bone	11	76.4	4.2
21	72.4	Hysterectomy, complete	11	76.4	4.2
22	93.2	Retrograde pyelography	10	151.5 (4)	3.8
23	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	9	62.5	3.5
24	76.0	Artificial rupture of membranes	9	62.5	3.5
25	69.2	Circumcision	8	136.4 (4) 102.6 (3)	3.5 3.1

(1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 Edition.

(2) Population: T: 14,400 M: 7,800 F: 6,600

(3) Based on male population

(4) Based on female population

(5) Separations: T: 2,604 (excluding newborn)

TABLE 8 - SEPARATIONS AND CORRESPONDING RATES FOR THE TWENTY-FIVE MOST COMMON OPERATIONS FOR IN-PATIENTS (EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1966

Rank	U.S. Code (1)	Operation or Treatment	Number of Separations	Rate per 100,000 Population (2)	Rate per 1,000 Total Separations (5)
1	27.2	Tonsillectomy with adenoidectomy	120	418.1	18.0
2	45.1	Appendectomy	68	236.9	10.2
3	89.0	Incision of skin and subcutaneous tissue	68	236.9	10.2
4	77.1	Dilatation and curettage after delivery or abortion	64	488.5 (4)	9.6
5	82.0	Closed reduction of fracture of shaft of long bone	60	209.1	9.0
6	72.8	Dilatation and curettage of uterus	50	381.7 (4)	7.5
7	89.4	Suture	47	163.8	7.0
8	89.1	Excision and destruction of lesion of skin and subcutaneous tissue	43	149.8	6.4
9	24.2	Surgical removal of tooth	43	149.8	6.4
10	40.0	Repair of inguinal hernia except recurrent	36	125.4	5.4
11	24.1	Extraction of tooth (simple)	32	111.5	4.8
12	27.1	Tonsillectomy without adenoidectomy	31	108.0	4.6
13	53.5	Cholecystectomy	25	87.1	3.7
14	69.2	Circumcision	24	153.8 (3)	3.6
15	90.6	Cystoscopy and urethroscopy without effect upon tissue or lesion	19	66.2	2.8
16	76.3	Episiotomy without low forceps	18	137.4 (4)	2.7
17	90.5	Proctoscopy without effect upon tissue or lesion	15	52.3	2.2
18	82.3	Closed reduction of fracture of extremity of long bone	15	52.3	2.2
19	89.6	Skin graft except of lip and mouth	14	48.8	2.1
20	78.4	Caesarean section, type unspecified	14	106.9 (4)	2.1
21	71.5	Ligation and division of fallopian tubes bilateral	13	99.2 (4)	1.9
22	20.4	Operations on tympanum	12	41.8	1.8
23	88.4	Excision and ligation of varicose veins	12	41.8	1.8
24	84.7	Closed reduction of dislocation of joint	12	41.8	1.8
25	89.2	Removal of nail	12	41.8	1.8

(1) International Classification of Diseases, Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 Edition.

(2) Population: T: 28,700 M: 15,600 F: 13,100

(3) Based on male population

(4) Based on female population

(5) Separations: T: 6,679 (excluding newborn)

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), NEWFOUNDLAND, 1966

U.K. Code(1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
001-049 001	01-06	1 1(i)	Operations on nervous system Craniotomy	246 38	9,515 1,704	0.8 0.1	2.7 0.5
			Residual	208	7,811	0.7	2.2
070-099 071	08-09	2 2(i)	Operations on endocrine system Thyroidectomy Subtotal	81 42	1,212 533	0.3 0.1	0.3 0.2
			Residual	39	679	0.1	0.2
100-199 112	10-18	3 3(i)	Operations on eye Advancement or recession of eye muscle	684 (165)	8,450 (935)	2.2	2.4
109-115 170-179	11 17	3(ii) 3(iii)	Operations on eye (ocular) muscles Operations on lens	259 108	1,636 2,179	0.8 0.3	0.5 0.6
			Residual	317	4,635	1.0	1.3
200-249 214	20-22	4 4(i)	Operations on ear, nose and throat Excision of lesion of nose	316 (50)	6,035 (381)	1.0	1.7
200-209 210-229 211	20 21 21.1	4(ii) 4(iii) 4(iv)	Operations on ear Operations on nose and accessory services Operations on nasal septum	95 136 (12)	1,011 1,020 (88)	0.3 0.4	0.3 0.3
			Residual	85	4,004	0.3	1.1
250-299 261	24-28 27.2	5 5(i)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy	2,372 (1,655)	13,284 (6,767)	7.6	3.8
251-253 261-264 261	24.1-24.3 27.1-27.4 27.2	5(ii) 5(iii) 5(iv)	Extraction of tooth and root resection Operations on tonsils and/or adenoids (a) Tonsillectomy with adenoidectomy	143 2,035 (1,655)	1,836 8,366 (6,767)	0.5 6.5	0.5 2.4
			Residual	194	3,082	0.6	0.9

NEWFOUNDLAND (Cont'd)

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
300-329	30-31	6	Operations on heart and great vessels	78	2,097	0.2	0.6
319		6(i)	Other operations on heart and pericardium	25	411	0.1	0.1
303-305)	30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	31	984	0.1	0.3
311-312)			Residual	22	702	0.1	0.2
330-369	33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	156	4,210	0.5	1.2
338		7(i)	Bronchoscopy	85	1,484	0.3	0.4
			Residual	71	2,726	0.2	0.8
380-399	38	8	Operations on breast	291	3,284	0.9	0.9
381		8(i)	Mastectomy, partial	(103)	(743)		
381-383	38.1-38.3	8(ii)	Mastectomy	178	2,584	0.6	0.7
			Residual	113	700	0.4	0.2
400-499	40-49	9	Operations on gastro-intestinal tract (b)	3,416	54,721	10.9	15.5
441		9(i)	Appendectomy	(1,045)	(10,706)		
400	41.1	9(ii)	Exploratory laparotomy or celiotomy	144	3,662	0.5	1.0
402-404	40	9(iii)	Repair of hernia	896	10,969	2.9	3.1
422-423	44.2-44.3	9(iv)	Gastrectomy	231	6,453	0.7	1.8
440-449	45	9(v)	Operations on appendix	1,052	10,792	3.4	3.1
483	49.3	9(vi)	Hemorrhoidectomy	207	2,399	0.7	0.7
			Residual	886	20,446	2.8	5.8

NEWFOUNDLAND (Cont 'd)

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
500-550	51-56	10	Operations on liver and biliary tract, pancreas and spleen	501 (437)	10,053 (7,939)	1.6	2.9
521	53.5	10(i)	Cholecystectomy	437	7,939	1.4	2.3
521	53.5	10(ii)	Cholecystectomy	64	2,114	0.2	0.6
600-669	60-64	11	Residual	1,155	21,709	3.7	6.2
649		11(i)	Operations on urinary system (c) Cystoscopy	414	5,830	1.3	1.7
670-699	66-69	12	Residual	741	15,879	2.4	4.5
682	69.2	12(i)	Operations on male genital system	907	10,872	2.9	3.1
672-677	66.1-66.3	12(ii)	Circumcision	(512)	(2,827)	0.6	1.5
682	69.2	12(iii)	Prostatectomy Circumcision	188 512	5,424 2,827	1.6	0.8
700-759	70-75	13	Residual	207	2,621	0.7	0.7
732	72.8	13(i)	Operations on female genital organs excluding Obstetrical	2,406	24,673	7.7	7.0
701-703	70.2-70.5	13(ii)	Dilatation and curettage of uterus	1,011	5,777	3.2	1.6
721-724	72.3-72.6	13(iii)	Oophorectomy	164	1,982	0.5	0.6
732	72.8	13(iv)	Hysterectomy (d)	503	9,312	1.6	2.6
743-748	74.3	13(v)	Dilatation and curettage of uterus Colporrhaphy (e)	(1,011) 116	(5,777) 2,032	0.4	0.6
			Residual	612	5,570	2.0	1.6

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
760-799	76-78	14	Obstetrical procedures	14,297	86,144	45.7	24.5
777		14(i)	Delivery spontaneous	11,349	63,586	36.3	18.1
761	76.3-76.4	14(ii)	Episiotomy (f)	-	-	-	-
789	77.1	14(iii)	Dilatation and curettage after delivery or abortion	934	3,930	3.0	1.1
765-766	78.0-78.4	14(iv)	Caesarean section	580	8,265	1.9	2.3
766			Caesarean section with hysterectomy	(44)	(654)		
			Residual	1,434	10,363	4.6	2.9
800-899	80-87	15	Operations on musculoskeletal system	2,429	65,182	7.8	18.5
804	82.0-82.3, 82.6	15(i)	Closed reduction of fracture	(801)	(11,988)		
804-806	82	15(ii)	Reduction of fracture	1,092	23,512	3.5	6.7
804	82.0-82.3, 82.6	15(iii)	Closed reduction of fracture	(801)	(11,988)		
880-899	78.0-78.4	15(iv)	Amputation and disarticulation of extremities	165	6,048	0.5	1.7
			Residual	1,172	35,622	3.7	10.1
900-929	88	16	Operations on peripheral blood vessels and lymphatic system	315	6,248	1.0	1.8
919		16(i)	Other operations on veins	(127)	(1,891)		
913,916,919	88.4	16(ii)	Excision and ligation of varicose veins	152	2,265	0.5	0.6
			Residual	163	3,983	0.5	1.1
930-949	89	17	Operations on skin and subcutaneous tissue	1,498	21,277	4.8	6.0
938	89.4	17(i)	Suture of superficial wounds	(418)	(2,938)		
930-932	89.0	17(ii)	Incision of skin and subcutaneous tissue	301	2,994	1.0	0.8
933,935,937	89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	208	3,065	0.7	0.8
936	89.2	17(iv)	Removal of nail	93	693	0.3	0.2
938	89.4	17(v)	Suture of superficial wounds	418	2,938	1.3	0.8
			Residual	478	11,587	1.5	3.3

NEWFOUNDLAND (Cont'd)

U.K. Code (1)	Corresponding U.S. Code	Group	Operation or Treatment	Cases	Days	Percent Distribution of Cases	Days
950-999	90-99	18	Other surgical procedures	150	3,278	0.5	0.9
983		18(i)	Application of external supporting apparatus	70	1,789	0.2	0.5
	90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	Included in 478			
	90.6	18(iii)	Cystoscopy and Urethroscopy without effect upon tissue or lesion	Included in 649			
	92.0	18(iv)	Encephalography and Ventriculography	Included in group 1			
	93.2	18(v)	Pyelography	Included in 619			
	99.3	18(vi)	Exchange transfusion	Included in 951			
			Residual	80	1,489	0.3	0.4
			Total	31,298	352,244	100.0	100.0

(1) Newfoundland is based on United Kingdom (UK) Code only.

(a) Includes biopsy of tonsils.

(b) Includes repair of rectocele and cystocele.

(c) Includes repair of cystocele.

(d) Caesarean section with hysterectomy is not included in group 14(iv).

(e) Includes repair of vaginal fistula.

(f) Only one operation coded. Episiotomies not coded.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), PRINCE EDWARD ISLAND, 1966.

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06	1	Operations on nervous system	58	1,247	1.1	2.0
01.0	1(i)	Craniotomy	16	364	0.3	0.6
		Residual	42	883	0.8	1.4
08-09	2	Operations on endocrine system	29	384	0.5	0.6
08.1	2(i)	Partial or subtotal thyroidectomy	20	285	0.4	0.5
		Residual	9	99	0.2	0.2
10-18	3	Operations on eye	87	876	1.6	1.4
17.0	3(i)	Dissection of lens or cataract	(39)	(481)		
11	3(ii)	Operations on eye muscles	13	49	0.2	0.1
17	3(iii)	Operations on lens	40	492	0.7	0.8
		Residual	34	335	0.6	0.5
20-22	4	Operations on ear, nose and throat	171	1,233	3.2	2.0
21.1	4(i)	Operations on nasal septum	(32)	(190)		
20	4(ii)	Operations on ear	42	395	0.8	0.6
21	4(iii)	Operations on nose and accessory sinuses	121	675	2.2	1.1
21.1	4(iv)	Operations on nasal septum	(32)	(190)		
		Residual	8	163	0.1	0.3
24-28	5	Operations on buccal cavity and esophagus	865	3,809	16.0	6.0
27.2	5(i)	Tonsillectomy with adenoidectomy	(540)	(1,766)		
24.1-24.3	5(ii)	Extraction of tooth and root resection	91	312	1.7	0.5
27.1-27.4	5(iii)	Operations on tonsils and/or adenoids	618	2,632	11.5	4.2
27.2	5(iv)	Tonsillectomy with adenoidectomy	(540)	(1,766)		
		Residual	156	865	2.9	1.4

PRINCE EDWARD ISLAND (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	16	353	0.3	0.6
30.2	6(i)	Repair of heart and pericardium	(6)	(103)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	9	167	0.2	0.3
		Residual	7	186	0.1	0.3
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	18	597	0.3	0.9
35.2	7(i)	Partial Lobectomy	4	208	0.1	0.3
		Residual	14	389	0.3	0.6
38	8	Operations on breast	111	1,145	2.1	1.8
38.8	8(i)	Biopsy of breast	53	342	1.0	0.5
38.1-38.3	8(ii)	Mastectomy	57	788	1.1	1.3
		Residual	1	15	<0.05	<0.05
40-49	9	Operations on gastro-intestinal tract	941	11,951	17.4	19.0
45.1	9(i)	Appendectomy	(320)	(2,736)		
40.1	9(ii)	Exploratory laparotomy or celiotomy	89	1,906	1.6	3.0
41	9(iii)	Repair of hernia	247	2,392	4.6	3.8
44.2-44.3	9(iv)	Gastrectomy, complete or total	18	470	0.3	0.7
45	9(v)	Operations on appendix	323	2,796	6.0	4.4
49.3	9(vi)	Hemorrhoidectomy	62	637	1.1	1.0
		Residual	202	3,750	3.7	5.9
51-56	10	Operations on liver, biliary tract, pancreas and spleen	258	4,529	4.8	7.2
53.5	10(i)	Cholecystectomy	237	4,057	4.4	6.4
53.5	10(ii)	Cholecystectomy	(237)	(4,057)		
		Residual	21	472	0.4	0.7

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64	11	Operations on urinary system	120	2,231	2.2	3.5
64.5	11(i)	Dilatation of urethra	56	622	1.0	1.0
66-69	12	Residual	64	1,609	1.2	2.6
66.9	12(i)	Operations on male genital system	232	3,499	4.3	5.6
66.1-66.3	12(ii)	Other operations on prostate and seminal vesicles	72	1,161	1.3	1.8
69.2	12(iii)	Prostatectomy	65	1,710	1.2	2.7
		Circumcision	46	205	0.9	0.3
70-75	13	Residual	49	423	0.9	0.7
72.8	13(i)	Operations on female genital organs excluding obstetrical	677	5,236	12.5	8.3
70.2-72.6	13(ii)	Dilatation and curettage of uterus	(361)	(1,752)		
72.3-72.6	13(iii)	Oophorectomy	132	1,766	2.4	2.8
72.8	13(iv)	Hysterectomy	(102)	(1,407)		
74.3	13(v)	Dilatation and curettage of uterus	361	1,752	6.7	2.8
74.4	13(vi)	Colporrhaphy	51	701	0.9	1.1
		Repair of cystocele and/or rectocele	20	216	0.4	0.3
76-78	14	Residual	113	801	2.1	1.3
77.1	14(i)	Obstetrical procedures	322	1,487	6.0	2.4
76.3-76.4	14(ii)	Dilatation and curettage after delivery or abortion	(239)	(679)		
77.1	14(iii)	Episiotomy	3	34	0.1	0.1
78.0-78.4	14(iv)	Dilatation and curettage after delivery or abortion	239	679	4.4	1.1
		Caesarean section	74	730	1.4	1.2
80-87	15	Residual	6	44	0.1	0.1
82.3	15(i)	Operations on musculoskeletal system	644	14,701	11.9	23.3
82	15(ii)	Closed reduction of fracture of extremity of long bone	(144)	(876)		
82.0, 82.3, 82.6	15(iii)	Reduction of fracture	228	2,433	4.2	3.9
87.0-87.9	15(iv)	Closed reduction of fracture	(165)	(1,090)		
		Amputation and disarticulation of extremities	48	1,124	0.9	1.8
		Residual	368	11,144	6.8	17.7

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
88	16	Operations on peripheral blood vessels and lymphatic system	79	802	1.5	1.3
88.4	16(i)	Excision and ligation of varicose veins	(68)	(657)		
88.4	16(ii)	Excision and ligation of varicose veins	68	657	1.3	1.0
		Residual	11	145	0.2	0.2
89	17	Operations on skin and subcutaneous tissue	408	4,514	7.6	7.2
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	(138)	(1,604)		
89.0	17(ii)	Incision of skin and subcutaneous tissue	66	492	1.2	0.8
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	138	1,604	2.6	2.5
89.2	17(iv)	Removal of nail	33	94	0.6	0.1
89.4	17(v)	Suture	102	883	1.9	1.4
		Residual	69	1,441	1.3	2.3
90-99	18	Certain non-surgical procedures	359	4,441	6.7	7.0
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(105)	(1,077)		
90.5	18(ii)	Proctoscopy with effect upon tissue or lesion	59	617	1.1	1.0
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	105	1,077	1.9	1.7
92.0	18(iv)	Encephalography and ventriculography	8	102	0.1	0.2
93.0	18(v)	Pyelography	1	19	<0.05	<0.05
99.3	18(vi)	Exchange transfusion	-	-	-	-
		Residual	186	2,626	3.4	4.2
		Total	5,395	63,035	100.0	100.0

(1) International Classification of Diseases. Adapted for indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1959.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS (EXCLUDING NEWBORN), QUEBEC, 1966

U.S. Code	Group	Operation or Treatment (1)	Cases (2)	Days (2)	Cases	Percent Distribution of	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	4,376 628	101,940 11,327	1.2 0.2		2.8 0.3
		Residual	3,748	90,613	1.0		2.5
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	1,285 808	21,090 12,269	0.4 0.2		0.6 0.3
		Residual	477	8,821	0.1		0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	10,536 (3,140) 3,256 3,390	95,416 (44,732) 11,328 47,707	2.9 .9 .9		2.6 0.3 1.3
		Residual	3,890	36,381	1.1		1.0
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, throat Excision of lesion of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	15,499 (2,510) 6,912 7,867 (2,510)	126,885 (13,675) 48,169 48,033 (13,675)	4.3 1.9 2.2		3.5 1.3 1.3
		Residual	720	30,683	0.2		0.8
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	61,582 (38,352) 8,576 50,557 (38,352)	151,149 (72,023) 13,488 107,922 (72,023)	17.0 2.4 14.0		4.2 0.4 3.0
		Residual	2,449	29,739	0.7		0.8

U.S. Code	Group	Operation or Treatment (1)	Cases (2)	Days (2)	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	1,996	46,785	0.6	1.3
30.3	6(i)	Operations on valves of heart	(583)	(16,452)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	589	16,668	0.2	0.5
		Residual	1,407	30,117	0.4	0.8
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum				
34.0	7(i)	Thoracotomy and pleurotomy	1,820	49,726	0.5	1.4
		Residual	444	10,731	0.1	0.3
			1,376	38,995	0.4	1.1
38	8	Operations on breast				
38.1	8(i)	Partial mastectomy	6,158	56,728	1.7	1.6
38.1-38.3	8(ii)	Mastectomy	(2,590)	(16,109)		
		Residual	4,098	29,586	1.1	0.8
			2,060	27,142	0.6	0.7
40-49	9	Operations on gastro-intestinal tract				
45.1	9(i)	Appendectomy	46,996	591,237	13.0	16.2
40.1	9(ii)	Exploratory laparotomy or celiotomy	(12,124)	(99,186)		
41	9(iii)	Repair of hernia	446	4,569	0.1	0.1
44.2-44.3	9(iv)	Gastrectomy, complete or total	2,151	40,978	0.6	1.1
45	9(v)	Operations on appendix	1,696	41,636	0.5	1.1
49.3	9(vi)	Hemorrhoidectomy	12,194	100,408	3.4	2.8
		Residual	5,421	55,355	1.5	1.5
			25,088	348,291	6.9	9.6
51-56	10	Operations on liver, biliary tract, pancreas and spleen				
53.5	10(i)	Cholecystectomy	19,530	338,106	5.4	9.3
53.5	10(ii)	Cholecystectomy	(17,920)	(292,754)		
		Residual	17,920	292,754	5.0	8.0
			1,610	45,352	0.4	1.2

QUEBEC (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases (2)	Days (2)	Cases	Percent Distribution of	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	6,920 1,007	127,237 10,257	1.9 0.3	3.5 0.3	
66-69 69.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Residual Operations on male genital system Circumcision Prostatectomy Circumcision	5,913 22,744 (15,851) 3,173 15,851	116,980 198,444 (83,900) 80,297 83,900	1.6 6.3 0.9 4.4	3.2 5.5 2.2 2.3	
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Residual Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	3,720 37,229 (9,799) 1,623 11,518 9,799 345 1,834	34,247 406,769 (61,519) 22,241 188,354 61,519 4,744 30,245	1.0 10.3 0.4 3.2 2.7 0.1 0.5	0.9 11.2 0.6 5.2 1.7 0.1 0.8	
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Residual Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	12,110 44,509 (12,929) 18,127 12,929 3,950	99,666 252,252 (51,534) 104,882 51,534 41,464	3.3 12.3 5.0 3.6 1.1	2.7 6.9 2.9 1.4 1.1	
		Residual	9,503	54,372	2.6	1.5	

U.S. Code	Group	Operation or Treatment (1)	Cases (2)	Days (2)	Cases	Percent Distribution of	Days
80-87	15	Operations on musculoskeletal system	37,530	519,758	10.4	14.3	
81.8	15(i)	Traction or fixation without reduction	4,353	55,286	1.2	1.5	
82	15(ii)	Reduction of fracture	11,070	142,533	3.1	3.9	
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(6,086)	(49,660)			
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	425	4,433	0.1	0.1	
		Residual	21,682	317,506	6.0	8.7	
88	16	Operations on peripheral blood vessels and lymphatic system					
88.4	16(i)	Excision and ligation of varicose veins	6,100	95,200	1.7	2.6	
88.4	16(ii)	Excision and ligation of varicose veins	(3,516)	(42,542)			
			3,516	42,542	1.0	1.2	
		Residual	2,584	52,658	0.7	1.4	
89	17	Operations on skin and subcutaneous tissue					
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	16,511	154,517	4.6	4.2	
89.0	17(ii)	Incision of skin and subcutaneous tissue	(6,471)	(49,846)			
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	2,763	20,429	0.8	0.6	
89.2	17(iv)	Removal of nail	6,471	49,846	1.8	1.4	
89.4	17(v)	Suture	1,549	7,204	0.4	0.2	
			3,111	13,103	0.9	0.4	
		Residual	2,617	63,935	0.7	1.8	

QUEBEC (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases (2)	Days (2)	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	20,543	305,029	5.7	8.4
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(4,492)	(45,521)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	2,859	32,349	0.8	0.9
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	4,492	45,521	1.2	1.2
92.0	18(iv)	Encephalography and ventriculography	1,884	35,141	0.5	1.0
93.0	18(v)	Pyelography	204	2,275	0.1	0.1
99.3	18(vi)	Exchange transfusion	342	6,596	0.1	0.2
		Residual	10,762	183,147	3.0	5.0
		Total	361,864	3,638,268	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1959.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(2), (EXCLUDING NEWBORN), ONTARIO, 1966.

U.S. Code	Group	Operation or Treatment (1)	Cases (3)	Days (3)	Cases	Percent Distribution of	Days
01-06 03.0	1 1(i)	Operations on nervous system Laminotomy	6,588 1,402	159,137 46,658	1.4 0.3		3.5 1.0
		Residual	5,186	112,479	1.1		2.5
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	1,968 1,464	23,314 15,312	0.4 0.3		0.5 0.3
		Residual	504	8,002	0.1		0.2
10-18 17.3 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, extracapsular Operations on eye (ocular) muscles Operations on lens	16,439 (3,050) 5,377 5,933	138,571 (41,065) 14,333 76,158	3.5 1.1 1.3		3.1 0.3 1.7
		Residual	5,129	48,080	1.1		1.1
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on the nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	18,701 (3,888) 7,023 10,074 (3,888)	125,974 (16,455) 40,529 53,047 (16,455)	4.0 1.5 2.1		2.8 0.9 1.2
		Residual	1,604	32,398	0.3		0.7
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	98,474 (67,326) 8,245 86,516 (67,326)	243,053 (136,620) 28,519 176,706 (136,620)	20.9 1.7 18.3		5.4 0.6 3.9
		Residual	3,713	37,828	0.8		0.8

ONTARIO (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases (3)	Days (3)	Cases	Percent Distribution of	Days
30-32	6	Operations on heart and intrathoracic vessels	2,190	49,851	0.5		1.1
30.4	6(i)	Catheterization of the right heart	497	7,301	0.1		0.2
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	491	15,190	0.1		0.3
		Residual	1,202	27,360	0.3		0.6
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum					
35.2	7(i)	Partial lobectomy	2,203 446	54,327 13,215	0.5 0.1		1.2 0.3
		Residual	1,757	41,112	0.4		0.9
38	8	Operation on breast					
38.1	8(i)	Partial mastectomy	8,698	70,796	1.8		1.6
38.1-38.3	8(ii)	Mastectomy	(4,228) 6,542	(20,192) 58,872	1.4		1.3
		Residual	2,156	11,924	0.5		0.3
40-49	9	Operations on gastro-intestinal tract					
40.0	9(i)	Repair of inguinal hernia except recurrent	70,668	856,204	15.0		19.0
40	9(ii)	Repair of hernia	(18,710) 25,931	(131,363) 217,219	5.5		4.8
41.1	9(iii)	Exploratory laparotomy or celiotomy	2,651	58,174	.6		1.3
44.2-44.3	9(iv)	Gastrectomy, partial or complete	2,275	59,170	.5		1.3
45	9(v)	Operations on appendix	17,354	137,698	3.7		3.0
49.3	9(vi)	Hemorrhoidectomy	7,116	67,548	1.5		1.5
		Residual	15,341	316,395	3.3		7.0

U.S. Code	Group	Operation or Treatment (1)	Cases (3)	Days (3)	Cases	Percent Distribution of	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	12,225 2,333	188,366 22,726	2.6 0.5		4.2 0.5
		Residual	9,892	165,640	2.1		3.7
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	13,310 (5,126) 6,175 2,990	192,534 (109,942) 140,872 11,403	2.8 1.3 0.6		4.3 3.1 0.3
		Residual	4,145	40,259	0.9		0.9
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	61,124 (26,619) 1,750 13,990 26,619 635 3,387	519,211 (116,287) 22,666 205,142 116,287 8,264 47,220	13.0 0.4 3.0 5.6 0.1 0.7		11.5 0.5 4.5 2.6 0.2 1.0
		Residual	14,743	119,632	3.1		2.6
76-78 77.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	58,561 (15,276) 22,179 15,276 6,706	368,774 (54,013) 143,195 54,013 77,207	12.4 4.7 3.2 1.4		8.2 3.2 1.2 1.7
		Residual	14,400	94,359	3.1		2.1

ONTARIO (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases (3)	Days (3)	Cases	Percent Distribution of	Days
80-87	15	Operations on musculoskeletal system	47,635	840,473	10.1	18.6	
83.5	15(i)	Excision of semilunar cartilage of knee joint	3,849	38,920	0.8	0.9	
82	15(ii)	Reduction of fracture	14,481	288,331	3.1	6.4	
82.0,82.3,82.6	15(iii)	Closed reduction of fracture	(8,038)	(84,517)			
87	15(iv)	Amputation and disarticulation of extremities	2,675	81,739	0.6	1.8	
		Residual	26,630	431,483	5.6	9.6	
88	16	Operations on peripheral blood vessels and lymphatic system					
88.4	16(i)	Excision and ligation of varicose veins	10,992	135,948	2.3	3.0	
88.4	16(ii)	Excision and ligation of varicose veins	(8,032)	(74,123)			
			8,032	74,123	1.7	1.6	
		Residual	2,960	61,825	0.6	1.4	
89	17	Operations on skin and subcutaneous tissue					
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	24,974	249,607	5.3	5.5	
89.0	17(ii)	Incision of skin and subcutaneous tissue	(9,491)	(82,006)			
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	3,345	28,001	0.7	0.6	
89.2	17(iv)	Removal of nail	9,491	82,006	2.0	1.8	
89.4	17(v)	Suture	2,415	13,289	0.5	0.3	
			5,422	35,985	1.1	0.8	
90-99	18	Not coded in Ontario	4,301	90,326	0.9	2.0	
		Total (17 groups)	471,663(3)	4,515,274(3)	100.0	100.0	

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 edition.

(2) Ontario Hospital Services Commission claims processed January - December 1966.

(3) The total number of cases and days excludes Group 18 - "Certain non-surgical procedures". This should be noted in making comparisons with data from other provinces.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR MANITOBA RESIDENT IN-PATIENTS(2), (EXCLUDING NEWBORN), MANITOBA, 1966.

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06 01.0	1 1(i)	Operations on nervous system Craniotomy	463 118	9,837 3,531	1.0 0.2	2.3 0.8
08-09 08.1	2 2(i)	Residual Operations on endocrine system Partial or subtotal thyroidectomy	345 268 158	6,306 2,371 1,192	0.7 0.6 0.3	1.5 0.6 0.3
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Residual Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	110 2,199 (715) 712 795	1,179 17,476 (9,304) 1,889 10,075	0.2 4.6 1.5 1.6	0.3 4.2 0.4 2.4
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Residual Operations on ear, nose and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	692 2,354 (680) 861 1,419 (680)	5,512 10,062 (2,478) 3,662 5,477 (2,478)	1.4 4.9 1.8 2.9	1.3 2.4 0.9 1.3
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Residual Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	74 10,588 (6,263) 2,190 7,955 (6,263)	923 24,207 (12,638) 4,117 16,454 (12,638)	0.2 22.0 4.5 16.5	0.2 5.8 1.0 3.9
		Residual	443	3,636	0.9	0.9

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and great vessels	156	4,161	0.3	1.0
30.3	6(i)	Operations on valves of heart	(62)	(2,176)		
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	63	2,188	0.1	.5
32.0-32.1	6(iii)	Open heart surgery	1	27	<0.05	<0.05
		Residual	92	1,946	.2	.5
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	157	3,396	0.3	0.8
35.3	7(i)	Complete lobectomy	42	1,169	0.1	0.3
		Residual	115	2,227	0.2	0.5
38	8	Operation on breast	1,251	8,840	2.6	2.1
38.1	8(i)	Partial mastectomy	(449)	(1,622)		
38.1-38.3	8(ii)	Mastectomy	804	7,082	1.7	1.7
		Residual	447	1,758	0.9	0.4
40-49	9	Operations on gastro-intestinal tract	8,363	91,198	17.4	21.7
40.0	9(i)	Repair of inguinal hernia except recurrent	(2,277)	(16,827)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	315	5,435	0.7	1.3
40	9(iii)	Repair of hernia	3,205	26,249	6.7	6.3
44.2-44.3	9(iv)	Gastrectomy, partial or complete	265	6,101	0.5	1.5
45	9(v)	Operations on appendix	2,038	15,056	4.2	3.6
49.3	9(vi)	Hemorrhoidectomy	708	5,842	1.5	1.4
		Residual	1,832	32,515	3.8	7.7
51-57	10	Operations on liver, biliary tract, spleen, pancreas, and intra-abdominal blood vessels	2,784	41,988	5.8	10.0
53.5	10(i)	Cholecystectomy	(2,536)	(35,883)		
53.5	10(ii)	Cholecystectomy	2,536	35,883	5.3	8.5
		Residual	248	6,105	0.5	1.5

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64 60.4	11 11(i)	Operations on urinary system Complete nephrectomy	984 142	16,330 1,949	2.0 0.3	3.9 0.5
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	842 1,843 (721) 1,000 330	14,381 29,476 (16,403) 24,646 784	1.7 3.8 2.1 0.7	3.4 7.0 5.9 0.2
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs except obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	513 5,794 (2,217) 189 1,263 2,217 138 609	4,046 42,030 (6,026) 2,455 16,364 6,026 1,642 7,112	1.1 12.0 0.4 2.6 4.6 0.3 1.3	1.0 10.0 0.6 3.9 1.4 0.4 1.7
76-78 78.1 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Caesarean section, low cervical Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	1,378 599 (346) 19 10 455	8,431 6,573 (4,068) 130 46 5,301	2.9 1.2 1.2 1.2 0.9	2.0 1.6 1.6 1.3 1.3
		Residual	115	1,096	0.2	0.3

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	5,956	83,700	12.4	19.9
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(918)	(5,138)		
82	15(ii)	Reduction of fracture	2,416	35,737	5.0	8.5
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(1,536)	(11,994)		
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	276	5,143	0.6	1.2
		Residual	3,264	42,820	6.8	10.2
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	1,080	10,199	2.2	2.4
88.4	16(ii)	Excision and ligation of varicose veins	(849)	(5,893)		
		Residual	849	5,893	1.8	1.4
			231	4,306	0.5	1.0
89	17	Operations on skin and subcutaneous tissue				
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	2,538	15,574	5.3	3.7
89.0	17(ii)	Incision of skin and subcutaneous tissue	(739)	(4,548)		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	445	2,009	0.9	0.5
89.2	17(iv)	Removal of nail	739	4,548	1.5	1.1
89.4	17(v)	Suture of skin and subcutaneous tissue	199	632	0.4	0.2
		Residual	699	3,184	1.4	0.8
			456	5,201	0.9	1.2

MANITOBA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	806	2,267	1.7	0.5
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(213)	(533)		
			25	41	0.1	<0.05
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	213	533	0.4	0.1
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	12	32	<0.05	<0.05
92.0	18(iv)	Encephalography and ventriculography	-	-		
93.1,93.2	18(v)	Pyelography, intravenous and retrograde	-	-		
99.3	18(vi)	Exchange transfusion	-	-		
		Residual	556	1,661	1.2	0.4
		Total	48,183	419,685	100.0	100.0

- (1) International Classification of Diseases. Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 edition.
- (2) M.H.C. Hospital Admission-Discharge Record forms for adult and child separations. This table includes only those cases where the reason for admission was believed to be for surgical intervention in the treatment of the primary disease.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS(1), (EXCLUDING NEWBORN), SASKATCHEWAN, 1966.

U.S. Code	Group	Operation or Treatment (2)	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	619 142	13,208 1,508	0.9 0.2	1.9 0.2
		Residual	477	11,700	0.7	1.7
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	311 227	4,318 2,782	0.4 0.3	0.6 0.4
		Residual	84	1,536	0.1	0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	2,112 (695) 532 755	19,658 (9,594) 2,126 10,088	3.0 0.8 1.1	2.8 0.3 1.5
		Residual	825	7,444	1.2	1.1
20-22 21.1 20 21	4 4(i) 4(ii) 4(iii)	Operations on ear, nose, and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses	2,875 (725) 1,028 1,663	20,148 (2,899) 5,779 8,197	4.1 1.5 2.3	2.9 0.8 1.2
		Residual	184	6,172	0.3	0.9
24-28 27.2 24.1-24.3 27.1-27.4	5 5(i) 5(ii) 5(iii)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids	14,422 (9,563) 2,478 11,421	39,558 (22,575) 6,619 27,812	20.3 3.5 16.1	5.7 1.0 4.0
		Residual	523	5,127	0.7	0.7

U.S. Code	Group	Operation or Treatment (2)	Cases	Days	Cases	Percent Distribution of	Days
30-32	6	Operations on heart and intrathoracic vessels	316	5,667	0.4	0.8	
30.5	6(i)	Catheterization of the left heart	186	2,205	0.3	0.3	
30.2, 30.3	6(ii)	Repair of heart and pericardium and operations on valves	43	1,341	0.1	0.2	
		Residual	87	2,121	0.1	0.3	
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	275	7,635	0.4	1.1	
34.1	7(i)	Thoracentesis or pleuracentesis	107	2,825	0.2	0.4	
		Residual	168	4,810	0.2	0.7	
38	8	Operations on breast	1,221	10,856	1.7	1.6	
38.1	8(i)	Partial mastectomy	(687)	(3,378)			
38.1-38.3	8(ii)	Mastectomy	969	9,490	1.4	1.4	
		Residual	252	1,366	0.4	0.2	
40-57	9	Operations on gastro-intestinal tract and related organs and tissues	11,857	166,812	16.7	24.1	
45.1	9(i)	Appendectomy	(2,894)	(24,592)			
41.1	9(ii)	Exploratory laparotomy or celiotomy	195	4,799	0.3	0.7	
40	9(iii)	Repair of hernia	3,028	31,569	4.3	4.6	
44.2-44.3	9(iv)	Gastrectomy, partial or complete	362	8,443	0.5	1.2	
45	9(v)	Operations on appendix	2,925	25,132	4.1	3.6	
49.3	9(vi)	Hemorrhoidectomy	996	10,117	1.4	1.5	
51.0-57.0	9(vii)	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	2,614	45,905	3.7	6.6	
53.5	9(viii)	Cholecystectomy	(2,368)	(38,379)			
		Residual	1,737	40,847	2.4	5.9	
60-69	10	Operations on urinary and male genital system	3,791	69,963	5.3	10.1	
66.2	10(i)	Prostatectomy, transurethral	(942)	(25,739)			
66.1-66.3	10(ii)	Prostatectomy, perineal, transurethral, and other	1,312	37,413	1.8	5.4	
69.2	10(iii)	Circumcision	595	2,448	0.8	0.4	
		Residual	1,884	30,102	2.7	4.3	

U.S. Code	Group	Operation and Treatment (2)	Cases	Days	Percent Distribution of Cases	Days
70-75	11	Operations on female genital organs excluding obstetrical	8,992	72,174	12.7	10.4
72.8	11(i)	Dilatation and curettage of uterus	3,992	14,291	5.6	2.1
70.2-70.5	11(ii)	Oophorectomy	153	2,181	0.2	0.3
72.3-72.6	11(iii)	Hysterectomy	1,969	30,234	2.8	4.4
74.3	11(iv)	Colporrhophy	43	630	0.1	0.1
74.4	11(v)	Repair of cystocele and/or rectocele	740	10,310	1.0	1.5
		Residual	2,095	14,528	3.0	2.1
76-78	12	Obstetrical procedures	6,949	43,146	9.8	6.2
76.3	12(i)	Episiotomy without low forceps	(2,389)	(14,656)		
76.3-76.4	12(ii)	Episiotomy with and without low forceps	2,903	18,052	4.1	2.6
77.1	12(iii)	Dilatation and curettage after delivery or abortion	1,882	6,682	2.7	1.0
78.0-78.4	12(iv)	Caesarean section	662	8,377	0.9	1.2
		Residual	1,502	10,035	2.1	1.4
80-87	13	Operations on musculoskeletal system	7,032	106,600	9.9	15.4
81.8	13(i)	Traction or fixation without reduction	1,129	17,594	1.6	2.5
82	13(ii)	Reduction of fracture	2,206	27,853	3.1	4.0
82.0, 82.3, 82.6	13(iii)	Closed reduction of fracture	(1,628)	(12,696)		
87.0-87.4	13(iv)	Amputation and disarticulation of extremities	123	1,160	0.2	0.2
		Residual	3,574	59,993	5.0	8.7
88	14	Operations on peripheral blood vessels and lymphatic system	1,356	19,173	1.9	2.8
88.4	14(i)	Excision and ligation of varicose veins	945	9,586	1.3	1.4
		Residual	411	9,587	0.6	1.4

U.S. Code	Group	Operation or Treatment (2)	Cases	Days	Percent Distribution of Cases	Days
89	15	Operations on skin and subcutaneous tissue	3,555	35,974	5.0	5.2
89.0	15(i)	Incision of skin and subcutaneous tissue	826	5,294	1.2	0.8
89.1	15(ii)	Excision and destruction of lesion of skin and subcutaneous tissue	1,121	12,987	1.6	1.9
89.2	15(iii)	Removal of nail	355	2,073	0.5	0.3
89.4	15(iv)	Suture	849	6,949	1.2	1.0
		Residual	404	8,671	0.6	1.3
90-99	16	Certain non-surgical procedures	5,199	58,042	7.3	8.4
90.6	16(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	1,259	13,085	1.8	1.9
90.5	16(ii)	Proctoscopy without effect upon tissue or lesion	660	7,599	0.9	1.1
92.0	16(iii)	Encephalography and ventriculography	87	1,262	0.1	0.2
93.1,93.2	16(iv)	Pyelography, intravenous and retrograde	1,108	13,243	1.6	1.9
99.3	16(v)	Exchange transfusion	9	178	<0.05	<0.05
		Residual	2,076	22,675	2.9	3.3
		Total	70,882	692,932		

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records by Diseases and Operations, 1962 edition.

(2) Includes out-of-province hospitalization.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR ALBERTA RESIDENTS (EXCLUDING NEWBORN), ALBERTA, 1966.

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	2,258 1,248	38,115 16,824	1.7 0.9	3.1 1.4
		Residual	1,010	21,291	0.7	1.8
08-09 09.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	479 343	4,852 3,128	0.4 0.3	0.4 0.3
		Residual	136	1,724	0.1	0.1
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	3,570 (965) 1,244 1,075	28,489 (12,870) 4,218 14,057	2.6 0.9 0.8	2.4 0.3 1.2
		Residual	1,251	10,214	0.9	0.8
20-22 21.1 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on nasal septum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	4,465 (843) 1,464 2,665 (843)	22,616 (2,461) 6,724 10,706 (2,461)	3.3 1.1 2.0	1.9 0.6 0.9
		Residual	336	5,186	0.2	0.4
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids Tonsillectomy with adenoidectomy	20,025 (13,036) 3,410 15,649 (13,036)	59,775 (31,744) 11,145 39,927 (31,744)	14.8 2.5 11.6	4.9 0.9 3.3
		Residual	966	8,703	0.7	0.7

ALBERTA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	577	8,583	0.4	0.7
30.4	6(i)	Catheterization of the right heart	182	1,324	0.1	0.1
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	123	2,514	0.1	0.2
		Residual	272	4,745	0.2	0.4
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum				
34.1	7(i)	Thoracentesis and pleuracentesis	726	17,255	0.5	1.4
		Residual	273	6,833	0.2	0.6
			453	10,422	0.3	0.9
38	8	Operations on breast				
38.8	8(i)	Biopsy of breast	1,965	12,819	1.5	1.1
38.1-38.3	8(ii)	Mastectomy	599	2,322	0.4	0.2
		Residual	1,189	9,470	0.9	0.8
			177	1,027	0.1	0.1
40-49	9	Operations on gastro-intestinal tract				
45.1	9(i)	Appendectomy	14,345	159,559	10.6	13.2
41.1	9(ii)	Exploratory laparotomy or celiotomy	(4,020)	(30,536)		
40	9(iii)	Repair of hernia	239	4,198	0.2	0.3
44.2-44.3	9(iv)	Gastrectomy, partial or complete	4,539	37,195	3.4	3.1
45	9(v)	Operations on appendix	603	14,285	0.4	1.2
49.3	9(vi)	Hemorrhoidectomy	4,064	31,212	3.0	2.6
		Residual	1,476	14,377	1.1	1.2
			3,424	58,292	2.5	4.8
51-56	10	Operations on liver, biliary tract, pancreas and spleen				
53.5	10(i)	Cholecystectomy	4,229	65,635	3.1	5.4
53.5	10(ii)	Cholecystectomy	(3,696)	(52,561)		
		Residual	3,696	52,561	2.7	4.3
			533	13,074	0.4	1.1

ALBERTA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	2,393 759	37,718 5,500	1.8 0.6	3.1 0.5
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	1,634 2,963 (1,026) 1,188 684	32,218 38,800 (21,524) 26,282 1,616	1.2 2.2 0.9 0.5	2.7 3.2 2.2 0.1
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Operations on female genital organs excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	1,091 13,502 (5,552) 479 3,243 5,552 197 640	10,902 103,246 (19,579) 5,454 43,550 19,579 2,360 8,263	0.8 10.0 0.4 2.4 4.1 0.1 0.5	0.9 8.5 0.5 3.6 1.6 0.2 0.7
76-78 76.3 76.3-76.4 77.1 78.0-78.4	14 14(i) 14(ii) 14(iii) 14(iv)	Obstetrical procedures Episiotomy without low forceps Episiotomy Dilatation and curettage after delivery or abortion Caesarean section	3,391 25,118 (8,822) 12,873 3,183 1,077 7,985	24,040 159,586 (55,170) 83,189 10,750 12,742 52,905	2.5 18.6 9.5 2.4 0.8 5.9	2.0 13.2 6.7 0.9 1.1 4.4

ALBERTA (Cont'd.)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Cases	Percent Distribution of
80-87	15	Operations on musculoskeletal system	15,370	217,908	11.4	18.0
81.8	15(i)	Traction or fixation without reduction	2,290	32,487	1.7	2.7
82	15(ii)	Reduction of fracture	4,350	54,949	3.2	4.5
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(3,252)	(28,089)		
87.0-87.9	15(iv)	Amputation and disarticulation of extremities	454	12,543	0.3	1.0
		Residual	8,276	117,929	6.1	9.7
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	2,557	29,959	1.9	2.5
88.4	16(ii)	Excision and ligation of varicose veins	(1,659)	(14,389)		
		Residual	1,659	14,389	1.2	1.2
89	17	Operations on skin and subcutaneous tissue	898	15,570	0.7	1.3
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	7,019	58,202	5.2	4.8
89.0	17(ii)	Incision of skin and subcutaneous tissue	(2,479)	(19,123)		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	1,367	8,601	1.0	0.7
89.2	17(iv)	Removal of nail	2,479	19,123	1.8	1.6
89.4	17(v)	Suture	722	6,903	0.5	0.6
		Residual	1,813	9,861	1.3	0.8
			638	13,714	0.5	1.1

ALBERTA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	13,557	148,397	10.0	12.2
93.1	18(i)	Intravenous pyelography	(5,123)	(49,859)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	1,514	16,209	1.1	1.3
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	848	6,708	0.6	0.6
92.0	18(iv)	Encephalography and ventriculography	284	4,010	0.2	0.3
93.1-93.2	18(v)	Pyelography, intravenous and retrograde	6,490	59,761	4.8	4.9
99.3	18(vi)	Exchange transfusion	13	152	<0.05	<0.05
		Residual	4,408	61,557	3.3	5.1
		Total	135,118	1,211,514	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR PROVINCIAL PLAN IN-PATIENTS, (EXCLUDING NEWBORN, AND OUT-OF-PROVINCE SEPARATIONS), BRITISH COLUMBIA, 1966.

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	1,754 273	33,214 2,630	1.2 0.2	2.5 0.2
		Residual	1,481	30,584	1.1	2.3
08-09 08.1	2 2(i)	Operations on endocrine system Partial or subtotal thyroidectomy	710 535	6,843 4,254	0.5 0.4	0.5 0.3
		Residual	175	2,589	0.1	0.2
10-18 17.4 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Extraction of lens, intracapsular Operations on eye (ocular) muscles Operations on lens	4,906 (1,478) 1,503 1,614	36,255 (16,657) 4,410 17,764	3.5 1.1 1.1	2.7 0.3 1.3
		Residual	1,789	14,081	1.3	1.1
20-22 21.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Rhinoplasty and repair of nose Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	6,672 (1,391) 2,636 3,412 (553)	38,560 (7,754) 13,096 17,104 (2,374)	4.8 1.9 2.4	2.9 1.0 1.3
		Residual	624	8,360	0.4	0.6
24-28 27.2 24.1-24.3 27.1-27.4 27.2	5 5(i) 5(ii) 5(iii) 5(iv)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids(a) Tonsillectomy with adenoidectomy	25,059 (16,316) 3,062 20,283 (16,316)	71,811 (37,655) 9,880 49,316 (37,655)	17.8 2.2 14.4	5.4 0.7 3.7
		Residual	1,714	12,615	1.2	1.0

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-32	6	Operations on heart and intrathoracic vessels	840	14,901	0.6	1.1
30.4-30.5	6(i)	Catheterization of heart	421	3,201	0.3	0.2
30.2-30.3,30.6	6(ii)	Repair of heart and pericardium and operations on valves	218	6,688	0.2	0.5
		Residual	201	5,012	0.1	0.4
33-35	7	Operations on bronchi, lung, pleura, chest wall and mediastinum	673	16,256	0.5	1.2
34.0	7(i)	Thoracotomy and pleurotomy	130	2,815	0.1	0.2
		Residual	543	13,441	0.4	1.0
38	8	Operations on breast	3,009	20,076	2.1	1.5
38.1	8(i)	Partial mastectomy	(1,438)	(4,953)		
38.1-38.3	8(ii)	Mastectomy	2,116	16,405	1.5	1.2
		Residual	893	3,671	0.6	0.3
40-49	9	Operations on gastro-intestinal tract(b)	18,269	228,863	13.0	17.4
40.0	9(i)	Repair of inguinal hernia except recurrent	(4,289)	(35,054)		
41.1	9(ii)	Exploratory laparotomy or celiotomy	448	9,289	0.3	0.7
40	9(iii)	Repair of hernia	6,133	55,210	4.4	4.2
44.2-44.3	9(iv)	Gastrectomy, partial or complete	1,030	23,280	0.7	1.8
45	9(v)	Operations on appendix	3,580	29,768	2.5	2.3
49.3	9(vi)	Hemorrhoidectomy	1,883	15,734	1.3	1.2
		Residual	5,195	95,582	3.7	7.2
51-57	10	Operations on liver, biliary tract, pancreas, spleen and intra-abdominal blood vessels	4,641	79,958	3.3	6.1
53.5	10(i)	Cholecystectomy	(3,951)	(61,600)		
53.5	10(ii)	Cholecystectomy	3,951	61,600	2.8	4.7
		Residual	690	18,358	0.5	1.4

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64 64.5	11 11(i)	Operations on urinary system Dilatation of urethra	4,102 909	56,940 7,351	2.9 0.6	4.3 0.6
66-69 66.2 66.1-66.3 69.2	12 12(i) 12(ii) 12(iii)	Residual Operations on male genital system Prostatectomy, transurethral Prostatectomy Circumcision	3,193 5,078 (2,345) 2,733 845	49,589 79,528 (50,680) 62,036 3,446	2.3 3.6 1.9 0.6	3.8 6.0 4.7 0.3
70-75 72.8 70.2-70.5 72.3-72.6 72.8 74.3 74.4	13 13(i) 13(ii) 13(iii) 13(iv) 13(v) 13(vi)	Residual Operations on female genital organs, excluding obstetrical Dilatation and curettage of uterus Oophorectomy Hysterectomy Dilatation and curettage of uterus Colporrhaphy Repair of cystocele and/or rectocele	1,500 17,857 (7,189) 414 3,771 7,189 315 939	14,046 129,186 (21,684) 4,770 47,163 21,684 3,841 11,699	1.1 12.7 0.3 2.7 5.1 0.2 0.7	1.1 9.8 0.4 3.6 1.6 0.3 0.9
76-78 77.1 76.3-76.4 77.1 78.0-78.4 78.7-78.8	14 14(i) 14(ii) 14(iii) 14(iv)	Residual Obstetrical procedures Dilatation and curettage after delivery or abortion Episiotomy Dilatation and curettage after delivery or abortion Caesarean section(c)	5,229 9,730 (2,901) 2,194 2,901 1,395	40,029 63,778 (10,484) 14,353 10,484 16,740	3.7 6.9 1.6 2.1 1.0	3.0 4.8 1.1 0.8 1.3
		Residual	3,240	22,201	2.3	1.7

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
80-87	15	Operations on musculoskeletal system	15,858	242,311	11.3	18.4
82.3	15(i)	Closed reduction of fracture of extremity of long bone	(1,758)	(12,428)		
82	15(ii)	Reduction of fracture	4,793	80,694	3.4	6.1
82.0-82.3, 82.6	15(iii)	Closed reduction of fracture	(3,093)	(25,652)		
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	100	1,094	0.1	0.1
		Residual	10,965	160,523	7.8	12.2
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	3,768	41,728	2.7	3.2
88.4	16(ii)	Excision and ligation of varicose veins	(2,765)	(24,690)		
		Residual	2,765	24,690	2.0	1.9
89	17	Operations on skin and subcutaneous tissue	1,003	17,038	0.7	1.3
89.1	17(i)	Excision and destruction of lesion of skin and subcutaneous tissue	6,351	62,111	4.5	4.7
89.0	17(ii)	Incision of skin and subcutaneous tissue	(2,187)	(15,777)		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	999	8,723	0.7	0.7
89.2	17(iv)	Removal of nail	2,187	15,777	1.6	1.2
89.4	17(v)	Suture	488	2,458	0.3	0.2
		Residual	1,498	9,267	1.1	0.7
			1,179	25,886	0.8	2.0

BRITISH COLUMBIA (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
90-99	18	Certain non-surgical procedures	11,147	96,704	7.9	7.3
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	5,307	41,586	3.8	3.2
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	692	7,953	0.5	0.6
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(5,307)	(41,586)		
92.0	18(iv)	Encephalography and ventriculography	351	6,038	0.2	0.5
93.0	18(v)	Cholangiography	2	13	<0.05	<0.05
99.3	18(vi)	Exchange transfusion	13	246	<0.05	<0.05
		Residual	4,782	40,868	3.4	3.1
		Total	140,424	1,319,020	100.0	100.0

- 254 -

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1962 edition.

(a) "Arrest of haemorrhage", "excision of lesion" "ligation" and "removal of foreign body" are included. "Incision and drainage of peritonsillar abscess" and "biopsy" are excluded.

(b) "Abdominal wall and peritoneum" are included. "Repair of cystocele and rectocele" are excluded.

(c) Caesarean section with hysterectomy is in group 14(iv).

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR YUKON PLAN IN-PATIENTS(2) (EXCLUDING NEWBORN), YUKON, 1966.

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
01-06 03.3	1 1(i)	Operations on nervous system Spinal puncture	34 24	513 292	3.7 2.6	6.5 3.7
		Residual	10	221	1.1	2.8
08-09 08.5	2 2(i)	Operations on endocrine system Parathyroidectomy, partial or complete	1 1	10 10	0.1 0.1	0.1 0.1
		Residual	-	-	-	-
10-18 11.3 11 17	3 3(i) 3(ii) 3(iii)	Operations on eye Advancement or recession of eye muscle Operations on eye (ocular) muscles Operations on lens	20 (7) 11 -	128 (15) 24 -	2.2 1.2	1.6 0.3
		Residual	9	104	1.0	1.3
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose, and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	31 (6) 11 17 (-)	209 (12) 96 78 (-)	3.4 1.2 1.9	2.6 1.2 1.0
		Residual	3	35	0.3	0.4
24-28 27.2 24.1-24.3 27.1-27.4	5 5(i) 5(ii) 5(iii)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids	156 (86) 39 105	504 (251) 75 346	17.2 4.3 11.6	6.4 0.9 4.4
		Residual	12	83	1.3	1.0

YUKON (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	9	210	1.0	2.6
30.5	6(i)	Catheterization of the left heart	3	38	0.3	0.5
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	2	107	0.2	1.4
		Residual	4	65	0.4	0.8
33-35	7	Operations on bronchus, lung, pleura, chest wall, and mediastinum	4	91	0.4	1.1
34.1	7(i)	Thoracentesis and pleuracentesis	3	78	0.3	1.0
		Residual	1	13	0.1	0.2
38	8	Operations on breast	21	94	2.3	1.2
38.8	8(i)	Biopsy of breast	11	34	1.2	0.4
38.1-38.3	8(ii)	Mastectomy	4	41	0.4	0.5
		Residual	6	19	0.7	0.2
40-49	9	Operations on gastro-intestinal tract	93	942	10.2	11.9
45.1	9(i)	Appendectomy	(36)	(314)		
40.1	9(ii)	Exploratory laparotomy or celiotomy	1	13	0.1	0.2
41	9(iii)	Repair of hernia	3	40	0.3	0.5
44.2-44.3	9(iv)	Gastrectomy	2	98	0.2	1.2
45	9(v)	Operations on appendix	36	314	4.0	4.0
49.3	9(vi)	Hemorrhoidectomy	11	93	1.2	1.2
		Residual	40	384	4.4	4.8
51-56	10	Operations on liver, biliary tract, pancreas, and spleen	19	283	2.1	3.6
53.5	10(i)	Cholecystectomy	14	178	1.5	2.2
		Residual	5	105	0.6	1.3

YUKON (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64	11	Operations on urinary system	10	155	1.1	2.0
63.2	11(i)	Complete or total cystectomy	2	55	0.2	0.7
		Residual	8	100	0.9	1.3
66-69	12	Operations on male genital system	12	121	1.3	1.5
69.2	12(i)	Circumcision	8	46	0.9	0.6
66.1-66.3	12(ii)	Prostatectomy	2	39	0.2	0.5
		Residual	2	36	0.2	0.5
70-75	13	Operations on female genital organs excluding obstetrical	60	440	6.6	5.6
72.8	13(i)	Dilatation and curettage of uterus	32	113	3.5	1.4
70.2-70.5	13(ii)	Oophorectomy	2	19	0.2	0.2
72.3-72.6	13(iii)	Hysterectomy	14	211	1.5	2.7
74.3	13(iv)	Colporrhaphy	3	35	0.3	0.4
74.4	13(v)	Repair of cystocele and/or rectocele	1	9	0.1	0.1
		Residual	8	53	0.9	0.7
76-78	14	Obstetrical procedures	200	1,143	22.0	14.4
76.3	14(i)	Episiotomy without low forceps	(91)	(533)		
76.3-76.4	14(ii)	Episiotomy	131	763	14.4	9.6
77.1	14(iii)	Dilatation and curettage after delivery or abortion	39	117	4.3	1.5
78.0-78.4	14(iv)	Caesarean section	5	70	0.6	0.9
		Residual	25	193	2.8	2.4
80-87	15	Operations on musculoskeletal system	79	1,040	8.7	13.1
82.0	15(i)	Closed reduction of fracture of long bone	(25)	(112)		
82	15(ii)	Reduction of fracture	42	394	4.6	5.0
82.0, 82.3, 82.6	15(iii)	Closed reduction of fracture	(36)	(146)		
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	2	73	0.2	0.9
		Residual	35	573	3.9	7.2

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
88	16	Operations on peripheral blood vessels and lymphatic system				
88.4	16(i)	Excision and ligation of varicose veins	22 20	396 262	2.4 2.2	5.0 3.3
		Residual	2	134	0.2	1.7
89	17	Operations on skin and subcutaneous tissue				
89.4	17(i)	Suture	80	663	8.8	8.4
89.0	17(ii)	Incision of skin and subcutaneous tissue	27	112	3.0	1.4
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	24	213	2.6	2.7
89.2	17(iv)	Removal of nail	24 -	196 -	2.6	2.5
		Residual	5	142	0.6	1.8
90-99	18	Certain non-surgical procedures				
90.5	18(i)	Proctoscopy without effect upon tissue or lesion	57 (12)	981 (216)	6.3	12.4
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	12	216	1.3	2.7
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	9	134	1.0	1.7
92.0	18(iv)	Encephalography and ventriculography	2	17	0.2	0.2
93.0	18(v)	Pyelography	-	-	-	-
99.3	18(vi)	Exchange transfusion	5	42	0.6	0.5
		Residual	29	572	3.2	7.2
		Total	908	7,923	100.0	

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, edition 1959.

TABLE 9 - SEPARATIONS AND PATIENT-DAYS FOR THE 75 CATEGORIES IN THE "TEMPORARY LIST OF OPERATIONS AND TREATMENTS" FOR TERRITORIAL PLAN IN-PATIENTS(2) (EXCLUDING NEWBORN), NORTHWEST TERRITORIES, 1966

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
1-6 3.3	1 1(i)	Operations on nervous system Spinal puncture	22 11	434 156	1.6 0.8	2.3 0.8
		Residual	11	278	0.8	1.4
8-9 9.7	2 2(i)	Operations on endocrine system Operations on carotid gland	6 2	155 67	0.4 0.1	0.8 0.3
		Residual	4	88	0.3	0.5
10-18 15.1	3 3(i)	Operations on eye Iridectomy and destruction of lesion of iris of ciliary body	56 4	857 117	4.1 0.3	4.5 0.6
11 17	3(ii) 3(iii)	Operations on eye (ocular) muscles Operations on lens	11 2	136 31	0.8 0.1	0.7 0.2
		Residual	39	573	2.8	3.0
20-22 20.4 20 21 21.1	4 4(i) 4(ii) 4(iii) 4(iv)	Operations on ear, nose and throat Operations on tympanum Operations on ear Operations on nose and accessory sinuses Operations on nasal septum	48 (12) 26 18 (2)	751 (183) 546 162 (26)	3.5 1.9 1.3	3.9 2.8 0.8
		Residual	4	43	0.3	0.2
24-28 27.2 24.1-24.3 27.1-27.4	5 5(i) 5(ii) 5(iii)	Operations on buccal cavity and esophagus Tonsillectomy with adenoidectomy Extraction of tooth and root resection Operations on tonsils and/or adenoids	241 (120) 76 157	1,227 (655) 252 907	17.5 5.5 11.4	6.4 1.3 4.7
		Residual	8	68	0.6	0.4

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
30-31	6	Operations on heart and great vessels	11	232	0.8	1.2
30.5	6(i)	Catheterization of the left heart	6	102	0.4	0.5
30.2-30.3	6(ii)	Repair of heart and pericardium and operations on valves	2	56	0.1	0.3
		Residual	3	74	0.2	0.4
33-35	7	Operations on bronchus, lung, pleura, chest wall and mediastinum	11	353	0.8	1.8
34.0	7(i)	Thoracotomy and pleurotomy	3	188	0.2	1.0
		Residual	8	165	0.6	0.9
38	8	Operations on breast	15	142	1.1	0.7
38.8	8(i)	Biopsy of breast	9	56	0.7	0.3
38.1-38.3	8(ii)	Mastectomy	3	40	0.2	0.2
		Residual	3	46	0.2	0.2
40-49	9	Operations on gastro-intestinal tract	172	2,764	12.5	14.4
45.1	9(i)	Appendectomy	68	780	4.9	4.1
40.1	9(ii)	Exploratory laparotomy or celiotomy	1	23	0.1	0.1
41	9(iii)	Repair of hernia	11	227	0.8	1.2
44.2-44.3	9(iv)	Gastrectomy	3	63	0.2	0.3
45	9(v)	Operations on appendix	69	801	5.0	4.2
49.3	9(vi)	Hemorrhoidectomy	6	59	0.4	0.3
		Residual	14	811	1.0	4.2
51-56	10	Operations on liver, biliary tract, pancreas and spleen	32	1,045	2.3	5.4
53.5	10(i)	Cholecystectomy	25	489	1.8	2.5
		Residual	7	556	0.5	2.9

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
60-64	11	Operations on urinary system	14	330	1.0	1.7
60.3	11(i)	Partial nephrectomy	2	55	0.1	0.3
		Residual	12	275	0.9	1.4
66-69	12	Operations on male genital system	37	483	2.7	2.5
69.2	12(i)	Circumcision	24	202	1.7	1.0
66.1-66.3	12(ii)	Prostatectomy	3	68	0.2	0.4
		Residual	10	213	0.7	1.1
70-75	13	Operations on female genital organs except obstetrical	111	1,199	8.1	6.2
72.8	13(i)	Dilatation and curettage of uterus	50	209	3.6	1.1
70.2-70.5	13(ii)	Oophorectomy	4	38	0.3	0.2
72.3-72.6	13(iii)	Hysterectomy	12	194	0.9	1.0
74.3	13(iv)	Colporrhaphy	2	38	0.1	0.2
74.4	13(v)	Repair of cystocele and/or rectocele	3	34	0.2	0.2
		Residual	40	686	2.9	3.6
76-78	14	Obstetrical procedures	134	842	9.7	4.4
77.1	14(i)	Dilatation and curettage after delivery or abortion	64	242	4.6	1.3
76.3-76.4	14(ii)	Episiotomy	28	193	2.0	1.0
77.1	14(iii)	Dilatation and curettage after delivery or abortion	(64)	(242)		
78.0-78.4	14(iv)	Caesarean section	16	217	1.2	1.1
		Residual	26	190	1.9	1.0
80-87	15	Operations on musculoskeletal system	180	3,978	13.1	20.7
82.0	15(i)	Closed reduction of fracture of long bone	(60)	(1,073)		
82	15(ii)	Reduction of fracture	101	1,837	7.3	9.5
82.0,82.3,82.6	15(iii)	Closed reduction of fracture	(77)	(1,138)		
87.0-87.4	15(iv)	Amputation and disarticulation of extremities	6	75	0.4	0.4
		Residual	73	2,066	5.3	10.7

NORTHWEST TERRITORIES (Cont'd)

U.S. Code	Group	Operation or Treatment (1)	Cases	Days	Percent Distribution of Cases	Days
88	16	Operations on peripheral blood vessels and lymphatic system	20	321	1.5	1.7
88.4	16(i)	Excision and ligation of varicose veins	12	120	0.9	0.6
		Residual	8	201	0.6	1.0
89	17	Operations on skin and subcutaneous tissue	188	2,679	13.6	13.9
89.0	17(i)	Incision of skin and subcutaneous tissue	68	779	4.9	4.0
89.0	17(ii)	Incision of skin and subcutaneous tissue	(68)	(779)		
89.1	17(iii)	Excision and destruction of lesion of skin and subcutaneous tissue	43	511	3.1	2.7
89.2	17(iv)	Removal of nail	12	67	0.9	0.3
89.4	17(v)	Suture	47	399	3.4	2.1
		Residual	18	923	1.3	4.8
90-99	18	Certain non-surgical procedures	80	1,450	5.8	7.5
90.6	18(i)	Cystoscopy and urethroscopy without effect upon tissue or lesion	(19)	(191)		
90.5	18(ii)	Proctoscopy without effect upon tissue or lesion	15	117	1.1	0.6
90.6	18(iii)	Cystoscopy and urethroscopy without effect upon tissue or lesion	19	191	1.4	1.0
92.0	18(iv)	Encephalography and ventriculography	6	303	0.4	1.6
93.0	18(v)	Pyelography	-	-	-	-
99.3	18(vi)	Exchange transfusion	1	6	0.1	<0.05
		Residual	39	833	2.8	4.3
		Total	1,378	19,242	100.0	100.0

(1) International Classification of Diseases. Adapted for Indexing of Hospital Records and Operation Classification - Classification of Operations and Treatments, U.S. Department of Health, Education, and Welfare, Public Health Service, 1959 edition.

(2) Includes out-of-territories hospitalization.

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES					PATIENT-DAYS				
		Newborn		Other Infants		Total	Newborn		Other Infants		Total
		M	F	M	F		M	F	M	F	
560-561 570	Hernia of abdominal cavity and intestinal obstruction	1	3	80	21	105	24	12	866	366	1,268
	Nfld.	-	-	15	2	17	-	-	77	9	86
	P.E.I.	-	-	113	28	141	-	-	956	282	1,238
	N.B.	3	4	841	252	1,100	78	128	6,791	1,979	8,976
	Que.	-	-	127	45	172	-	-	534	295	829
	Man.	8	-	112	30	153	121	6	967	295	1,389
	Sask.	1	1	300	94	396	12	31	1,786	540	2,369
	Alta.	16	16	305	71	408	321	273	1,766	414	2,774
	B.C.	-	-	4	1	5	-	-	9	1	10
	Yukon	-	-	8	-	8	-	-	128	-	128
	N.W.T.	-	-	-	-	-	-	-	-	-	-
571,764	Gastro-enteritis and colitis and diarrhoea of newborn	29	27	1,905	544	2,505	556	450	13,880	4,181	19,067
	Nfld.	11	10	354	291	666	97	192	2,946	2,333	5,568
	P.E.I.	-	-	65	33	98	-	-	565	324	889
	N.B.	-	-	359	313	672	-	-	3,136	2,607	5,743
	Que.	130	96	2,051	1,707	3,984	1,954	1,810	25,693	20,425	49,882
	Man.	8	3	725	606	1,342	97	42	5,839	4,505	10,483
	Sask.	15	13	564	459	1,051	235	279	5,418	4,275	10,207
	Alta.	1	2	1,180	933	2,116	12	34	10,060	7,796	17,902
	B.C.	19	13	781	660	1,473	267	205	6,310	5,166	11,948
	Yukon	-	-	13	8	21	-	-	182	47	229
	N.W.T.	-	-	52	59	111	-	-	400	525	925
184		137		6,144	5,069	11,534	2,662	2,562	60,549	48,003	113,776

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
690-698	Infection of skin and subcutaneous tissue												
	Nfld.	-	-	34	32	66		-	-	590	367	957	
	P.E.I.	1	-	3	2	6		23	-	34	11	68	
	N.B.	-	-	32	46	78		-	-	303	427	730	
	Que.	-	-	232	201	433		-	-	3,167	2,756	5,923	
	Man.	-	-	64	62	126		-	-	631	454	1,085	
	Sask.	7	1	17	23	48		98	9	181	297	585	
	Alta.	2	1	69	65	137		16	6	610	477	1,109	
	B.C.	9	3	65	63	140		139	71	711	843	1,764	
	Yukon	-	-	2	2	4		-	-	10	17	27	
	N.W.T.	-	-	11	6	17		-	-	118	59	177	
		19	5	529	502	1,055		276	86	6,355	5,708	12,425	
750-753	Congenital malformations of nervous system and sense organs												
	Nfld.	19	25	23	25	92		346	964	779	1,128	3,217	
	P.E.I.	1	3	1	3	8		37	270	27	66	400	
	N.B.	-	-	17	23	40		-	-	382	389	771	
	Que.	80	136	145	141	502		1,483	1,680	3,625	2,626	9,414	
	Man.	17	8	29	27	81		781	63	943	1,180	2,967	
	Sask.	11	10	18	12	51		169	255	246	151	821	
	Alta.	5	2	50	42	99		56	25	862	703	1,646	
	B.C.	31	26	64	30	151		307	407	1,188	938	2,840	
	Yukon	-	-	-	2	2		-	-	-	26	26	
	N.W.T.	-	1	1	3	5		-	1	22	176	199	
		164	211	348	308	1,031		3,179	3,665	8,074	7,383	22,301	

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
754	Congenital malformations of circulatory system												
	Nfld.	17	13	48	36	114		220	109	796	657	1,782	
	P.E.I.	2	4	8	13	27		34	47	114	187	382	
	N.B.	-	-	16	13	29		-	-	322	150	472	
	Que.	101	81	328	243	753		1,463	1,331	8,184	6,321	17,299	
	Man.	20	4	46	27	97		184	33	703	420	1,340	
	Sask.	26	20	40	10	96		396	222	760	285	1,663	
	Alta.	6	3	49	55	113		78	88	952	1,172	2,290	
	B.C.	48	34	90	63	235		878	692	2,121	1,826	5,517	
	Yukon	1	-	1	-	2		22	-	30	-	52	
	N.W.T.	-	-	2	2	4		-	-	17	42	59	
615	Other congenital	221	159	628	462	1,470		3,275	2,522	13,999	11,060	30,856	
755-759	malformations and redundant prepuce and phimosi												
	Nfld.	40	27	246	74	387		1,026	292	3,372	2,658	7,348	
	P.E.I.	5	-	36	15	56		61	-	251	197	509	
	N.B.	-	-	167	59	226		-	-	2,354	1,281	3,635	
	Que.	408	228	1,349	461	2,446		4,865	3,442	16,310	8,580	33,197	
	Man.	33	12	210	66	321		188	130	2,133	833	3,284	
	Sask.	77	48	196	37	358		896	822	1,269	562	3,549	
	Alta.	17	6	199	273	495		201	180	2,890	1,586	4,857	
	B.C.	197	113	260	138	708		1,813	1,579	3,723	1,834	8,949	
	Yukon	-	-	1	2	3		-	-	4	91	95	
	N.W.T.	-	-	8	4	12		-	-	114	89	203	
777		434	2,672	1,129	5,012	9,050		6,445	32,420	17,711	65,626		

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES				PATIENT-DAYS							
		Newborn		Other Infants		Total	Newborn		Other Infants		Total		
		M	F	M	F		M	F	M	F			
760-761	Birth injury												
	Nfld.	45	26	4	7	82	730	255	82	193	1,260		
	P.E.I.	-	-	-	-	-	-	-	-	-	-		
	N.B.	-	-	-	2	2	-	-	-	13	13		
	Que.	289	178	58	37	562	3,153	1,640	694	503	5,990		
	Man.	14	7	16	3	40	150	29	362	8	549		
	Sask.	72	60	5	3	140	496	334	62	23	915		
	Alta.	5	4	7	4	20	80	19	58	140	297		
	B.C.	226	191	8	5	430	1,812	1,356	177	299	3,644		
	Yukon	-	-	-	-	-	-	-	-	-	-		
	N.W.T.	-	-	1	-	1	-	-	23	-	23		
762	Postnatal asphyxia and atelectasis	651	466	99	61	1,277	6,421	3,633	1,458	1,179	12,691		
	Nfld.	145	104	-	1	250	1,608	1,088	-	21	2,717		
	P.E.I.	-	1	1	-	2	-	16	6	-	22		
	N.B.	-	-	5	4	9	-	-	76	20	96		
	Que.	341	191	102	59	693	3,842	1,844	831	625	7,142		
	Man.	33	21	10	6	70	143	282	109	40	574		
	Sask.	52	31	5	8	96	713	167	53	85	1,018		
	Alta.	12	7	7	8	34	122	181	33	101	437		
	B.C.	115	77	4	7	203	935	600	47	203	1,785		
	Yukon	-	-	-	-	-	-	-	-	-	-		
	N.W.T.	1	-	-	1	2	1	-	-	56	57		
699		699	432	134	94	1,359	7,364	4,178	1,155	1,151	13,848		

TABLE 10 - (Cont'd)

I.S.C. Number	DIAGNOSIS	CASES						PATIENT-DAYS					
		Newborn		Other Infants		Total		Newborn		Other Infants		Total	
		M	F	M	F			M	F	M	F		
765-768	Ophthalmia and pemphigus neonatorum umbilical and other sepsis	34	35	13	12	94		378	646	114	115	1,253	
	Nfld.	-	1	-	-	1		-	12	-	-	12	
	P.E.I.	-	-	5	3	8		-	-	45	19	64	
	N.B.	477	349	138	109	1,073		5,508	4,119	2,478	1,637	13,742	
	Que.	17	11	8	11	47		316	239	40	54	649	
	Man.	7	9	4	4	24		72	129	11	19	231	
	Sask.	2	-	8	5	15		23	-	51	36	110	
	Alta.	46	45	8	7	106		628	654	85	61	1,428	
	B.C.	-	-	-	-	-		-	-	-	-	-	
	Yukon	-	1	1	1	3		-	4	1	2	7	
	N.W.T.	-	-	-	-	-		-	-	-	-	-	
770	Erythroblastosis	583	451	185	152	1,371		6,925	5,803	2,825	1,943	17,496	
	Nfld.	47	53	4	9	113		748	1,000	149	144	2,041	
	P.E.I.	5	1	-	-	6		30	19	-	-	49	
	N.B.	-	-	8	2	10		-	-	129	17	146	
	Que.	254	255	150	100	759		3,473	3,733	2,004	1,900	11,110	
	Man.	30	20	18	12	80		232	349	177	204	962	
	Sask.	63	57	9	4	133		640	655	61	19	1,375	
	Alta.	4	9	22	13	48		34	72	183	148	437	
	B.C.	117	123	14	10	264		1,294	1,302	154	186	2,936	
	Yukon	-	-	-	1	1		-	-	-	10	10	
	N.W.T.	1	-	1	-	2		2	-	14	-	16	
521		518	226	151	1,416	6,453		7,130	2,871	2,628	19,082		

TABLE 10 - (Cont'd)

I.S.C. Number	Diagnosis	CASES										PATIENT-DAYS									
		Newborn		Other Infants		Total		Newborn		Other Infants		Total		M		F		M		F	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	Total	Total
N940-N949	Burns	-	-	14	8	22	-	-	-	156	110	266	-	-	-	-	-	-	-	-	-
	Nfld.	-	-	1	1	2	-	-	-	8	14	22	-	-	-	-	-	-	-	-	22
	P.E.I.	-	-	11	13	24	-	-	-	148	182	330	-	-	-	-	-	-	-	-	330
	N.B.	-	-	56	39	95	-	-	-	702	690	1,392	-	-	-	-	-	-	-	-	1,392
	Que.	-	-	24	18	42	-	-	-	264	185	449	-	-	-	-	-	-	-	-	449
	Man.	-	-	6	3	9	-	-	-	62	49	111	-	-	-	-	-	-	-	-	111
	Sask.	-	-	34	16	50	-	-	-	442	249	691	-	-	-	-	-	-	-	-	691
	Alta.	-	-	21	25	46	-	-	-	189	349	538	-	-	-	-	-	-	-	-	538
	B.C.	-	-	1	-	1	-	-	-	7	-	7	-	-	-	-	-	-	-	-	7
	Yukon	-	-	3	3	6	-	-	-	23	31	54	-	-	-	-	-	-	-	-	54
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	171	126	297	-	-	-	2,001	1,859	3,860	-	-	-	-	-	-	-	-	-
N805-N851	Other accidents,	-	-	31	18	49	-	-	-	160	103	263	-	-	-	-	-	-	-	-	-
N860-N936	poisonings and	-	1	6	2	9	-	-	1	116	18	135	-	-	-	-	-	-	-	-	-
N950-N999	violence	-	-	28	18	46	-	-	-	276	118	394	-	-	-	-	-	-	-	-	-
	Nfld.	-	-	179	141	321	-	-	5	2,286	2,321	4,612	-	-	-	-	-	-	-	-	-
	P.E.I.	-	-	47	27	74	-	-	-	297	201	498	-	-	-	-	-	-	-	-	-
	N.B.	-	-	22	15	40	-	-	-	125	172	352	-	-	-	-	-	-	-	-	-
	Que.	-	-	105	80	185	-	-	-	772	548	1,320	-	-	-	-	-	-	-	-	-
	Man.	2	1	87	65	177	28	27	35	647	710	1,709	-	-	-	-	-	-	-	-	-
	Sask.	-	-	1	1	2	-	-	-	4	6	10	-	-	-	-	-	-	-	-	-
	Alta.	22	3	1	1	6	-	-	-	39	1	40	-	-	-	-	-	-	-	-	-
	B.C.	-	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Yukon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	N.W.T.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		24	6	511	368	909	345	68	4,198	4,722	9,333	-	-	-	-	-	-	-	-	-	-

APPENDIX I

THE CANADIAN LIST OF 98 DIAGNOSES FOR HOSPITAL STATISTICS, AND THE CORRESPONDING CATEGORIES OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH (1955)

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
1	001-019	13	172-174	25	260	38	420-422
2	080-083	14	175	26	270-277	39	430-434
3	092	15	177	27	280-289	40	440-447
4	084-091, 093-096	16	180, 181	28	290-299	41	450-456
5	020-064, 070-074 100-108, 110-117, 120-138	17	204	29	300-309	42	460
6	140-148	18	150, 152, 155-161, 164, 165, 176, 178, 179 190-199, 200-203, 205	30	310-318	43	461
7	151	19	214, 215	31	320-326	44	463, 464
8	153	20	216	32	330-334	45	462, 465-468
9	154	21	210-213, 217-239	33	340-345, 350-357	46	470-475
10	162, 163	22	241	34	360-369	47	480-483
11	170	23	240, 242-245	35	370-389	48	490-493
12	171	24	250-254	36	390-398	49	500-502
				37	400-402, 410-416	50	510

Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number	Canadian List Number	I.S.C. Number
51	511-527	65	602,604	78	690-698	91	N830-N848
52	530-535	66	601,603,605-609	79	700-716	92	N860-N869
53	540-542	67	610	80	720-727	93	N940-N949
54	543-545	68	615	81	735	94	N850, N851, N870-N888, N890-N898, N900-N908, N910-N918, N920-N936, N950-N999
55	550-553	69	622-626, 630	82	730-734, 736-738, 740-749		
56	560,561	70	631				
57	570	71	634	83	750-759	95	Y00
58	571	72	611-614, 616, 617, 620, 621, 632, 633, 635-637	84	760-776	96	Y20, Y22, Y23, Y26, Y27
59	572			85	780-795	97	Y21, Y24, Y25, Y28, Y29
60	580-583	73	640-649	86	N800-N804, N852-N856	98	Y01-Y18, Y40-Y88
61	584-587	74	650-652	87	N805-N809		
62	536-539, 573-578	75	660	88	N810-N819		
63	590-594	76	670-678	89	N820, N821		
64	600	77	680-689	90	N822-N829		

APPENDIX 2
CANADA POPULATION
EXCLUDING NOVA SCOTIA, 1966, UTILIZED IN TABLE 6

AGE GROUP	MALE POPULATION	FEMALE POPULATION
UNDER 1	196,200	184,600
1 - 4	888,700	842,400
5 - 14	2,157,600	2,067,700
15 - 24	1,592,000	1,580,300
25 - 44	2,440,300	2,417,900
45 - 59	1,396,700	1,384,400
60 - 74	751,700	804,700
75+	250,700	303,000
TOTAL	9,673,900	9,585,000

APPENDIX 3 - CENSUS POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1966

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
Total (Both Sexes)	20,014.9	493.4	108.5	756.0	616.8	5,780.8	6,960.9	963.1	955.4	1,463.2	1,873.7	14.4	28.7
Under 1	396.0	13.6	2.2	15.2	13.3	113.3	135.6	18.3	19.2	30.2	33.6	0.4	1.1
1 - 4	1,801.4	55.0	10.4	70.3	59.6	519.2	610.1	84.1	88.3	143.4	155.2	1.7	4.1
5 - 9	2,300.8	67.0	13.0	87.4	76.3	682.9	770.1	105.5	110.1	179.5	203.1	1.9	4.0
10 - 14	2,093.5	63.5	12.0	81.6	72.9	628.2	688.3	99.3	103.3	157.6	182.4	1.4	3.0
15 - 19	1,837.7	54.3	11.1	74.1	65.5	566.3	599.2	87.9	88.4	129.0	158.4	1.0	2.5
20 - 24	1,461.3	35.9	6.8	52.6	42.4	474.1	485.1	66.9	62.1	102.0	129.8	1.1	2.5
25 - 29	1,241.8	28.0	5.7	43.0	33.2	380.8	433.9	55.2	52.4	92.2	113.9	1.2	2.3
30 - 34	1,241.7	25.3	5.5	41.4	32.0	372.2	447.2	54.2	52.3	94.5	113.9	1.1	2.1
35 - 39	1,286.2	25.3	5.4	41.6	32.8	376.2	472.6	57.5	55.0	95.5	121.5	1.1	1.7
40 - 44	1,257.0	23.7	5.6	42.5	33.9	354.7	469.4	59.6	55.4	89.0	120.9	0.9	1.4
45 - 49	1,089.9	23.1	5.5	41.8	31.7	298.3	391.0	55.1	53.6	77.9	110.1	0.7	1.1
50 - 54	988.3	20.7	5.4	39.3	28.9	267.6	353.4	51.6	49.7	67.3	103.0	0.5	0.9
55 - 59	816.3	16.4	4.6	32.3	24.5	220.3	293.3	43.5	42.3	55.3	82.6	0.5	0.7
60 - 64	663.4	12.3	3.7	25.5	19.5	175.1	244.1	35.6	34.3	45.8	66.7	0.3	0.5
65 - 69	531.7	10.3	3.6	21.7	16.6	133.8	199.2	28.6	27.3	35.2	54.9	0.2	0.3
70 - 74	427.2	8.2	3.2	18.7	14.1	99.7	159.0	24.6	24.0	27.9	47.4	0.2	0.2
75 - 79	300.4	5.6	2.3	13.1	9.7	64.2	108.5	18.3	19.1	21.3	38.0	0.1	0.2
80 - 84	177.3	3.3	1.5	8.2	6.0	34.8	63.2	11.0	11.9	12.7	24.5	0.1	0.1
85 - 89	76.8	1.4	0.7	4.0	2.8	14.4	27.9	4.7	5.1	5.3	10.5	(1)	(1)
90+	26.2	0.5	0.3	1.7	1.1	4.7	9.8	1.6	1.6	1.6	3.3	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics, Ottawa.

APPENDIX 3 - CENSUS POPULATION BY SEX AND AGE GROUP, FOR CANADA AND PROVINCES, 1966

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
MALES	10,054.4	252.1	55.0	380.5	310.1	2,885.9	3,479.2	484.3	489.1	746.2	948.6	7.8	15.6
Under 1	203.9	7.0	1.1	7.7	6.8	58.5	70.0	9.4	9.8	15.7	17.1	0.2	0.6
1 - 4	924.9	28.3	5.4	36.2	30.7	267.2	312.5	43.1	45.2	73.4	79.9	0.9	2.1
5 - 9	1,172.8	34.1	6.6	44.6	39.0	347.5	393.5	53.9	56.1	91.6	103.0	0.9	2.0
10 - 14	1,071.2	32.2	6.1	41.8	37.1	321.8	351.9	50.7	53.0	81.0	93.4	0.7	1.5
15 - 19	929.0	27.3	5.6	37.7	33.1	284.1	304.7	44.4	44.8	64.8	80.7	0.5	1.3
20 - 24	727.1	17.6	3.5	26.4	21.5	234.2	240.7	33.8	31.5	49.9	66.0	0.6	1.4
25 - 29	619.5	14.3	2.9	21.7	16.6	188.9	215.4	27.7	26.5	45.7	57.8	0.7	1.3
30 - 34	630.5	13.2	2.9	21.0	15.9	186.4	226.6	27.5	26.8	48.8	59.6	0.6	1.2
35 - 39	649.8	13.2	2.8	20.6	16.2	186.7	239.6	28.6	28.2	49.4	62.9	0.6	1.0
40 - 44	624.7	12.5	2.8	20.9	16.8	175.7	233.0	29.2	27.9	44.7	59.9	0.5	0.8
45 - 49	542.7	12.2	2.7	20.7	15.8	147.4	195.5	27.3	26.9	39.5	53.7	0.4	0.6
50 - 54	498.3	10.9	2.7	20.0	14.7	132.8	179.0	25.9	25.4	34.4	51.7	0.3	0.5
55 - 59	413.4	8.8	2.5	17.0	12.6	109.4	147.1	22.0	22.2	28.7	42.3	0.3	0.5
60 - 64	330.0	6.3	1.9	12.8	9.7	84.4	119.6	17.9	18.2	24.4	34.3	0.2	0.3
65 - 69	254.9	5.1	1.8	10.5	7.9	62.7	93.1	14.0	14.1	18.4	27.0	0.1	0.2
70 - 74	198.8	4.0	1.5	8.7	6.7	46.1	70.4	11.8	12.6	14.5	22.3	0.1	0.1
75 - 79	139.0	2.7	1.1	6.1	4.6	28.8	46.6	9.0	10.2	11.2	18.5	0.1	0.1
80 - 84	80.7	1.6	0.7	3.7	2.8	15.4	26.0	5.2	6.4	6.6	12.1	0.1	0.1
85 - 89	33.1	0.6	0.3	1.7	1.2	6.1	10.7	2.2	2.6	2.7	5.0	(1)	(1)
90+	10.1	0.2	0.1	0.7	0.4	1.8	3.3	0.7	0.7	0.8	1.4	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics, Ottawa.

Sex and Age	Canada	Nfld.	P.E.I.	N.S.	N.B.	Que.	Ont.	Man.	Sask.	Alta.	B.C.	Yukon	N.W.T.
(In Thousands)													
FEMALES	9,960.5	241.3	53.5	375.5	306.7	2,894.9	3,481.7	478.8	466.3	717.0	925.1	6.6	13.1
Under 1	192.1	6.6	1.1	7.5	6.5	54.8	65.6	8.9	9.4	14.5	16.5	0.2	0.5
1 - 4	876.5	26.7	5.0	34.1	28.9	252.0	297.6	41.0	43.1	70.0	75.3	0.8	2.0
5 - 9	1,128.0	32.9	6.4	42.8	37.3	335.4	376.6	51.6	54.0	87.9	100.1	1.0	2.0
10 - 14	1,022.3	31.3	5.9	39.8	35.8	306.4	336.4	48.6	50.3	76.6	89.0	0.7	1.5
15 - 19	908.7	27.0	5.5	36.4	32.4	282.2	294.5	43.5	43.6	64.2	77.7	0.5	1.2
20 - 24	734.2	18.3	3.3	26.2	20.9	239.9	244.4	33.1	30.6	52.1	63.8	0.5	1.1
25 - 29	622.3	13.7	2.8	21.3	16.6	191.9	218.5	27.5	25.9	46.5	56.1	0.5	1.0
30 - 34	611.2	12.1	2.6	20.4	16.1	185.8	220.6	26.7	25.5	45.7	54.3	0.5	0.9
35 - 39	636.4	12.1	2.6	21.0	16.6	189.5	233.0	28.9	26.8	46.1	58.6	0.5	0.7
40 - 44	632.3	11.2	2.8	21.6	17.1	179.0	236.4	30.4	27.5	44.3	61.0	0.4	0.6
45 - 49	547.2	10.9	2.8	21.1	15.9	150.9	195.5	27.8	26.7	38.4	56.4	0.3	0.5
50 - 54	490.0	9.8	2.7	19.3	14.2	134.8	174.4	25.7	24.3	32.9	51.3	0.2	0.4
55 - 59	402.9	7.6	2.1	15.3	11.9	110.9	146.2	21.5	20.1	26.6	40.3	0.2	0.2
60 - 64	333.4	6.0	1.8	12.7	9.8	90.7	124.5	17.7	16.1	21.4	32.4	0.1	0.2
65 - 69	276.8	5.2	1.8	11.2	8.7	71.1	106.1	14.6	13.2	16.8	27.9	0.1	0.1
70 - 74	228.4	4.2	1.7	10.0	7.4	53.6	88.6	12.8	11.4	13.4	25.1	0.1	0.1
75 - 79	161.4	2.9	1.2	7.0	5.1	35.4	61.9	9.3	8.9	10.1	19.5	(1)	0.1
80 - 84	96.6	1.7	0.8	4.5	3.2	19.4	37.2	5.8	5.5	6.1	12.4	(1)	(1)
85 - 89	43.7	0.8	0.4	2.3	1.6	8.3	17.2	2.5	2.5	2.6	5.5	(1)	(1)
90+	16.1	0.3	0.2	1.0	0.7	2.9	6.5	0.9	0.9	0.8	1.9	(1)	(1)

(1) Less than 50 persons.

Source: Dominion Bureau of Statistics, Ottawa.

